

# **MISSOURI VITAL STATISTICS 1976**

**Missouri Center for Health Statistics**



**MISSOURI**  
**VITAL STATISTICS**  
**1976**

**MISSOURI**  
**DEPARTMENT OF SOCIAL SERVICES**  
**DIVISION OF HEALTH**  
**MISSOURI CENTER FOR HEALTH STATISTICS**  
**P.O. BOX 570**  
**JEFFERSON CITY**  
**65101**

PUBLISHED BY

MISSOURI DEPARTMENT OF SOCIAL SERVICES

JAMES WALSH, DIRECTOR

DIVISION OF HEALTH

HERBERT R. DOMKE, M.D., DR.P.H., DIRECTOR

STATE CENTER FOR HEALTH STATISTICS

GARLAND LAND, DIRECTOR

BUREAU OF HEALTH DATA ANALYSIS

WAYNE F. MILLER, DIRECTOR

SEPTEMBER, 1977

## PREFACE

This report presents the final tabulation of statistical data relating to vital events in Missouri during 1976. Data for the year of the report was accepted through March 15, 1977, allowing information reflecting events in 1976 to be as complete as possible.

*Missouri Vital Statistics 1976* is published for use in public health and related fields as an aid for studying births, deaths, fetal deaths, marriages, dissolutions, and abortions. Provisional vital statistics data are available through the publication, *Missouri Monthly Vital Statistics*. Unpublished detailed annual vital statistics data are available upon request.

Wayne Schramm, research analyst, directed the development and quality control of this publication. Ben H. Cederburg III wrote most of the computer programs used for this report and supervised their operation.

## BACKGROUND

### RELIABILITY OF THE DATA

In analyzing any data, the fact of potential error in the data must not be overlooked. There are several types of errors possible including: underregistration, errors made by the informant, and errors in compiling and processing.

Probably, the most potentially dangerous error is that of improper interpretation. Statistics are neither more true nor false than the interpretation given to them. Particular caution must be made in analyzing trend data, for there have been changes over the years in medical diagnosis, coding definitions, and registration coverage. Most of the rates computed in this report are crude rates. In comparing geographic areas, crude rates are limited because they do not take into account the differences in age, sex, race, and other population characteristics. Care should also be taken in using rates where the number of events or the population is small. Minor variations in the number of events may result in major changes in the rates. Rates based on less than 20 events are very unstable.

### VITAL RECORDS

Vital Statistics in Missouri are compiled from five basic records which are filed with the Division of Health by State Law. These records are: (1) live birth records, (2) death records, and (3) fetal death records, each beginning with 1910; (4) marriage, and (5) divorce records, beginning with 1948. In 1974 divorces were changed to dissolutions of marriage by a new "no-fault" divorce law. They will appear as dissolutions in this publication. Annulments now are invalidities. Total dissolutions in Graph F and Table 32 exclude legal separations.

In 1976 Missouri started collecting abortions on a mandatory basis. Thus, resident Missouri abortions will appear in this report for the first time.

Missouri cooperates with other states in the exchange of records for live births, fetal deaths, and deaths to include in resident data events occurring to Missouri residents in other states.

The data within this report represents the 1976 calendar year of events. Records have been accepted through March 15 of 1977 before cut-off, allowing 1976 events to be as complete as possible.

### POPULATION

Population data in this report is a Provisional Estimate of Population, July 1, 1976; provided jointly by the Division of Budget and Planning; Office of Administration, Capitol Building, Jefferson City, Missouri and Division of Health.

### RATES

Rates are calculated by dividing the event of concern by the population at risk or a related population and multiplying by a constant. Death rates from all causes and live birth rates are expressed in terms of 1,000 estimated population; deaths from a specific cause are based on 100,000 estimated population (excluding maternal and infant causes); maternal deaths calculated per 10,000 live births; infant, neonatal and fetal deaths stated per 1,000 live births.

### COLOR

The term "color" refers to the division of population into two groups, white and nonwhite.

The color group designated as "nonwhite" consists of such races as the Negro, American Indian, Japanese, Chinese, Filipino, Korean, Asian Indian, and Malayan races. Persons of Mexican birth or ancestry who are not definitely of Indian or other nonwhite race are classified as white.

Persons of mixed racial parentage are classified according to the race of the nonwhite parent.

### TERMS "RESIDENT" AND "RECORDED"

It is important to understand the significance of the terms "Resident" and "Recorded" when analyzing vital statistics.

"Resident" data are compiled for vital events that relate to persons residing in an area independent of where the events occurred. (A person is considered to be a resident of an area if he has resided there six months or more. In the case of live births, fetal deaths, and infant deaths, the residence of the mother is considered to be the residence of the child.)

"Recorded" data are based on the number of vital events that occur in an area. These data are used to analyze events that might be affected by the place in which they occur.

Resident and recorded figures can neither be added nor subtracted from the other. Thus the number of events occurring or not occurring in the same geographic area where the people reside cannot be calculated from resident and recorded data.

## CAUSE OF DEATH CLASSIFICATION

The causes of death presented here are classified in accordance with the Eighth Revision of the International Classification of Diseases, Adapted, 1967; Public Health Service Publication No. 1693, from the U.S. Government Printing Office.

The specific causes of death in this report are shown in groupings of 41 causes. Where the leading causes were selected, it was done so from a further consolidation of these 41 causes.

## RATES AND WHOLE NUMBERS

Rates are rounded to the nearest tenth. When the rate or percent is less than one-tenth, the entry is left blank.

In the case of whole numbers, if a blank or dash (-) is shown, this means none or zero.

# TABLE OF CONTENTS

## BIRTHS, FETAL DEATHS, DEATHS, INFANT DEATHS, MATERNAL DEATHS, ACCIDENTS, LIFE EXPECTANCY

Table/Graph		Page
A	Trends in Live Birth and Deaths Rates, 1911--1976 .....	2
1	Population, Recorded Births and Deaths with Rates per 1,000 Population and Excess of Births Over Deaths, Missouri: 1911--1944 .....	3
2	Population, Recorded and Resident Births and Deaths with Rates per 1,000 Population and Excess of Resident Births over Deaths, Missouri: 1945--1976 .....	4
3	Selected Resident Live Birth Statistics with Percentages, By Sex, Color, Attendant, Legitimacy, Deformity, Weight, Place of Delivery, and Month of Occurrence, Urban and Rural, Missouri: 1976 .....	5
4	Resident and Recorded Births and Fetal Deaths by Counties With Rates, Missouri: 1976 .....	8
5	Resident and Recorded Births and Fetal Deaths by Cities Over 2,500 Population, Missouri: 1976 .....	12
6	Resident Live Births, Urban and Rural, By Age of Mother, Sex and Color of Child, Missouri: 1976 .....	17
B	Trends in Fetal Death Rates by Color, 1932--1976 .....	18
7	Resident and Recorded Fetal Deaths by Color and Weight, Missouri: 1976 .....	19
8	Legitimacy of Resident Live Births With Percentages by Color by Counties and Cities of 10,000 Population and Over, Missouri: 1976 .....	20
9	Ten Leading Causes of Death and Rates, Resident Data, Missouri: 1976 .....	26
10	Five Causes of Death for Selected Age Groups, Number of Resident Deaths, Missouri: 1976 .....	27
C	Trends in Maternal Death Rates by Color, 1932--1976 .....	29
11	Resident Maternal Deaths by Cause and Color with Rates, Missouri: 1976 .....	30
12	Resident Deaths, Age Groups by Sex and Color and by Selected Causes of Death, Missouri: 1976 .....	31
13	Resident and Recorded Deaths, Infant Deaths, and Maternal Deaths by Counties with Rates, Missouri: 1976 .....	35
14	Resident and Recorded Deaths, Infant Deaths, and Maternal Deaths by Cities 2,500 Population, Missouri: 1976 .....	39
D	Trends in Infant Death Rates by Color, 1932--1976 .....	44
15	Resident Infant Deaths by Age, Cause, and Color with Rates by Cause and Color, Missouri: 1976 .....	45
16	Resident Live Births and Fetal Deaths by Color and Attendant; Infant Deaths, Maternal Deaths and Selected Causes of Death by Color; State Total and Population Groups, County Areas Including Cities and Cities of 10,000 Population and Over, Missouri: 1976 .....	46
17	Recorded Deaths by Type of Accident, Age and Sex, Missouri: 1976 .....	136
18	Abridged Life Table for Total Population and by Sex; Missouri: 1976 .....	138

## MARRIAGES

E	Trends in Marriage Rates, 1949--1976 .....	140
19	Reported Marriages by Age of Groom, by Age of Bride, Missouri: 1976 .....	141
20	Reported Marriages by Marital Status and Selected Age Groups, Grooms and Brides, Missouri: 1976 .....	143
21	Reported Marriages by Marital Status, Missouri: 1976 .....	144
22	Reported Marriages by Color of Groom, by Color of Bride, Missouri: 1976 .....	144
23	Reported Marriages by County of Record with Rates, Missouri: 1976 .....	145

# DISSOLUTIONS

Table/Graph		Page
F	Trends in Dissolution Rates, 1949--1976 .....	147
24	Reported Dissolutions, Invalidities and Legal Separations by Number of Previous Marriages, Husband by Wife, Missouri: 1976 .....	148
25	Reported Dissolutions, Invalidities and Legal Separations by Duration of Marriages, Missouri: 1976 .....	149
26	Reported Dissolutions, Invalidities and Legal Separations by Number of Children Affected, Missouri: 1976 .....	150
27	Reported Dissolutions, Invalidities and Legal Separations by Petitioner, Missouri: 1976 .....	150
28	Reported Dissolutions, Invalidities and Legal Separations by Petitioner by Disposition of Children, Missouri: 1976 .....	150
29	Reported Dissolutions, Invalidities and Legal Separations by Maintenance and Settlement, Missouri: 1976 .....	151
30	Reported Dissolutions, Invalidities and Legal Separations by Legal Grounds for Decree, Missouri: 1976 .....	151
31	Reported Dissolutions, Invalidities and Legal Separations by Color, Husband by Wife, Missouri: 1976 .....	152
32	Reported Dissolutions, Invalidities and Legal Separations by Number of Cases Contested, Missouri: 1976 .....	152
33	Reported Dissolutions and Invalidities by County of Recording with Rates, Missouri: 1976 .....	153

# ABORTIONS

34	Resident Abortions by Age and Marital Status of Patient, Missouri: 1976 .....	155
35	Resident Abortions by Education and Race of Patient, Missouri: 1976 .....	155
36	Number of Living Children, Number of Previous Abortions for Resident Women Receiving Abortions, Missouri: 1976 .....	156
37	Abortions and Abortion Ratios by County or State of Residence, Missouri: 1976 .....	157




# MISSOURI



**BIRTHS, FETAL DEATHS  
DEATHS, INFANT DEATHS  
MATERNAL DEATHS  
ACCIDENTS  
LIFE EXPECTANCY**

**GRAPH A.**  
**LIVE BIRTH AND DEATH RATES 1911-1975**  
(per 1,000 population)



Source: Missouri State Board of Health, Vital Statistics, 1911-1934 and 1937-1944; Division of Health of Missouri, Vital Statistics Reports, 1945-date; Special Reports of the United States Bureau of the Census, 1935-36. Population estimates taken from United States Bureau of the Census Release, Series P-25, No's 139, 304, 460, 488. July 1, 1975 provisional estimate—see page iv. Recorded data 1911 to 1944 and Resident data 1945 to date.

Year	Live Births	Deaths	Year	Live Births	Deaths	Year	Live Births	Deaths	Year	Live Births	Deaths
1911	22.3	13.1	1928	17.6	12.6	1945	18.7	12.1	1962	21.5	11.2
1912	22.6	12.6	1929	16.8	12.2	1946	21.5	11.3	1963	20.6	11.5
1913	22.1	12.4	1930	17.0	11.8	1947	23.4	11.6	1964	19.9	11.2
1914	21.3	12.0	1931	16.2	11.9	1948	22.1	11.1	1965	18.2	11.2
1915	20.5	11.7	1932	16.0	11.7	1949	21.5	11.1	1966	17.2	11.4
1916	20.8	12.7	1933	15.3	11.5	1950	21.6	11.0	1967	16.5	11.1
1917	19.3	13.1	1934	15.9	12.3	1951	22.4	10.9	1968	16.3	11.4
1918	19.2	15.6	1935	15.1	11.4	1952	22.7	11.3	1969	16.9	11.3
1919	18.2	11.7	1936	14.7	12.8	1953	22.7	11.2	1970	17.2	11.1
1920	19.2	12.5	1937	15.1	11.9	1954	23.0	10.8	1971	16.6	10.8
1921	19.5	10.6	1938	15.7	11.3	1955	22.7	10.4	1972	15.3	11.0
1922	18.7	11.2	1939	15.8	11.3	1956	23.1	10.7	1973	14.4	10.9
1923	19.3	12.1	1940	16.5	11.6	1957	23.2	11.3	1974	14.5	10.6
1924	19.7	11.5	1941	17.4	11.4	1958	23.1	11.2	1975	14.4	10.3
1925	19.4	11.7	1942	19.0	11.0	1959	23.1	10.9	1976	14.4	10.3
1926	18.7	12.0	1943	20.2	12.0	1960	22.6	11.2			
1927	18.6	11.4	1944	19.7	11.9	1961	22.4	10.9			

TABLE 1

POPULATION, RECORDED BIRTHS AND DEATHS WITH RATES PER 1,000 POPULATION  
AND EXCESS OF BIRTHS OVER DEATHS, MISSOURI: 1911-1944

Year	Estimated Mid-Year Population (Thousands)	Births		Deaths		Excess Births Over Deaths	Year	Estimated Mid-Year Population (Thousands)	Births		Deaths		Excess Births Over Deaths
		Number	Rate	Number	Rate				Number	Rate	Number	Rate	
1911	3,317	74,130	22.3	43,479	13.1	30,651	1928	3,601	63,401	17.6	45,219	12.6	18,182
1912	3,344	75,452	22.6	42,139	12.6	33,313	1929	3,622	60,980	16.8	44,262	12.2	16,718
1913	3,409	75,231	22.1	42,130	12.4	33,101	1930	3,646	62,011	17.0	42,924	11.8	19,087
1914	3,467	73,925	21.3	41,743	12.0	32,182	1931	3,711	60,201	16.2	43,999	11.9	16,202
1915	3,492	71,543	20.5	40,863	11.7	30,680	1932	3,746	59,755	16.0	43,695	11.7	16,060
1916	3,527	73,486	20.8	44,705	12.7	28,781	1933	3,773	57,717	15.3	43,368	11.5	14,349
1917	3,470	67,041	19.3	45,564	13.1	21,477	1934	3,784	60,317	15.9	46,685	12.3	13,632
1918	3,325	64,001	19.2	51,925	15.6	12,076	1935	3,798	57,299	15.1	43,201	11.4	14,098
1919	3,371	61,193	18.2	39,282	11.7	21,911	1936	3,801	55,916	14.7	48,767	12.8	7,149
1920	3,404	65,416	19.2	42,572	12.5	22,844	1937	3,794	57,270	15.1	45,160	11.9	12,110
1921	3,429	66,970	19.5	36,210	10.6	30,760	1938	3,781	59,365	15.7	42,578	11.3	16,787
1922	3,427	64,388	18.7	38,417	11.2	25,971	1939	3,783	59,688	15.8	42,693	11.3	16,995
1923	3,454	66,691	19.3	41,853	12.1	24,838	1940	3,786	62,545	16.5	43,950	11.6	18,595
1924	3,508	68,961	19.7	40,463	11.5	28,498	1941	3,811	66,268	17.4	43,295	11.4	22,973
1925	3,526	68,293	19.4	41,332	11.7	26,961	1942	3,829	72,575	19.0	42,117	11.0	30,458
1926	3,556	66,611	18.7	42,684	12.0	23,927	1943	3,705	74,820	20.2	44,437	12.0	30,383
1927	3,576	66,401	18.6	40,853	11.4	25,548	1944	3,560	69,982	19.7	42,347	11.9	27,635

Sources: 1911-1934 and 1937-1944 Vital Statistics Reports of the Missouri State Board of Health. 1935-1936, Special Reports of the United States Bureau of the Census. Population estimates 1911 to 1944 taken from United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1956.

TABLE 2

POPULATION, RECORDED AND RESIDENT BIRTHS AND DEATHS WITH RATES PER 1,000  
POPULATION AND EXCESS OF RESIDENT BIRTHS OVER DEATHS, MISSOURI: 1945-1975

Year	Estimated Mid-Year Population (Thousands)	Recorded				Resident				Excess Births Over Deaths
		Births		Deaths		Births		Deaths		
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	
1945	3,516	67,693	19.3	42,757	12.2	65,691	18.7	42,496	12.1	23,195
1946	3,746	82,901	22.1	42,640	11.4	80,698	21.5	42,377	11.3	38,321
1947	3,845	92,369	24.0	44,762	11.6	89,902	23.4	44,474	11.6	45,428
1948	3,844	87,005	22.6	42,921	11.2	85,096	22.1	42,753	11.1	42,342
1949	3,955	87,372	22.1	43,995	11.1	85,206	21.5	43,708	11.1	41,498
1950	3,964	87,948	22.2	43,962	11.1	85,704	21.6	43,714	11.0	41,990
1951	4,015	92,664	23.1	44,318	11.0	89,977	22.4	44,051	10.9	45,926
1952	3,972	92,931	23.4	45,245	11.4	90,118	22.7	45,051	11.3	45,067
1953	4,020	94,419	23.5	45,686	11.4	91,447	22.7	45,148	11.2	46,299
1954	4,066	97,278	23.9	44,404	10.9	93,453	23.0	43,835	10.8	49,618
1955	4,134	97,591	23.6	43,531	10.5	93,797	22.7	43,000	10.4	50,797
1956	4,163	100,163	24.1	45,003	10.8	96,099	23.1	44,458	10.7	51,641
1957	4,189	101,287	24.2	47,784	11.4	97,161	23.2	47,333	11.3	49,828
1958	4,186	100,729	24.1	47,338	11.3	96,721	23.1	46,729	11.2	49,992
1959	4,258	102,461	24.1	47,099	11.1	98,537	23.1	46,465	10.9	52,072
1960	4,326	101,778	23.5	48,955	11.3	97,723	22.6	48,287	11.2	49,436
1961	4,349	101,462	23.3	47,933	11.0	97,321	22.4	47,303	10.9	50,018
1962	4,357	97,658	22.4	49,685	11.4	93,879	21.5	49,016	11.2	44,863
1963	4,392	93,545	21.3	51,159	11.6	90,363	20.6	50,538	11.5	39,825
1964	4,442	90,918	20.5	50,271	11.3	88,335	19.9	49,617	11.2	38,718
1965	4,467	84,162	18.8	51,101	11.4	81,216	18.2	50,249	11.2	30,967
1966	4,523	80,750	17.9	52,476	11.6	77,946	17.2	51,581	11.4	26,365
1967	4,539	77,940	17.2	51,245	11.3	74,823	16.5	50,544	11.1	24,279
1968	4,568	77,028	16.9	52,834	11.6	74,304	16.3	52,019	11.4	22,285
1969	4,640	81,313	17.5	53,172	11.5	78,396	16.9	52,314	11.3	26,082
1970	4,680	83,787	17.9	52,592	11.2	80,707	17.2	51,743	11.1	28,964
1971	4,717	81,409	17.3	51,810	11.0	78,375	16.6	50,811	10.8	27,564
1972	4,747	75,127	15.8	53,249	11.2	72,597	15.3	52,287	11.0	20,310
1973	4,768	70,808	14.9	53,003	11.1	68,605	14.4	51,812	10.9	16,793
1974	4,772	71,875	15.0	51,656	10.8	69,412	14.5	50,504	10.6	18,908
1975	4,767	70,786	14.9	49,986	10.5	68,442	14.4	48,984	10.3	19,458
1976	4,778*	71,319	14.9	50,074	10.5	68,781	14.4	49,008	10.3	19,773

Sources: Vital Statistics Reports of the Missouri Division of Health. Population estimates taken from United States Bureau of the Census Release, Series P-25, No.'s 139, 304, 460, 488. \*July 1, 1976 provisional estimate—see page iv.

TABLE 3

SELECTED RESIDENT LIVE BIRTH STATISTICS WITH PERCENTAGES, BY SEX, COLOR, ATTENDANT,  
LEGITIMACY, DEFORMITY, WEIGHT, PLACE OF DELIVERY, AND MONTH OF OCCURRENCE,  
URBAN AND RURAL, MISSOURI 1976

	NUMBER			PERCENTAGES		
LIVE BIRTHS	STATE TOTAL	URBAN	RURAL	STATE TOTAL	URBAN	RURAL
SEX-COLOR						
GRAND TOTAL	68,781	30,247	38,534	100.0	100.0	100.0
TOTAL MALE	35,011	15,464	19,547	50.9	51.1	50.7
TOTAL FEMALE	33,770	14,783	18,987	49.1	48.9	49.3
WHITE TOTAL	57,727	21,517	36,210	100.0	100.0	100.0
MALE	29,458	11,073	18,385	51.0	51.5	50.8
FEMALE	28,269	10,444	17,825	49.0	48.5	49.2
NONWHITE TOTAL	11,054	8,730	2,324	100.0	100.0	100.0
MALE	5,553	4,391	1,162	50.2	50.3	50.0
FEMALE	5,501	4,339	1,162	49.8	49.7	50.0
ATTENDANT-COLOR						
GRAND TOTAL	68,781	30,247	38,534	100.0	100.0	100.0
M. D.	61,595	28,012	33,583	89.6	92.6	87.2
D. O.	7,043	2,213	4,830	10.2	7.3	12.5
MIDWIFE	70	9	61	.1		.2
OTHER	73	13	60	.1		.2
WHITE TOTAL	57,727	21,517	36,210	100.0	100.0	100.0
M. D.	51,368	19,890	31,478	89.0	92.4	86.9
D. O.	6,241	1,615	4,626	10.8	7.5	12.8
MIDWIFE	51	2	49	.1		.1
OTHER	67	10	57	.1		.2
NONWHITE TOTAL	11,054	8,730	2,324	100.0	100.0	100.0
M. D.	10,227	8,122	2,105	92.5	93.0	90.6
D. O.	802	598	204	7.3	6.8	8.8
MIDWIFE	19	7	12	.2	.1	.5
OTHER	6	3	3	.1		.1

PERCENTAGES ARE COMPUTED ON THE BASIS OF TOTAL WHITE AND NONWHITE LIVE BIRTHS.  
URBAN AREAS INCLUDE CITIES OVER 10,000 POP. ACCORDING TO 1970 CENSUS.  
ALL OTHER AREAS ARE INCLUDED IN 'RURAL'.

TABLE 3 (CONT)

SELECTED RESIDENT LIVE BIRTH STATISTICS WITH PERCENTAGES, BY SEX, COLOR, ATTENDANT,  
LEGITIMACY, DEFORMITY, WEIGHT, PLACE OF DELIVERY, AND MONTH OF OCCURRENCE,  
URBAN AND RURAL, MISSOURI 1976

	NUMBER						PERCENTAGES					
	STATE TOTAL		URBAN		RURAL		STATE TOTAL		URBAN		RURAL	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
LIVE BIRTHS												
LEGITIMACY-COLOR												
LIVE BIRTH TOTAL	57,727	11,054	21,517	8,730	36,210	2,324	100.0	100.0	100.0	100.0	100.0	100.0
LEGITIMATE	53,328	4,795	19,415	3,426	33,913	1,369	92.4	43.4	90.2	39.2	93.7	58.9
ILLEGITIMATE	4,383	6,247	2,097	5,294	2,286	953	7.6	56.5	9.7	60.6	6.3	41.0
NOT STATED	16	12	5	10	11	2		.1		.1		.1
DEFORMITY-COLOR												
LIVE BIRTH TOTAL	57,727	11,054	21,517	8,730	36,210	2,324	100.0	100.0	100.0	100.0	100.0	100.0
DEFORMED TOTAL	624	166	223	140	401	26	1.1	1.5	1.0	1.6	1.1	1.1
NOT DEFORMED TOTAL	56,961	10,877	21,269	8,585	35,692	2,292	98.7	98.4	98.8	98.3	98.6	98.6
NOT STATED/UNKNOWN	142	11	25	5	117	6	.2	.1	.1	.1	.3	.3
BIRTH WGT-ATTENDANT												
OVER 5.5 LBS TOTAL	54,117	9,613	20,118	7,548	33,999	2,065	100.0	100.0	100.0	100.0	100.0	100.0
M. D.	48,157	8,878	18,597	7,014	29,560	1,864	89.0	92.4	92.4	92.9	86.9	90.3
D. O.	5,853	712	1,510	526	4,343	186	10.8	7.4	7.5	7.0	12.8	9.0
MIDWIFE	49	19	2	7	47	12	.1	.2		.1	.1	.6
OTHER	58	4	9	1	49	3	.1				.1	.1
UNDER 5.5 LBS TOTAL	3,565	1,432	1,386	1,174	2,179	258	100.0	100.0	100.0	100.0	100.0	100.0
M. D.	3,176	1,342	1,281	1,102	1,895	240	89.1	93.7	92.4	93.9	87.0	93.0
D. O.	383	90	104	72	279	18	10.7	6.3	7.5	6.1	12.8	7.0
MIDWIFE	2				2		.1				.1	
OTHER	4		1		3		.1		.1		.1	
NOT STATED TOTAL	45	9	13	8	32	1	100.0	100.0	100.0	100.0	100.0	100.0
M. D.	35	7	12	6	23	1	77.8	77.8	92.3	75.0	71.9	100.0
D. O.	5		1		4		11.1		7.7		12.5	
MIDWIFE												
OTHER	5	2		2	5		11.1	22.2		25.0	15.6	
DELIVERIES BY PLACE												
PLACE OF BIRTH TOTAL	57,727	11,054	21,517	8,730	36,210	2,324	100.0	100.0	100.0	100.0	100.0	100.0
HOSPITAL	57,078	10,958	21,374	8,705	35,704	2,253	98.9	99.1	99.3	99.7	98.6	96.9
CLINIC	348	50	47	3	301	47	.6	.5	.2		.8	2.0
RESIDENCE	294	43	95	19	199	24	.5	.4	.4	.2	.5	1.0
OTHER	7	3	1	3	6							

TABLE 3 (CONT)

SELECTED RESIDENT LIVE BIRTH STATISTICS WITH PERCENTAGES, BY SEX, COLOR, ATTENDANT,  
LEGITIMACY, DEFORMITY, WEIGHT, PLACE OF DELIVERY, AND MONTH OF OCCURRENCE,  
URBAN AND RURAL, MISSOURI 1976

LIVE BIRTHS	NUMBER						PERCENTAGES					
	STATE TOTAL		URBAN		RURAL		STATE TOTAL		URBAN		RURAL	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
MONTH OF OCCURRENCE												
TOTAL	57,727	11,054	21,517	8,730	36,210	2,324	100.0	100.0	100.0	100.0	100.0	100.0
JANUARY	4,656	1,017	1,720	800	2,936	217	8.1	9.2	8.0	9.2	8.1	9.3
FEBRUARY	4,374	856	1,684	678	2,690	178	7.6	7.7	7.8	7.8	7.4	7.7
MARCH	4,651	811	1,666	659	2,985	152	8.1	7.3	7.7	7.5	8.2	6.5
APRIL	4,305	791	1,675	630	2,630	161	7.5	7.2	7.8	7.2	7.3	6.9
MAY	4,494	844	1,639	646	2,855	198	7.8	7.6	7.6	7.4	7.9	8.5
JUNE	4,555	886	1,689	695	2,866	191	7.9	8.0	7.8	8.0	7.9	8.2
JULY	5,200	1,060	1,949	841	3,251	219	9.0	9.6	9.1	9.6	9.0	9.4
AUGUST	5,067	1,026	1,821	822	3,246	204	8.8	9.3	8.5	9.4	9.0	8.8
SEPTEMBER	5,235	954	1,919	753	3,316	201	9.1	8.6	8.9	8.6	9.2	8.6
OCTOBER	5,161	1,019	1,971	806	3,190	213	8.9	9.2	9.2	9.2	8.8	9.2
NOVEMBER	4,995	897	1,932	715	3,063	182	8.7	8.1	9.0	8.2	8.5	7.8
DECEMBER	5,034	893	1,852	685	3,182	208	8.7	8.1	8.6	7.8	8.8	9.0



TABLE 4

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES WITH RATES, MISSOURI 1976

COUNTIES	POPULATION	NUMBER				RATES			
		RESIDENT		RECORDED		RESIDENT		RECORDED	
		LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DTHS.	LIVE BIRTHS	FETAL DTHS.
STATE TOTAL	4,778,000	68,781	750	71,319	711	14.4	10.9	14.9	10.0
COUNTIES INCLUDING CITIES									
ADAIR	24,700	320	2	590	8	13.0	6.3	23.9	13.6
ANDREW	13,400	170				12.7			
ATCHISON	9,300	106		152	1	11.4		16.3	6.6
AUDRAIN	25,700	364	2	552	3	14.2	5.5	21.5	5.4
BARRY	21,700	287	3	212	1	13.2	10.5	9.8	4.7
BARTON	11,000	141	1	3		12.8	7.1	.3	
RATES	16,100	250		208		15.5		12.9	
BENTON	11,900	119	4	1	1	10.0	33.6	.1	1000.0
BOLLINGER	9,900	146	6		1	14.7	41.1		
BOONE	89,400	1,258	9	2,197	21	14.1	7.2	24.6	9.6
BUCHANAN	86,300	1,308	17	1,928	17	15.2	13.0	22.3	8.8
BUTLER	37,300	515	5	979	7	13.8	9.7	26.2	7.2
CALDWELL	9,000	107	1			11.9	9.3		
CALLAWAY	27,400	368	3	100	1	13.4	8.2	3.6	10.0
CAMDEN	16,400	181	2	5		11.0	11.0	.3	
CAPE GIRARDEAU	52,400	668	4	1,310	15	12.7	6.0	25.0	11.5
CARROLL	12,100	175		34		14.5		2.8	
CARTER	4,600	84		5		18.3		1.1	
CASS	49,200	717	10	291	4	14.6	13.9	5.9	13.7
CEDAR	10,800	145	3	178	4	13.4	20.7	16.5	22.5
CHARITON	10,500	121				11.5			
CHRISTIAN	20,000	298	4	2		14.9	13.4	.1	
CLARK	8,000	113				14.1			
CLAY	133,800	1,878	20	1,253	10	14.0	10.6	9.4	8.0
CLINTON	14,400	201	2	118	1	14.0	10.0	8.2	8.5
COLE	51,200	713	8	1,380	17	13.9	11.2	27.0	12.3
COOPER	14,500	206	2	133	4	14.2	9.7	9.2	30.1
CRAWFORD	16,400	252	3	180	4	15.4	11.9	11.0	22.2
DADE	7,400	97				13.1			
DALLAS	11,900	131		1		11.0		.1	
DAVISS	8,800	105	2	12		11.9	19.0	1.4	
DE KALB	7,800	126				16.2			
DENT	13,400	204	1	59	1	15.2	4.9	4.4	16.9

LIVE BIRTH RATES ARE PER 1,000 POPULATION, FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS, POPULATION USED WAS THE PROVISIONAL POPULATION ESTIMATE FOR JULY 1, 1976 (SEE PP IV).

TABLE 4 (CONT)

## RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES WITH RATES, MISSOURI 1976

COUNTIES	POPULATION	NUMBER				RATES			
		RESIDENT LIVE BIRTHS	FETAL DEATHS	RECORDED LIVE BIRTHS	FETAL DEATHS	RESIDENT LIVE BIRTHS	FETAL DTHS.	RECORDED LIVE BIRTHS	FETAL DTHS.
DOUGLAS	11,200	140	2	3		12.5	14.3	.3	
DUNKLIN	36,600	557	8	530	8	15.2	14.4	14.5	15.1
FRANKLIN	64,400	1,009	7	527	6	15.7	6.9	8.2	11.4
GASCONADE	13,000	142	1	93		10.9	7.0	7.2	
GENTRY	8,100	101	2	123	2	12.5	19.8	15.2	16.3
GREENE	170,900	2,544	15	4,210	31	14.9	5.9	24.6	7.4
GRUNDY	11,100	194	1	254	1	17.5	5.2	22.9	3.9
HARRISON	10,000	122		56		12.2		5.6	
HENRY	18,900	273	4	381	6	14.4	14.7	20.2	15.7
HICKORY	6,300	55		7		8.7		1.1	
HOLT	6,700	80	1	1		11.9	12.5	.1	
HOWARD	10,300	121	4	102		11.7	33.1	9.9	
HOWELL	27,200	383	5	541	6	14.1	13.1	19.9	11.1
IRON	10,200	152	5	62	2	14.9	32.9	6.1	32.3
JACKSON	634,500	9,409	134	12,886	140	14.8	14.2	20.3	10.9
JASPER	83,300	1,212	18	318	6	14.5	14.9	3.8	16.9
JEFFERSON	122,800	2,177	16	408	5	17.7	7.3	3.3	12.3
JOHNSON	34,200	634	8	683	8	18.5	12.6	20.0	11.7
KNOX	5,500	76	1	3		13.8	13.2	.5	
LACLEDE	21,900	306	6	292	4	14.0	19.6	13.3	13.7
LAFAYETTE	28,600	359	6	297	5	12.6	16.7	10.4	16.8
LAWRENCE	27,900	393	3	301	3	14.1	7.6	10.8	10.0
LEWIS	10,600	130	8	1		12.3	61.5	.1	
LINCOLN	20,200	274	1	191	1	13.6	3.6	9.5	5.2
LINN	15,000	199	7	276	6	13.3	35.2	18.4	21.7
LIVINGSTON	15,600	244		397	2	15.6		25.4	5.0
MC DONALD	16,200	167	1	1		10.3	6.0	.1	
MACON	15,900	198		168		12.5		10.6	
MADISON	9,200	137	1	157	2	14.9	7.3	17.1	12.7
MARIES	7,000	92	2			13.1	21.7		
MARION	27,900	410	4	666	3	14.7	9.8	23.9	4.5
MERCER	4,700	52		21		11.1		4.5	
MILLER	16,500	261	2	74		15.8	7.7	4.5	

LIVE BIRTH RATES ARE PER 1,000 POPULATION, FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS, POPULATION USED WAS THE PROVISIONAL POPULATION ESTIMATE FOR JULY 1, 1976 (SEE PP IV).

TABLE 4 (CONT)

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES WITH RATES, MISSOURI 1976

COUNTIES	POPULATION	NUMBER				RATES			
		RESIDENT		RECORDED		RESIDENT		RECORDED	
		LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DTHS.	LIVE BIRTHS	FETAL DTHS.
MISSISSIPPI	16,100	289	5	130	1	18.0	17.3	8.1	7.7
MONITEAU	11,700	159	4	13		13.6	25.2	1.1	
MONROE	10,000	141	2	4		14.1	14.2	.4	
MONTGOMERY	11,500	148	5			12.9	33.8		
MORGAN	12,600	142	3	2		11.3	21.1	.2	
NEW MADRID	24,000	438	8	2		18.3	18.3	.1	
NEWTON	35,700	481	4	1,808	20	13.5	8.3	50.6	11.1
NODAWAY	21,200	318	3	279	1	15.0	9.4	13.2	3.6
OREGON	9,900	132	2	5		13.3	15.2	.5	
OSAGE	12,400	178	1			14.4	5.6		
OZARK	7,400	74		2		10.0		.3	
PEMISCOT	24,700	507	7	519	7	20.5	13.8	21.0	13.5
PERRY	15,300	275	2	203	2	18.0	7.3	13.3	9.9
PETTIS	35,500	485	5	642	9	13.7	10.3	18.1	14.0
PHELPS	30,700	401	5	718	7	13.1	12.5	23.4	9.7
PIKE	17,100	265	2	173	2	15.5	7.5	10.1	11.6
PLATTE	39,100	622	7	1		15.9	11.3		
POLK	18,300	240	2	52	1	13.1	8.3	2.8	19.2
PULASKI	40,400	886	3	804	3	21.9	3.4	19.9	3.7
PUTNAM	6,300	72	2	57	5	11.4	27.8	9.0	87.7
RALLS	8,700	120				13.8			
RANDOLPH	23,500	367	3	234	3	15.6	8.2	10.0	12.8
RAY	19,200	233	3	131	1	12.1	12.9	6.8	7.6
REYNOLDS	6,500	96		1		14.8		.2	
RIPLEY	12,300	140	3	64	2	11.4	21.4	5.2	31.3
ST. CHARLES	117,200	2,077	18	1,261	10	17.7	8.7	10.8	7.9
ST. CLAIR	9,700	77	4	59	2	7.9	51.9	6.1	33.6
ST. FRANCOIS	39,100	541	5	833	8	13.8	9.2	21.3	9.6
STE. GENEVIEVE	13,600	207	1	170	1	15.2	4.8	12.5	5.9
ST. LOUIS CITY	516,200	7,780	89	9,500	104	15.1	11.4	18.4	10.9
ST. LOUIS COUNTY	964,500	12,574	120	15,111	123	13.0	9.5	18.7	8.1
SALINE	23,800	348	10	225	4	14.6	28.7	8.5	17.8
SCHUYLER	5,100	55				10.8			

LIVE BIRTH RATES ARE PER 1,000 POPULATION, FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS, POPULATION USED WAS THE PROVISIONAL POPULATION ESTIMATE FOR JULY 1, 1976 (SEE PP IV).

TABLE 4 (CONT)

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES WITH RATES, MISSOURI 1976

COUNTIES	POPULATION	NUMBER				RATES			
		RESIDENT		RECORDED		RESIDENT		RECORDED	
		LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DTHS.	LIVE BIRTHS	FETAL DTHS.
SCOTLAND	5,500	56	1	48	1	10.2	17.9	8.7	20.8
SCOTT	35,600	610	10	885	17	17.1	16.4	24.9	19.2
SHANNON	7,500	89				11.9			
SHELBY	7,700	103		1		13.4		.1	
STODDARD	27,300	379	1	291	3	13.9	2.6	10.7	10.3
STONE	13,000	161	5	1		12.4	31.1	.1	
SULLIVAN	7,500	93	2	36		12.4	21.5	4.8	
TANEY	18,100	194		141		10.7		7.8	
TEXAS	21,100	295	2	373	4	14.0	6.8	17.7	10.7
VERNON	20,300	281	4	339	1	13.8	14.2	16.7	2.9
WARREN	12,600	188	2			14.9	10.6		
WASHINGTON	16,300	322	4	145	1	19.8	12.4	8.9	6.9
WAYNE	10,300	117		1		11.4		.1	
WEBSTER	18,600	295	3	9		15.9	10.2	.5	
WORTH	3,300	39		1		11.8		.3	
WRIGHT	14,900	214	1	132		14.4	4.7	8.9	

LIVE BIRTH RATES ARE PER 1,000 POPULATION, FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS, POPULATION USED WAS THE PROVISIONAL POPULATION ESTIMATE FOR JULY 1, 1976 (SEE PP IV).

TABLE 5

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS  
BY INCORPORATED CITIES OVER 2,500 POPULATION, MISSOURI 1976

CITIES	RESIDENT		RECORDED	
	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS
TOTAL CITIES 2,500 POP. & OVER	38,217	448	64,599	636
TOTAL CITIES 10,000 POP. & OVER	30,247	365	48,309	503
TOTAL CITIES OVER 2,500 POP. LESS THAN 10,000	7,970	83	16,290	133
CITIES OVER 10,000 POP.				
BALLWIN	198	3	2	
BELLEFONTAINE NEIGHBORS	39			
BERKELEY	213	5		
BRENTWOOD	117	3	1	
BRIDGETON	197	2	2	
CAPE GIRARDEAU	369	3	1,309	15
CARTHAGE	158	1	258	4
CLAYTON	67		1,035	13
COLUMBIA	707	6	2,195	21
CRESTWOOD	95	1		
FERGUSON	261	3	1	
FLORISSANT	768	7	1,803	15
FULTON	83	1	99	1
GLADSTONE	265	5	2	
GRANDVIEW	428	2	4	
HANNIBAL	262	2	666	3
MARION CO. PART	262	2	666	3
RALLS CO. PART				
HAZELWOOD	217	1		
INDEPENDENCE	1,637	23	1,426	12
JACKSON CO. PART	1,635	23	1,426	12
CLAY CO. PART	2			
JEFFERSON CITY	364	4	1,380	17
JENNINGS	241	2	1	
JOPLIN	580	9	1,589	19
JASPER CO. PART	542	8	22	2
NEWTON CO. PART	38	1	1,567	17
KANSAS CITY	6,962	99	11,456	128
JACKSON CO. PART	5,785	90	11,451	128
CLAY CO. PART	944	7	5	
PLATTE CO. PART	233	2		
KIRKSVILLE	217	1	586	8

TABLE 5 CONT

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS  
BY INCORPORATED CITIES OVER 2,500 POPULATION, MISSOURI 1976

CITIES OVER 10,000 POP.	RESIDENT		RECORDED	
	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS
KIRKWOOD	323	6	1,113	8
LADUE	44		1	
LEE'S SUMMIT	311	6		
LIBERTY	237	3		
MAPLEWOOD	129	1		
MARSHALL	196	7	190	4
MEXICO	148		536	3
MOBERLY	212	1	232	3
OVERLAND	294	3		
POPLAR BLUFF	226	3	979	7
RAYTOWN	360	6		
RICHMOND HEIGHTS	118		2,149	24
ROLLA	154	3	716	7
ST. ANN	239	2	1	
ST. CHARLES	633	7	1,255	10
ST. JOSEPH	1,160	14	1,928	17
ST. LOUIS CITY	7,780	89	9,500	104
SEDALIA	287	3	642	9
SIKESTON	266	4	677	14
SCOTT CO. PART	264	4	677	14
NEW MADRID CO. PART	2			
SPRINGFIELD	1,932	11	4,209	31
UNIVERSITY CITY	412	7	2	
WARRENSBURG	138	4	360	6
WEBSTER GROVES	203	2	4	
CITIES OVER 2,500 POP.				
LESS THAN 10,000 POP.				
AURORA	88	2	194	2
BEL-RIDGE	29			
BELTON	236	2	2	
BETHANY	30		56	
BLUE SPRINGS	379	3	2	
BOLIVER	59		1	
BONNE TERRE	60		123	1
BOONVILLE	96	1		
BOWLING GREEN	46	1		

TABLE 5 CONT

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS  
BY INCORPORATED CITIES OVER 2,500 POPULATION, MISSOURI 1976

CITIES OVER 2,500 POP. LESS THAN 10,000 POP.	NUMBER		NUMBER	
	RESIDENT LIVE BIRTHS	FETAL DEATHS	RECORDED LIVE BIRTHS	FETAL DEATHS
BRECKENRIDGE HILLS	31			
BROOKFIELD	69	3	203	5
BUTLER	61		208	
CALIFORNIA	43		11	
CAMERON	59	1	115	1
CLINTON CO. PART	48	1	115	1
DE KALB CO. PART	11			
CANTON	18	1		
CARROLLTON	58		34	
CARUTHERSVILLE	149			
CENTRALIA	60			
CHAFFEE	41	1	173	1
CHARLESTON	100	4	129	1
CHILLICOTHE	132		397	2
CLINTON	105	2	340	5
CREVE COEUR	181	2	4,814	24
CRYSTAL CITY	44			
DELLWOOD	46			
DESOTO	47			
DES PERES	97	1	1	
DESLOGE	47	2		
DEXTER	112	1	290	3
EAST PRAIRIE	52	1		
ELDON	65	1		
ELDORADO SPRINGS	59		177	4
ELLISVILLE	30			
EXCELSIOR SPRINGS	156	1	140	
CLAY CO. PART	154	1	140	
RAY CO. PART	2			
FARMINGTON	82		710	7
FAYETTE	29		102	
FESTUS	125	3		
FLAT RIVER	53	4		
FREDERICKTOWN	47		157	2
FRONTENAC	10			
GLENDALE	60			
HARRISONVILLE	99	4	288	4

TABLE 5 CONT

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS  
BY INCORPORATED CITIES OVER 2,500 POPULATION, MISSOURI 1976

CITIES OVER 2,500 POP. LESS THAN 10,000 POP.	RESIDENT NUMBER		RECORDED NUMBER	
	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS
HAYTI	64	1	517	7
HERMANN	28		93	
HIGGINSVILLE	56	2		
HILLSDALE VILLAGE	21			
JACKSON	80	1	1	
KENNETT	165	1	527	7
KINLOCH	85			
LAMAR	59		2	
LEBANON	123	2	290	4
LEXINGTON	55		162	3
LOUISIANA	63	1	159	2
MACON	71		168	
MALDEN	105		1	
MANCHESTER	113	2		
MARCELINE	37		73	1
MARSHFIELD	50			
MARYVILLE	137	1	279	1
MOLINE ACRES	15			
MONETT	94	1	292	2
BARRY CO. PART	59	1	187	1
LAWRENCE CO. PART	35		105	1
MOUNTAIN GROVE	19			
MT. VERNON	51	1	41	
NEOSHO	120	1	193	3
NEVADA	131	3	339	1
NEW MADRID	60	2		
NORMANDY	140	1	4	
NORTH KANSAS CITY	64		693	4
NORTHWOODS	30	1		
ODESSA	37	1		
O'FALLON	111			
OLIVETTE	81	2	1	
PACIFIC	86	1		
FRANKLIN CO. PART	85			
ST. LOUIS CO. PART	1	1		
PAGEDALE	81			
PALMYRA	60			



TABLE 5 CONT

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS  
BY INCORPORATED CITIES OVER 2,500 POPULATION, MISSOURI 1976


CITIES OVER 2,500 POP. LESS THAN 10,000 POP.	RESIDENT NUMBER		RECORDED NUMBER	
	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS
PERRYVILLE	83		202	2
PINELAWN	67	1		
PLEASANT HILL	58			
PORTAGEVILLE	59		1	
POTOSI	42		1	
RICHMOND	61	2	131	1
RIVERVIEW	27	1		
ROCK HILL	59		1	
ST. CLAIR	60			
ST. JAMES	30			
ST. JOHN	84			
STE. GENEVIEVE	79		170	1
SALEM	77	1		
SAVANNAH	50			
SHREVEPORT	37			
SLATER	37	1		
SUGAR CREEK	64	1		
SULLIVAN	85	1	179	4
CRAWFORD CO. PART	15		179	4
FRANKLIN CO. PART	70	1		
SUNSET HILLS	27			
TOWN AND COUNTRY	3		1,501	17
TRANTON	94	1	254	1
TROY	45		190	1
UNION	74	1		
VALLEY PARK	57	1		
VANDALIA	40			
VINITA PARK	13			
WARSON WOODS	6			
WASHINGTON	117		526	6
WAYNESVILLE	106		128	
WEBB CITY	102	1	38	
WELLSTON	100	1		
WENTZVILLE	48	1		
WEST PLAINS	102		428	2
WINDSOR	45	1	38	1
WOODSON TERRACE	45	1		

TABLE 6  
AGE OF MOTHER

RESIDENT LIVE BIRTHS, URBAN AND RURAL, BY AGE OF MOTHER,  
SEX AND COLOR OF CHILD, MISSOURI 1976

URBAN	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
ALL AGES	30,247	11,073	10,444	4,391	4,339
10-14 YEARS	172	32	20	62	58
15-19 YEARS	6,415	1,867	1,667	1,447	1,434
20-24 YEARS	10,407	3,845	3,622	1,481	1,459
25-29 YEARS	8,770	3,580	3,464	878	848
30-34 YEARS	3,244	1,324	1,239	344	337
35-39 YEARS	982	349	353	130	150
40-44 YEARS	246	75	73	47	51
45-49 YEARS	11	1	6	2	2
50 YEARS AND OVER UNKNOWN					
RURAL					
ALL AGES	38,534	18,385	17,825	1,162	1,162
10-14 YEARS	91	23	40	16	12
15-19 YEARS	6,613	3,075	2,943	295	300
20-24 YEARS	13,301	6,394	6,215	354	338
25-29 YEARS	11,994	5,833	5,573	272	316
30-34 YEARS	4,704	2,210	2,215	152	127
35-39 YEARS	1,483	689	680	62	52
40-44 YEARS	330	155	147	11	17
45-49 YEARS	18	6	12		
50 YEARS AND OVER UNKNOWN					
COMBINED TOTALS					
ALL AGES	68,781	29,458	28,269	5,553	5,501
10-14 YEARS	263	55	60	78	70
15-19 YEARS	13,028	4,942	4,610	1,742	1,734
20-24 YEARS	23,708	10,239	9,837	1,835	1,797
25-29 YEARS	20,764	9,413	9,037	1,150	1,164
30-34 YEARS	7,948	3,534	3,454	496	464
35-39 YEARS	2,465	1,038	1,033	192	202
40-44 YEARS	576	230	220	58	68
45-49 YEARS	29	7	18	2	2
50 YEARS AND OVER UNKNOWN					

**GRAPH B.**  
**FETAL DEATH RATES 1932-1975**  
(per 1,000 live births)



Year	Total	White	Nonwhite	Year	Total	White	Nonwhite	Year	Total	White	Nonwhite
1932	41.9	38.4	97.4	1947	20.8	18.8	44.7	1962	15.1	13.2	26.5
1933	37.5	34.2	88.9	1948	20.7	18.7	42.7	1963	13.9	12.1	24.7
1934	33.9	31.3	73.9	1949	19.3	17.5	35.9	1964	15.5	13.3	28.7
1935	38.5	35.8	79.2	1950	19.2	17.2	37.2	1965	14.3	12.8	23.0
1936	36.0	33.4	74.7	1951	18.2	16.4	34.3	1966	13.3	11.7	21.7
1937	33.9	31.3	70.1	1952	17.5	16.1	29.7	1967	13.8	12.6	20.5
1938	35.0	32.0	76.4	1953	17.8	15.9	33.1	1968	15.1	13.4	24.9
1939	30.7	27.8	71.3	1954	17.2	15.9	27.7	1969	13.2	12.1	19.6
1940	32.5	29.8	69.5	1955	16.7	14.9	29.8	1970	13.8	12.7	19.8
1941	32.5	29.7	71.4	1956	16.6	15.4	25.4	1971	12.5	11.8	16.2
1942	28.9	26.2	65.0	1957	16.5	15.7	22.1	1972	12.1	10.9	18.2
1943	26.1	23.6	59.0	1958	16.1	14.7	24.8	1973	11.8	10.6	17.8
1944	26.1	23.3	59.8	1959	15.4	14.0	24.2	1974	12.2	11.2	17.3
1945	24.1	21.7	53.2	1960	15.2	13.8	24.3	1975	11.5	10.0	19.3
1946	23.6	21.4	51.2	1961	14.7	12.8	27.0	1976	10.9	10.4	13.8

Source: Missouri State Board of Health, Vital Statistics Reports, 1932-34 and 1937-48; U.S. Bureau of the Census, Mortality Statistics, 1935-36; Missouri Division of Health, Vital Statistics Reports, 1949-date. 1932-44 are recorded data and 1945 to date are resident.

TABLE 7

## RESIDENT AND RECORDED FETAL DEATHS BY COLOR AND WEIGHT, MISSOURI 1976

WEIGHT	RESIDENT			RECORDED		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
2 POUNDS 3 OUNCES OR LESS	257	188	69	198	138	60
2 POUNDS 4 OUNCES - 3 POUNDS 4 OUNCES	69	55	14	74	59	15
3 POUNDS 5 OUNCES - 4 POUNDS 6 OUNCES	78	66	12	77	67	10
4 POUNDS 7 OUNCES - 5 POUNDS 8 OUNCES	76	57	19	81	61	20
5 POUNDS 9 OUNCES - 6 POUNDS 9 OUNCES	66	60	6	67	60	7
6 POUNDS 10 OUNCES - 7 POUNDS 11 OUNCES	53	46	7	53	46	7
7 POUNDS 12 OUNCES - 8 POUNDS 13 OUNCES	32	27	5	36	31	5
8 POUNDS 14 OUNCES - 9 POUNDS 14 OUNCES	18	17	1	19	18	1
9 POUNDS 15 OUNCES OR MORE	11	11		14	14	
UNKNOWN OR NOT STATED	90	71	19	92	73	19
TOTALS	750	598	152	711	567	144

TABLE 8

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR  
BY COUNTIES AND INCORPORATED CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1976

COUNTIES	GRAND TOTAL	WHITE TOTAL	WHITE LEGITIMATE		ILLEGITIMATE		NON- WHITE TOTAL	NON WHITE LEGITIMATE		ILLEGITIMATE	
			NO.	PER- CENT	NO.	PER- CENT		NO.	PER- CENT	NO.	PER- CENT
STATE TOTAL	68,781	57,727	53,328	92.4	4,383	7.6	11,054	4,795	43.4	6,247	56.5
CITIES OVER 10,000	30,247	21,517	19,415	90.2	2,097	9.7	8,730	3,426	39.2	5,294	60.6
RURAL	38,534	36,210	33,913	93.7	2,286	6.3	2,324	1,369	58.9	953	41.0
COUNTIES INCL. CITIES OVER 10,000											
ADAIR	320	313	292	93.3	21	6.7	7	6	85.7	1	14.3
ANDREW	170	170	166	97.6	4	2.4	-	-	-	-	-
ATCHISON	106	105	99	94.3	6	5.7	1	1	100.0	-	-
AUDRAIN	364	338	315	93.2	23	6.8	26	12	46.2	14	53.8
BARRY	287	287	268	93.4	19	6.6	-	-	-	-	-
BARTON	141	141	132	93.6	9	6.4	-	-	-	-	-
BATES	250	249	236	94.8	12	4.8	1	-	-	1	100.0
BENTON	119	117	106	90.6	11	9.4	2	2	100.0	-	-
BOLLINGER	146	145	138	95.2	7	4.8	1	1	100.0	-	-
BOONE	1,258	1,099	1,004	91.4	95	8.6	159	89	56.0	70	44.0
BUCHANAN	1,308	1,240	1,105	89.1	135	10.9	68	31	45.6	37	54.4
BUTLER	515	476	426	89.5	50	10.5	39	15	38.5	24	61.5
CALDWELL	107	107	103	96.3	4	3.7	-	-	-	-	-
CALLAWAY	368	346	324	93.6	22	6.4	22	12	54.5	10	45.5
CAMDEN	181	178	168	94.4	10	5.6	3	3	100.0	-	-
CAPE GIRARDEAU	668	616	591	95.9	25	4.1	52	25	48.1	27	51.9
CARROLL	175	170	163	95.9	7	4.1	5	1	20.0	4	80.0
CARTER	84	84	77	91.7	7	8.3	-	-	-	-	-
CASS	717	697	659	94.5	38	5.5	20	20	100.0	-	-
CEDAR	145	144	133	92.4	11	7.6	1	1	100.0	-	-
CHARITON	121	113	108	95.6	5	4.4	8	4	50.0	4	50.0
CHRISTIAN	298	298	284	95.3	14	4.7	-	-	-	-	-
CLARK	113	113	106	93.8	7	6.2	-	-	-	-	-
CLAY	1,878	1,837	1,732	94.3	105	5.7	41	30	73.2	11	26.8
CLINTON	201	196	183	93.4	13	6.6	5	3	60.0	2	40.0
COLE	713	661	610	92.3	51	7.7	52	35	67.3	17	32.7
COOPER	206	192	181	94.3	11	5.7	14	5	35.7	9	64.3
CRAWFORD	252	252	223	88.5	29	11.5	-	-	-	-	-
DADE	97	97	89	91.8	7	7.2	-	-	-	-	-
DALLAS	131	130	120	92.3	10	7.7	1	1	100.0	-	-
DAVISS	105	105	99	94.3	6	5.7	-	-	-	-	-

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR  
BY COUNTIES AND INCORPORATED CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1976

COUNTIES	GRAND TOTAL	WHITE TOTAL	WHITE LEGITIMATE		ILLEGITIMATE		NON- WHITE TOTAL	NON WHITE LEGITIMATE		ILLEGITIMATE	
			NO.	PER- CENT	NO.	PER- CENT		NO.	PER- CENT	NO.	PER- CENT
DE KALB	126	125	113	90.4	12	9.6	1	-	-	1	100.0
DENT	204	203	185	91.1	16	7.9	1	1	100.0	-	-
DOUGLAS	140	139	129	92.8	10	7.2	1	1	100.0	-	-
DUNKLIN	557	493	435	88.2	58	11.8	64	27	42.2	37	57.8
FRANKLIN	1,009	1,001	936	93.5	65	6.5	8	6	75.0	2	25.0
GASCONADE	142	142	130	91.5	12	8.5	-	-	-	-	-
GENTRY	101	101	94	93.1	7	6.9	-	-	-	-	-
GREENE	2,544	2,470	2,267	91.8	202	8.2	74	49	66.2	24	32.4
GRUNDY	194	192	179	93.2	13	6.8	2	2	100.0	-	-
HARRISON	122	122	110	90.2	12	9.8	-	-	-	-	-
HENRY	273	267	247	92.5	20	7.5	6	5	83.3	1	16.7
HICKORY	55	55	52	94.5	3	5.5	-	-	-	-	-
HOLT	80	79	74	93.7	5	6.3	1	1	100.0	-	-
HOWARD	121	105	101	96.2	4	3.8	16	8	50.0	8	50.0
HOWELL	383	379	343	90.5	36	9.5	4	2	50.0	2	50.0
IRON	152	151	136	90.1	15	9.9	1	1	100.0	-	-
JACKSON	9,409	6,826	6,168	90.4	656	9.6	2,583	1,198	46.4	1,381	53.5
JASPER	1,212	1,194	1,093	91.5	101	8.5	18	14	77.8	4	22.2
JEFFERSON	2,177	2,151	2,020	93.9	131	6.1	26	17	65.4	9	34.6
JOHNSON	634	568	545	96.0	23	4.0	66	60	90.9	6	9.1
KNOX	76	76	70	92.1	5	6.6	-	-	-	-	-
LACLEDE	306	299	276	92.3	23	7.7	7	5	71.4	2	28.6
LAFAYETTE	359	347	320	92.2	27	7.8	12	5	41.7	7	58.3
LAWRENCE	393	390	363	93.1	27	6.9	3	2	66.7	1	33.3
LEWIS	130	123	115	93.5	8	6.5	7	3	42.9	4	57.1
LINCOLN	274	265	245	92.5	20	7.5	9	4	44.4	5	55.6
LINN	199	197	188	95.4	9	4.6	2	1	50.0	1	50.0
LIVINGSTON	244	235	218	92.8	17	7.2	9	7	77.8	2	22.2
MC DONALD	167	164	148	90.2	15	9.1	3	1	33.3	2	66.7
MACON	198	193	187	96.9	6	3.1	5	3	60.0	2	40.0
MADISON	137	135	121	89.6	14	10.4	2	2	100.0	-	-
MARIES	92	92	84	91.3	8	8.7	-	-	-	-	-
MARION	410	388	348	89.7	40	10.3	22	9	40.9	13	59.1
MERCER	52	51	48	94.1	3	5.9	1	1	100.0	-	-
MILLER	261	261	242	92.7	19	7.3	-	-	-	-	-
MISSISSIPPI	289	216	192	88.9	24	11.1	73	20	27.4	53	72.6

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR  
BY COUNTIES AND INCORPORATED CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1976

COUNTIES	GRAND TOTAL	WHITE TOTAL	WHITE LEGITIMATE		ILLEGITIMATE		NON- WHITE TOTAL	NON WHITE LEGITIMATE		ILLEGITIMATE	
			NO.	PER- CENT	NO.	PER- CENT		NO.	PER- CENT	NO.	PER- CENT
MONITEAU	159	154	144	93.5	10	6.5	5	2	40.0	3	60.0
MONROE	141	132	128	97.0	4	3.0	9	3	33.3	6	66.7
MONTGOMERY	148	142	135	95.1	7	4.9	6	2	33.3	4	66.7
MORGAN	142	142	130	91.5	12	8.5	-	-	-	-	-
NEW MADRID	438	354	318	89.8	36	10.2	84	28	33.3	56	66.7
NEWTON	481	474	444	93.7	30	6.3	7	6	85.7	1	14.3
NODAWAY	318	314	299	95.2	15	4.8	4	4	100.0	-	-
OREGON	132	131	122	93.1	9	6.9	1	-	-	1	100.0
OSAGE	178	178	171	96.1	7	3.9	-	-	-	-	-
OZARK	74	74	68	91.9	6	8.1	-	-	-	-	-
PEMISCOT	507	290	246	84.8	44	15.2	217	47	21.7	169	77.9
PERRY	275	273	259	94.9	14	5.1	2	2	100.0	-	-
PETTIS	485	457	432	94.5	25	5.5	28	9	32.1	19	67.9
PHELPS	401	392	369	94.1	22	5.6	9	9	100.0	-	-
PIKE	265	250	235	94.0	15	6.0	15	4	26.7	11	73.3
PLATTE	622	605	575	95.0	30	5.0	17	15	88.2	2	11.8
POLK	240	240	222	92.5	17	7.1	-	-	-	-	-
PULASKI	886	760	703	92.5	57	7.5	126	114	90.5	12	9.5
PUTNAM	72	72	69	95.8	3	4.2	-	-	-	-	-
RALLS	120	120	113	94.2	7	5.8	-	-	-	-	-
RANDOLPH	367	335	319	95.2	15	4.5	32	12	37.5	20	62.5
RAY	233	227	213	93.8	13	5.7	6	3	50.0	3	50.0
REYNOLDS	96	96	89	92.7	7	7.3	-	-	-	-	-
RIPLEY	140	139	124	89.2	15	10.8	1	1	100.0	-	-
ST. CHARLES	2,077	2,043	1,928	94.4	114	5.6	34	25	73.5	9	26.5
ST. CLAIR	77	77	74	96.1	3	3.9	-	-	-	-	-
ST. FRANCOIS	541	539	491	91.1	48	8.9	2	1	50.0	1	50.0
STE. GENEVIEVE	207	207	194	93.7	13	6.3	-	-	-	-	-
ST. LOUIS COUNTY	12,574	10,570	10,002	94.6	568	5.4	2,004	1,257	62.7	746	37.2
ST. LOUIS CITY	7,780	3,030	2,563	84.6	466	15.4	4,750	1,438	30.3	3,307	69.6
SALINE	348	332	297	89.5	35	10.5	16	7	43.8	9	56.3
SCHUYLER	55	55	51	92.7	4	7.3	-	-	-	-	-
SCOTLAND	56	56	54	96.4	2	3.6	-	-	-	-	-
SCOTT	610	526	477	90.7	49	9.3	84	32	38.1	52	61.9
SHANNON	89	89	82	92.1	6	6.7	-	-	-	-	-
SHELBY	103	100	97	97.0	3	3.0	3	1	33.3	2	66.7

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR  
BY COUNTIES AND INCORPORATED CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1976

COUNTIES	GRAND TOTAL	WHITE TOTAL	WHITE		ILLEGITIMATE		NON- WHITE TOTAL	NON WHITE		ILLEGITIMATE	
			LEGITIMATE NO.	PER- CENT	ILLEGITIMATE NO.	PER- CENT		LEGITIMATE NO.	PER- CENT	ILLEGITIMATE NO.	PER- CENT
STODDARD	379	366	332	90.7	34	9.3	13	7	53.8	6	46.2
STONE	161	159	150	94.3	9	5.7	2	-	-	2	100.0
SULLIVAN	93	93	86	92.5	7	7.5	-	-	-	-	-
TANEY	194	194	175	90.2	19	9.8	-	-	-	-	-
TEXAS	295	293	272	92.8	21	7.2	2	2	100.0	-	-
VERNON	281	280	255	91.1	25	8.9	1	1	100.0	-	-
WARREN	188	176	163	92.6	13	7.4	12	7	58.3	5	41.7
WASHINGTON	322	320	274	85.6	46	14.4	2	-	-	2	100.0
WAYNE	117	116	104	89.7	12	10.3	1	1	100.0	-	-
WEBSTER	295	293	285	97.3	8	2.7	2	2	100.0	-	-
WORTH	39	39	39	100.0	-	-	-	-	-	-	-
WRIGHT	214	212	194	91.5	18	8.5	2	1	50.0	1	50.0

GRAND TOTAL INCLUDES NOT STATED



TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR  
BY COUNTIES AND INCORPORATED CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1976

CITIES OVER 10,000	GRAND TOTAL	WHITE TOTAL	WHITE		ILLEGITIMATE		NON- WHITE TOTAL	NON WHITE		ILLEGITIMATE	
			LEGITIMATE NO.	PER- CENT	NO.	PER- CENT		LEGITIMATE NO.	PER- CENT	NO.	PER- CENT
BALLWIN	198	193	188	97.4	5	2.6	5	4	80.0	1	20.0
BELLEFONTAINE NEIGHBORS	39	37	33	89.2	4	10.8	2	2	100.0		
BERKELEY	213	109	96	88.1	13	11.9	104	42	40.4	62	59.6
BRENTWOOD	117	78	68	87.2	10	12.8	39	26	66.7	13	33.3
BRIDGETON	197	192	179	93.2	13	6.8	5	4	80.0	1	20.0
CAPE GIRARDEAU	369	322	310	96.3	12	3.7	47	20	42.6	27	57.4
CARTHAGE	158	154	143	92.9	11	7.1	4	4	100.0		
CLAYTON	67	64	60	93.8	4	6.3	3	3	100.0		
COLUMBIA	707	563	500	88.8	63	11.2	144	78	54.2	66	45.8
CRESTWOOD	95	93	91	97.8	2	2.2	2	2	100.0		
FERGUSON	261	234	221	94.4	13	5.6	27	22	81.5	5	18.5
FLORISSANT	768	734	680	92.6	54	7.4	34	26	76.5	8	23.5
FULTON	83	70	62	88.6	8	11.4	13	4	30.8	9	69.2
GLADSTONE	265	261	248	95.0	13	5.0	4	3	75.0	1	25.0
GRANDVIEW	428	397	378	95.2	19	4.8	31	26	83.9	5	16.1
HANNIBAL	262	242	213	88.0	29	12.0	20	7	35.0	13	65.0
HAZELWOOD	217	187	171	91.4	16	8.6	30	18	60.0	12	40.0
INDEPENDENCE	1,637	1,586	1,451	91.5	134	8.4	51	38	74.5	13	25.5
JEFFERSON CITY	364	316	285	90.2	31	9.8	48	31	64.6	17	35.4
JENNINGS	241	126	117	92.9	9	7.1	115	77	67.0	38	33.0
JOPLIN	580	566	513	90.6	53	9.4	14	10	71.4	4	28.6
KANSAS CITY	6,962	4,471	3,978	89.0	493	11.0	2,491	1,123	45.1	1,364	54.8
KIRKSVILLE	217	212	196	92.5	16	7.5	5	4	80.0	1	20.0
KIRKWOOD	323	265	260	98.1	5	1.9	58	27	46.6	31	53.4
LADUE	44	44	43	97.7	1	2.3					
LEE'S SUMMIT	311	310	298	96.1	12	3.9	1	1	100.0		
LIBERTY	237	232	218	94.0	14	6.0	5	2	40.0	3	60.0
MAPLEWOOD	129	107	92	86.0	15	14.0	22	20	90.9	2	9.1
MARSHALL	196	185	158	85.4	27	14.6	11	5	45.5	6	54.5
MEXICO	148	131	119	90.8	12	9.2	17	8	47.1	9	52.9
MOBERLY	212	184	177	96.2	6	3.3	28	11	39.3	17	60.7
OVERLAND	294	264	231	87.5	33	12.5	30	17	56.7	13	43.3
POPLAR BLUFF	226	204	178	87.3	26	12.7	22	7	31.8	15	68.2
RAYTOWN	360	352	333	94.6	19	5.4	8	8	100.0		
RICHMOND HEIGHTS	118	95	93	97.9	2	2.1	23	13	56.5	10	43.5
ROLLA	154	146	134	91.8	12	8.2	8	8	100.0		
ST. ANN	239	219	190	86.8	29	13.2	20	18	90.0	2	10.0
ST. CHARLES	633	618	580	93.9	37	6.0	15	10	66.7	5	33.3
ST. JOSEPH	1,160	1,092	965	88.4	127	11.6	68	31	45.6	37	54.4
ST. LOUIS CITY	7,780	3,030	2,563	84.6	466	15.4	4,750	1,438	30.3	3,307	69.6
SEDALIA	287	263	247	93.9	16	6.1	24	5	20.8	19	79.2
SIKESTON	266	211	187	88.6	24	11.4	55	20	36.4	35	63.6
SPRINGFIELD	1,932	1,859	1,684	90.6	174	9.4	73	48	65.8	24	32.9
UNIVERSITY CITY	412	201	192	95.5	9	4.5	211	125	59.2	86	40.8
WARRENSBURG	138	120	115	95.8	5	4.2	18	15	83.3	3	16.7
WEBSTER GROVES	203	178	177	99.4	1	.6	25	15	60.0	10	40.0

AND TOTAL INCLUDED NOT LISTED

TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR  
BY COUNTIES AND INCORPORATED CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1976

INCLUDED IN CITIES OVER 10,000	GRAND TOTAL	WHITE TOTAL	WHITE		ILLEGITIMATE		NON- WHITE TOTAL	NON WHITE		ILLEGITIMATE	
			LEGITIMATE NO.	PER- CENT	NO.	PER- CENT		LEGITIMATE NO.	PER- CENT	NO.	PER- CENT
HANNIBAL-RALLS	38	38	35	92.1	3	7.9					
JOPLIN-NEWTON	944	922	873	94.7	49	5.3	22	17	77.3	5	22.7
KANSAS CITY-CLAY	2	2	2	100.0							
SIKESTON-NEW MADRID	233	230	219	95.2	11	4.8	3	3	100.0		
KANSAS CITY-PLATTE	2	2	1	50.0	1	50.0					
INDEPENDENCE-CLAY											

GRAND TOTAL INCLUDES NOT STATED

TABLE 9

TEN LEADING CAUSES OF DEATH AND RATES, RESIDENT DATA, MISSOURI 1976

RANK	CAUSE OF DEATH	TOTAL	RATES	WHITE	NONWHITE
1.	HEART DISEASE (390-398,402,404,410-429)	18,489	387.0	17,068	1,421
2.	MALIGNANT NEOPLASMS (140-209)	9,405	196.8	8,451	954
3.	CEREBROVASCULAR DISEASE (430-438)	5,186	108.5	4,686	500
4.	ACCIDENTS (E800-E807,E810-E823,E825-E949)	2,405	50.3	2,182	223
5.	INFLUENZA & PNEUMONIA (470-474,480-486)	1,516	31.7	1,374	142
6.	DIABETES MELLITUS (250)	912	19.1	797	115
7.	ARTERIOSCLEROSIS (440)	870	18.2	829	41
8.	SUICIDE (E950-E959)	628	13.1	595	33
9.	BRONCHITIS, EMPHYSEMA & ASTHMA (490-493)	596	12.5	566	30
10.	DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	556	11.6	423	133
	ALL OTHER CAUSES	8,445		7,097	1,348
	TOTALS	49,008		44,068	4,940

TOTAL RESIDENT DEATHS - 49,008  
 PROVISIONAL POPULATION ESTIMATE FOR JULY 1, 1976 (SEE PP IV) - 4,778,000.

DEATH RATES ARE PER 100,000 POP.

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 10

FIVE LEADING CAUSES OF DEATH FOR SELECTED AGE GROUPS,  
NUMBER OF RESIDENT DEATHS, MISSOURI 1976

CAUSE BY AGE GROUPS	DEATHS
UNDER 1 YEAR	
1 DISEASES OF EARLY INFANCY (760-769.2) (769.4-772, 774-778)	556
2 CONGENITAL ANOMALIES (740-759)	190
3 INFLUENZA/PNEUMONIA (470-474, 480-486)	34
4 ACCIDENTS (E800-E949)	23
5 HEART DIS. (390-398, 402, 404, 410-429)	13
1-4 YEARS	
1 ACCIDENTS (E800-E949)	77
2 CONGENITAL ANOMALIES (740-759)	23
3 MALIGNANT NEOPLASMS (140-209)	14
4 INFLUENZA/PNEUMONIA (470-474, 480-486)	9
5 HEART DIS. (390-398, 402, 404, 410-429)	6
5-14 YEARS	
1 ACCIDENTS (E800-E949)	146
2 MALIGNANT NEOPLASMS (140-209)	45
3 CONGENITAL ANOMALIES (740-759)	17
4 INFLUENZA/PNEUMONIA (470-474, 480-486)	10
5 HOMICIDE (E960-E978)	9
15-24 YEARS	
1 ACCIDENTS (E800-E949)	588
2 HOMICIDE (E960-E978)	160
3 SUICIDE (E950-E959)	96
4 MALIGNANT NEOPLASMS (140-209)	54
5 CONGENITAL ANOMALIES (740-759)	16
25-34-YEARS	
1 ACCIDENTS (E800-E949)	303
2 HOMICIDE (E960-E978)	116
3 SUICIDE (E950-E959)	106
4 MALIGNANT NEOPLASMS (140-209)	105
5 HEART DIS. (390-398, 402, 404, 410-429)	52


NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 10 (CONT)

FIVE LEADING CAUSES OF DEATH FOR SELECTED AGE GROUPS,  
NUMBER OF RESIDENT DEATHS, MISSOURI 1976

CAUSE BY AGE GROUPS	DEATHS
35-44 YEARS	
1 MALIGNANT NEOPLASMS (140-209)	291
2 HEART DIS. (390-398, 402, 404, 410-429)	238
3 ACCIDENTS (E800-E949)	188
4 SUICIDE (E950-E959)	82
5 CEREBROVASCULAR DISEASE (430-438)	59
45-54 YEARS	
1 MALIGNANT NEOPLASMS (140-209)	984
2 HEART DIS. (390-398, 402, 404, 410-429)	930
3 ACCIDENTS (E800-E949)	203
4 CEREBROVASCULAR DISEASE (430-438)	164
5 CIRRHOSIS OF LIVER (571)	117
55-64 YEARS	
1 HEART DIS. (390-398, 402, 404, 410-429)	2,400
2 MALIGNANT NEOPLASMS (140-209)	2,056
3 CEREBROVASCULAR DISEASE (430-438)	389
4 ACCIDENTS (E800-E949)	202
5 CIRRHOSIS OF LIVER (571)	156
65-74 YEARS	
1 HEART DIS. (390-398, 402, 404, 410-429)	4,594
2 MALIGNANT NEOPLASMS (140-209)	2,845
3 CEREBROVASCULAR DISEASE (430-438)	1,131
4 DIABETES MELLITUS (250)	275
5 INFLUENZA/PNEUMONIA (470-474, 480-486)	240
75-84 YEARS	
1 HEART DIS. (390-398, 402, 404, 410-429)	5,937
2 MALIGNANT NEOPLASMS (140-209)	2,199
3 CEREBROVASCULAR DISEASE (430-438)	1,883
4 INFLUENZA/PNEUMONIA (470-474, 480-486)	529
5 ARTERIOSCLEROSIS (440)	316
85-YEARS & OVER	
1 HEART DIS. (390-398, 402, 404, 410-429)	4,294
2 CEREBROVASCULAR DISEASE (430-438)	1,520
3 MALIGNANT NEOPLASMS (140-209)	807
4 INFLUENZA/PNEUMONIA (470-474, 480-486)	467
5 ARTERIOSCLEROSIS (440)	428

**GRAPH C.**  
**MATERNAL DEATH RATES 1932-1975**  
(per 10,000 live births)



Year	Total	White	Nonwhite	Year	Total	White	Nonwhite	Year	Total	White	Nonwhite
1932	61.4	58.5	107.0	1947	12.9	11.8	26.2	1962	4.6	4.2	6.9
1933	51.6	50.0	77.9	1948	10.1	8.9	23.4	1963	3.7	2.8	8.8
1934	58.5	55.3	109.6	1949	8.5	7.2	20.2	1964	4.1	2.6	12.6
1935	57.0	55.0	87.0	1950	8.2	6.8	20.5	1965	2.7	2.5	4.0
1936	61.0	60.0	85.0	1951	7.6	6.7	15.7	1966	2.1	1.8	3.3
1937	51.3	49.9	71.2	1952	7.1	6.1	16.3	1967	2.4	1.9	5.2
1938	38.2	36.6	61.3	1953	6.6	5.4	16.2	1968	2.0	1.4	5.3
1939	37.0	35.4	59.9	1954	4.9	4.1	11.0	1969	1.9	1.7	2.5
1940	36.5	35.0	56.7	1955	4.7	4.0	9.7	1970	3.3	2.7	6.4
1941	31.7	28.6	75.1	1956	5.5	3.8	17.3	1971	1.5	1.4	2.3
1942	24.3	23.2	38.0	1957	3.3	2.5	8.7	1972	2.3	1.8	4.9
1943	22.7	21.9	33.7	1958	3.6	2.9	8.5	1973	2.3	1.8	5.2
1944	20.9	18.4	50.6	1959	3.8	3.3	6.7	1974	1.9	0.9	7.0
1945	16.9	15.3	36.1	1960	5.1	3.9	12.9	1975	1.8	1.4	3.6
1946	13.8	11.9	36.7	1961	2.4	1.7	6.8	1976	1.0	0.7	2.7

Source: Missouri State Board of Health, Vital Statistics Reports, 1932-34 and 1937-48; U.S. Bureau of the Census, Mortality Statistics, 1935-36, Missouri Division of Health, Vital Statistics Reports, 1949 to date. 1932-44 are recorded and 1945 to date are resident data.

TABLE 11

RESIDENT MATERNAL DEATHS BY CAUSE AND COLOR WITH RATES, MISSOURI 1976

CAUSE OF DEATH	TOTAL	NUMBER		TOTAL	RATES	
		WHITE	NON- WHITE		WHITE	NON- WHITE
ALL CAUSES (630-678)	7	4	3	1.0	.7	2.7
ECTOPIC PREGNANCY (631)	1		1	.1		.9
TOXEMIAS, EXCEPT ABORTION (636-639)	1	1		.1	.2	
HEMORRHAGE (632, 651-653)	1	1		.1	.2	
ABORTIONS (640-645)	1		1	.1		.9
SEPSIS (670, 671, 673)	1		1	.1		.9
ALL OTHER COMPLICATIONS (630, 633-635, 654-662, 672, 674-678)	2	2		.3	.3	
DELIVERY WITHOUT MENTION OF COMPLICATION (650)						

MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REVISION OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 12

RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR  
AND BY SELECTED CAUSES OF DEATH, MISSOURI 1976

	ALL AGES	UNDER 1 YR.	1-4 YRS.	5-9 YRS.	10-14 YRS.	15-19 YRS.	20-24 YRS.	25-29 YRS.	30-34 YRS.	35-39 YRS.	40-44 YRS.
TOTAL DEATHS	49,008	1,052	179	138	162	564	563	501	439	519	758
MALE	26,834	593	104	89	111	419	420	360	295	334	481
FEMALE	22,174	459	75	49	51	145	143	141	144	185	277
TOTAL WHITE	44,068	778	129	111	134	478	447	399	342	394	601
MALE	24,021	447	81	70	92	350	333	285	231	245	385
FEMALE	20,047	331	48	41	42	128	114	114	111	149	216
TOTAL NONWHITE	4,940	274	50	27	28	86	116	102	97	125	157
MALE	2,813	146	23	19	19	69	87	75	64	89	96
FEMALE	2,127	128	27	8	9	17	29	27	33	36	61
CAUSES OF DEATH											
TUBERCULOSIS, ALL FORMS (010-019)	48									5	1
SYPHILIS AND ITS SEQUELAE (090-097)	8										
OTHER INFECTIVE & PARASITIC DISEASES											
REMAINDER OF (000-136)	300	44	13	4	3	7	4	2	3	1	5
MALIGNANT NEOPLASMS (140-209)	9,405	4	14	23	22	19	35	49	56	110	181
DIGEST. ORGANS (150-159)	2,467	1					1	6	9	12	29
RESPIRATORY SYSTEM (160-163)	2,326		1				1	1	7	22	47
BREAST (174)	748						1	4	8	21	38
GENITAL ORGANS (180-187)	1,086		1		1	1	4	4	9	10	13
URINARY ORGANS (188-189)	428			2	1				3	4	3
LEUKEMIA (204-207)	385	1	4	15	6	3	11	9	1	9	7
OTHER REMAINDER OF (140-209)	1,965	2	8	6	14	15	17	25	19	32	44
DIABETES MELLITUS (250)	912			1		1	3	2	7	13	12
MAJOR CARDIOVASCULAR DISEASE (390-448)	25,319	18	7	5	3	15	22	25	55	96	214
DISEASES OF HEART											
(390-398, 402, 404, 410-429)	18,489	13	6	3		8	13	14	38	71	167
RHEUMATIC FEVER & CHRONIC											
RHEUMATIC HEART DISEASE (390-398)	279						3		1	6	1
HYPERTENSIVE HEART (402, 404)	381									2	2
ISCHEMIC HEART (410-414)	16,365						3	6	26	45	141
OTHER HEART DISEASE (420-429)	1,464	13	6	3		8	7	8	11	18	23

ALL AGES INCLUDES AGE UNKNOWN

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.



TABLE 12 (CONT)

RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR  
AND BY SELECTED CAUSES OF DEATH, MISSOURI 1976

	ALL AGES	UNDER 1 YR.	1-4 YRS.	5-9 YRS.	10-14 YRS.	15-19 YRS.	20-24 YRS.	25-29 YRS.	30-34 YRS.	35-39 YRS.	40-44 YRS.
HYPERTENSION (400,401,403)	175							1	1	2	2
CEREBROVASCULAR DISEASE (430-438)	5,186	4	1	1	2	5	7	6	14	19	40
ARTERIOSCLEROSIS (440)	870									2	2
OTHER CIRCULATORY (441-448)	599	1		1	1	2	2	4	2	2	3
INFLUENZA/PNEUMONIA (470-474,480-486)	1,516	34	9	4	6	10	5	6	8	8	9
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	596	3	2		1		1	1	2		3
PEPTIC ULCER (531-533)	158	1				1		2	2	2	2
CIRRHOSIS OF LIVER (571)	512					1	3	3	14	23	34
NEPHRITIS AND NEPHROSIS (580-584)	235			2		1	4	2	3	5	3
COMPLICATIONS OF PREG., CHILDBIRTH & PUERPERIUM (630-678)	7					3			1	3	
CONGENITAL ANOMALIES (740-759)	285	190	23	8	9	7	9	7	3	2	1
DISEASES OF EARLY INFANCY (760-769, 2,769.4-772,774-778)	556	556									
SYMPTOMS & ILL-DEFINED COND. (780-796)	1,675	102	6	2	4	11	8	13	9	17	35
ALL OTHER DISEASES (RESIDUAL)	3,776	72	18	22	18	33	39	48	50	58	83
ACCIDENTAL DEATHS (E800-E949)	2,405	23	77	60	86	326	262	179	124	98	90
MOTOR VEHICLE (E810-E823)	1,234	5	22	31	43	262	192	125	81	57	54
OTHER TRANS. (E800-E807, E825-E845)	63			1	5	7	4	10	6	8	4
POISONING (E850-E877)	78		3	1	3	4	11	9	5	5	7
FALLS (E880-E887)	399	1	5	1	2	4	2	3	2	5	3
FIRES (E890-E899)	164	4	21	7	7	8	5	5	12	2	6
DROWNING & SUBMERSIONS (E910)	113	3	12	8	12	21	19	9	6	2	1
FIREARM MISSILES (E922)	44		1	2	9	7	5	2		3	2
INDUSTRIAL (E916-E921, E923-E928)	156		7	5	2	8	21	12	5	12	5
OTHER REMAINDER OF (E900-E949)	154	10	6	4	3	5	3	4	7	4	8
SUICIDE (E950-E959)	628				3	43	53	62	44	37	45
HOMICIDE (E960-E978)	464	3	5	4	5	73	87	74	42	30	24
ALL OTHER EXTERNAL CAUSES (E980-E999)	203	2	5	3	2	13	28	26	16	11	16

ALL AGES INCLUDES AGE UNKNOWN

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 12 (CONT)

RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR  
AND BY SELECTED CAUSES OF DEATH, MISSOURI 1976

	45-49 YRS.	50-54 YRS.	55-59 YRS.	60-64 YRS.	65-69 YRS.	70-74 YRS.	75-79 YRS.	80-84 YRS.	85-89 YRS.	90-94 YRS.	OVER 94
TOTAL DEATHS	1,277	1,937	2,809	4,000	5,385	6,197	6,780	6,692	5,473	2,691	886
MALE	804	1,218	1,867	2,571	3,438	3,618	3,608	3,116	2,179	936	268
FEMALE	473	719	942	1,429	1,947	2,579	3,172	3,576	3,294	1,755	618
TOTAL WHITE	1,051	1,634	2,468	3,525	4,824	5,601	6,244	6,309	5,216	2,545	836
MALE	672	1,033	1,650	2,300	3,132	3,285	3,323	2,921	2,060	875	250
FEMALE	379	601	818	1,225	1,692	2,316	2,921	3,388	3,156	1,670	586
TOTAL NONWHITE	226	303	341	475	561	596	536	383	257	146	50
MALE	132	185	217	271	306	333	285	195	119	61	18
FEMALE	94	118	124	204	255	263	251	188	138	85	32
CAUSES OF DEATH											
TUBERCULOSIS, ALL FORMS (010-019)	2	3	4	6	6	4	6	7	3	1	
SYPHILIS AND ITS SEQUELAE (090-097)		1		1	1	1	1	1		1	1
OTHER INFECTIVE & PARASITIC DISEASES											
REMAINDER OF (000-136)	10	9	21	23	21	32	39	30	17	8	4
MALIGNANT NEOPLASMS (140-209)	368	616	883	1,173	1,423	1,422	1,241	958	548	197	62
DIGEST. ORGANS (150-159)	69	129	185	277	376	378	394	337	178	64	22
RESPIRATORY SYSTEM (160-163)	106	194	275	386	413	392	261	145	59	9	6
BREAST (174)	49	75	86	100	87	107	62	55	26	21	8
GENITAL ORGANS (180-187)	35	54	84	94	156	156	171	159	98	27	9
URINARY ORGANS (188-189)	11	17	32	45	69	64	65	48	43	16	5
LEUKEMIA (204-207)	14	16	21	33	45	48	55	46	30	10	1
OTHER REMAINDER OF (140-209)	84	131	200	238	277	277	233	168	114	50	11
DIABETES MELLITUS (250)	21	33	57	93	114	161	157	120	78	33	5
MAJOR CARDIOVASCULAR DISEASE (390-448)	432	696	1,133	1,776	2,683	3,354	4,044	4,334	3,786	1,963	657
DISEASES OF HEART											
(390-398, 402, 404, 410-429)	363	567	941	1,459	2,118	2,476	2,889	3,048	2,538	1,318	438
RHEUMATIC FEVER & CHRONIC											
RHEUMATIC HEART DISEASE (390-398)	14	18	28	33	45	37	42	31	15	4	1
HYPERTENSIVE HEART (402, 404)	8	4	14	16	29	43	66	70	57	55	15
ISCHEMIC HEART (410-414)	293	504	821	1,293	1,878	2,232	2,584	2,737	2,277	1,147	377
OTHER HEART DISEASE (420-429)	48	41	78	117	166	164	197	210	189	112	45

ALL AGES INCLUDES AGE UNKNOWN

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 12 (CONT)

RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR  
AND BY SELECTED CAUSES OF DEATH, MISSOURI 1976

	45-49 YRS.	50-54 YRS.	55-59 YRS.	60-64 YRS.	65-69 YRS.	70-74 YRS.	75-79 YRS.	80-84 YRS.	85-89 YRS.	90-94 YRS.	OVER 94
HYPERTENSION (400,401,403)	6	3	12	11	21	17	30	29	25	13	2
CEREBROVASCULAR DISEASE (430-438)	55	109	145	244	430	701	899	984	948	431	141
ARTERIOSCLEROSIS (440)	1	3	8	15	26	69	133	183	187	170	71
OTHER CIRCULATORY (441-448)	7	14	27	47	88	91	93	90	88	31	5
INFLUENZA/PNEUMONIA (470-474,480-486)	22	33	49	77	93	147	242	287	274	146	47
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	7	22	47	70	105	114	103	62	45	8	
PEPTIC ULCER (531-533)	7	13	7	17	21	22	19	20	15	7	
CIRRHOSIS OF LIVER (571)	50	67	79	77	68	45	25	13	6	4	
NEPHRITIS AND NEPHROSIS (580-584)	6	9	9	18	23	31	32	41	33	9	4
COMPLICATIONS OF PREG., CHILDBIRTH & PUERPERIUM (630-678)											
CONGENITAL ANOMALIES (740-759)	5	6	5	3	4				2	1	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)											
SYMPTOMS & ILL-DEFINED COND. (780-796)	53	85	113	177	186	207	209	162	149	90	36
ALL OTHER DISEASES (RESIDUAL)	96	145	213	308	461	502	508	502	391	155	52
ACCIDENTAL DEATHS (E800-E949)	103	100	100	102	125	106	120	131	113	63	17
MOTOR VEHICLE (E810-E823)	54	47	44	41	50	45	37	28	14	1	1
OTHER TRANS. (E800-E807,E825-E845)	3	1	3	5	3	1	1			1	
POISONING (E850-E877)	4	5	2	5	3	4	1	2	3	1	
FALLS (E880-E887)	8	13	16	12	29	26	50	72	79	52	14
FIRES (E890-E899)	9	8	6	11	15	8	11	7	9	3	
DROWNING & SUBMERSIONS (E910)	3	4	4	4	3			2			
FIREARM MISSILES (E922)	2	4	1	1	3	1		1			
INDUSTRIAL (E916-E921,E923-E928)	14	13	12	12	7	9	6	4	1		1
OTHER REMAINDER OF (E900-E949)	6	5	12	11	12	12	14	15	7	5	1
SUICIDE (E950-E959)	49	65	56	55	34	30	24	15	9	3	1
HOMICIDE (E960-E978)	30	25	19	13	11	11	2	3	2	1	
ALL OTHER EXTERNAL CAUSES (E980-E999)	16	9	14	11	6	8	8	6	2	1	

ALL AGES INCLUDES AGE UNKNOWN

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 13

RESIDENT AND RECORDED DEATHS, INFANT DEATHS AND MATERNAL  
DEATHS BY COUNTIES, WITH RATES, MISSOURI 1976

COUNTIES	POP.	NUMBER			RATE			RECORDED			RECORDED		
		RESIDENT			RESIDENT			RECORDED			RECORDED		
		DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.
STATE TOTAL	4,778,000	49,008	1,052	7	50,074	1,213	7	10.3	15.3	1.0	10.5	17.0	1.0
COUNTIES INCL. CITIES													
ADAIR	24,700	247	9	-	424	13	-	10.0	28.1	-	17.2	22.0	-
ANDREW	13,400	118	2	-	84	-	-	8.8	11.8	-	6.3	-	-
ATCHISON	9,300	120	1	-	136	-	-	12.9	9.4	-	14.6	-	-
AUDRAIN	25,700	306	9	-	396	4	-	11.9	24.7	-	15.4	7.2	-
BARRY	21,700	291	10	-	213	3	-	13.4	34.8	-	9.8	14.2	-
BARTON	11,000	159	2	-	105	-	-	14.5	14.2	-	9.5	-	-
BATES	16,100	252	3	-	180	-	-	15.7	12.0	-	11.2	-	-
BENTON	11,900	144	1	-	82	2	-	12.1	8.4	-	6.9	-	-
BOLLINGER	9,900	128	3	-	35	-	-	12.9	20.5	-	3.5	-	-
BOONE	89,400	544	23	-	1,301	89	-	6.1	18.3	-	14.6	40.5	-
BUCHANAN	86,300	1,116	16	-	1,331	11	-	12.9	12.2	-	15.4	5.7	-
BUTLER	37,300	458	9	-	807	4	-	12.3	17.5	-	21.6	4.1	-
CALDWELL	9,000	113	1	-	62	1	-	12.6	9.3	-	6.9	-	-
CALLAWAY	27,400	258	7	-	286	1	-	9.4	19.0	-	10.4	10.0	-
CAMDEN	16,400	208	1	-	118	-	-	12.7	5.5	-	7.2	-	-
CAPE GIRARDEAU	52,400	494	6	-	695	9	-	9.4	9.0	-	13.3	6.9	-
CARROLL	12,100	147	-	-	87	-	-	12.1	-	-	7.2	-	-
CARTER	4,600	56	1	-	31	-	-	12.2	11.9	-	6.7	-	-
CASS	49,200	308	12	-	190	3	-	6.3	16.7	-	3.9	10.3	-
CEDAR	10,800	184	3	-	153	1	-	17.0	20.7	-	14.2	5.6	-
CHARITON	10,500	146	1	-	62	-	-	13.9	8.3	-	5.9	-	-
CHRISTIAN	20,000	161	2	-	52	-	-	8.1	6.7	-	2.6	-	-
CLARK	8,000	82	2	-	33	-	-	10.3	17.7	-	4.1	-	-
CLAY	133,800	850	26	-	864	10	-	6.4	13.8	-	6.5	8.0	-
CLINTON	14,400	166	-	-	148	1	-	11.5	-	-	10.3	8.5	-
COLE	51,200	419	8	-	664	5	-	8.2	11.2	-	13.0	3.6	-
COOPER	14,500	185	3	-	147	2	-	12.8	14.6	-	10.1	15.0	-
CRAWFORD	16,400	199	4	-	183	3	-	12.1	15.9	-	11.2	16.7	-
DADE	7,400	96	3	-	73	-	-	13.0	30.9	-	9.9	-	-
DALLAS	11,900	159	-	-	89	-	-	13.4	-	-	7.5	-	-
DAVISS	8,800	129	-	-	73	-	-	14.7	-	-	8.3	-	-
DE KALB	7,800	100	3	-	37	1	-	12.8	23.8	-	4.7	-	-
DENT	13,400	167	2	-	120	-	-	12.5	9.8	-	9.0	-	-

DEATH RATES ARE PER 1,000 POP., INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS,  
MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.  
PROVISIONAL POPULATION ESTIMATES FOR JULY 1, 1976 (SEE PP IV)

TABLE 13 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS AND MATERNAL  
DEATHS BY COUNTIES, WITH RATES, MISSOURI 1976

COUNTIES	POP.	NUMBER						RATE					
		RESIDENT			RECORDED			RESIDENT			RECORDED		
		INFANT	MAT.		INFANT	MAT.		INF.	MAT.		INF.	MAT.	
		DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.
DOUGLAS	11,200	97	1	-	55	1	-	8.7	7.1	-	4.9	333.3	-
DUNKLIN	36,600	397	9	-	326	5	-	10.8	16.2	-	8.9	9.4	-
FRANKLIN	64,400	617	12	-	444	2	-	9.6	11.9	-	6.9	3.8	-
GASCONADE	13,000	177	-	-	195	-	-	13.6	-	-	15.0	-	-
GENTRY	8,100	149	-	1	127	-	-	18.4	-	99.0	15.7	-	-
GREENE	170,900	1,567	27	-	2,503	53	1	9.2	10.6	-	14.6	12.6	2.4
GRUNDY	11,100	213	3	-	196	1	-	19.2	15.5	-	17.7	3.9	-
HARRISON	10,000	153	1	-	117	-	-	15.3	8.2	-	11.7	-	-
HENRY	18,900	261	2	-	296	2	-	13.8	7.3	-	15.7	5.2	-
HICKORY	6,300	92	-	-	25	-	-	14.6	-	-	4.0	-	-
HOLT	6,700	101	1	-	44	-	-	15.1	12.5	-	6.6	-	-
HOWARD	10,300	153	5	-	136	1	-	14.9	41.3	-	13.2	9.8	-
HOWELL	27,200	310	9	-	311	7	-	11.4	23.5	-	11.4	12.9	-
IRON	10,200	116	3	-	119	1	-	11.4	19.7	-	11.7	16.1	-
JACKSON	634,500	6,298	180	1	7,413	334	1	9.9	19.1	1.1	11.7	25.9	.8
JASPER	83,300	996	22	-	875	5	-	12.0	18.2	-	10.5	15.7	-
JEFFERSON	122,800	795	30	-	455	5	-	6.5	13.8	-	3.7	12.3	-
JOHNSON	34,200	241	5	-	211	3	-	7.0	7.9	-	6.2	4.4	-
KNOX	5,500	88	2	-	33	1	-	16.0	26.3	-	6.0	333.3	-
LACLEDE	21,900	277	8	-	258	4	-	12.6	26.1	-	11.8	13.7	-
LAFAYETTE	28,600	350	7	-	314	1	-	12.2	19.5	-	11.0	3.4	-
LAWRENCE	27,900	332	2	-	328	1	-	11.9	5.1	-	11.8	3.3	-
LEWIS	10,600	124	1	-	52	-	-	11.7	7.7	-	4.9	-	-
LINCOLN	20,200	233	3	-	219	-	-	11.5	10.9	-	10.8	-	-
LINN	15,000	262	2	-	276	1	-	17.5	10.1	-	18.4	3.6	-
LIVINGSTON	15,600	200	3	-	256	3	-	12.8	12.3	-	16.4	7.6	-
MC DONALD	16,200	179	-	-	61	-	-	11.0	-	-	3.8	-	-
MACON	15,900	254	5	-	191	1	-	16.0	25.3	-	12.0	6.0	-
MADISON	9,200	145	1	-	119	3	-	15.8	7.3	-	12.9	19.1	-
MARIES	7,000	81	2	-	19	-	-	11.6	21.7	-	2.7	-	-
MARION	27,900	389	5	-	441	4	-	13.9	12.2	-	15.8	6.0	-
MERCER	4,700	79	2	1	52	-	1	16.8	38.5	192.3	11.1	-	476.2
MILLER	16,500	204	6	-	71	-	-	12.4	23.0	-	4.3	-	-
MISSISSIPPI	16,100	199	6	-	107	4	-	12.4	20.8	-	6.6	30.8	-
MONITEAU	11,700	141	1	-	72	-	-	12.1	6.3	-	6.2	-	-

DEATH RATES ARE PER 1,000 POP., INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS,  
MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.  
PROVISIONAL POPULATION ESTIMATES FOR JULY 1, 1976 (SEE PP IV)

TABLE 13 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS AND MATERNAL  
DEATHS BY COUNTIES, WITH RATES, MISSOURI 1976

COUNTIES	POP.	NUMBER						RATE					
		RESIDENT			RECORDED			RESIDENT			RECORDED		
		INFANT	MAT.		INFANT	MAT.		INF.	MAT.		INF.	MAT.	
		DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.
MONROE	10,000	157	1	-	84	1	-	15.7	7.1	-	8.4	250.0	-
MONTGOMERY	11,500	163	2	-	57	-	-	14.2	13.5	-	5.0	-	-
MORGAN	12,600	178	2	-	135	-	-	14.1	14.1	-	10.7	-	-
NEW MADRID	24,000	276	9	-	101	3	-	11.5	20.5	-	4.2	500.0	-
NEWTON	35,700	395	10	-	520	15	-	11.1	20.8	-	14.6	8.3	-
NODAWAY	21,200	206	-	-	188	1	-	9.7	-	-	8.9	3.6	-
OREGON	9,900	148	1	-	78	-	-	14.9	7.6	-	7.9	-	-
OSAGE	12,400	120	1	-	44	1	-	9.7	5.6	-	3.5	-	-
OZARK	7,400	102	1	-	25	-	-	13.8	13.5	-	3.4	-	-
PEMISCOT	24,700	372	7	1	308	5	1	15.1	13.8	19.7	12.5	9.6	19.3
PERRY	15,300	167	6	-	134	3	-	10.9	21.8	-	8.8	14.8	-
PETTIS	35,500	415	3	-	440	3	-	11.7	6.2	-	12.4	4.7	-
PHELPS	30,700	346	8	-	368	3	-	11.3	20.0	-	12.0	4.2	-
PIKE	17,100	239	2	-	220	1	-	14.0	7.5	-	12.9	5.8	-
PLATTE	39,100	214	9	-	89	1	-	5.5	14.5	-	2.3	-	-
POLK	18,300	206	2	-	137	-	-	11.3	8.3	-	7.5	-	-
PULASKI	40,400	224	15	-	170	6	-	5.5	16.9	-	4.2	7.5	-
PUTNAM	6,300	99	1	-	102	1	-	15.7	13.9	-	16.2	17.5	-
RALLS	8,700	89	2	-	33	-	-	10.2	16.7	-	3.8	-	-
RANDOLPH	23,500	325	4	-	283	1	-	13.8	10.9	-	12.0	4.3	-
RAY	19,200	220	5	-	164	3	-	11.5	21.5	-	8.5	22.9	-
REYNOLDS	6,500	72	-	-	25	-	-	11.1	-	-	3.8	-	-
RIPLEY	12,300	170	5	-	111	2	-	13.8	35.7	-	9.0	31.3	-
ST. CHARLES	117,200	670	16	-	692	7	-	5.7	7.7	-	5.9	5.6	-
ST. CLAIR	9,700	121	-	-	142	-	-	12.5	-	-	14.6	-	-
ST. FRANCOIS	39,100	508	3	-	658	4	-	13.0	5.5	-	16.8	4.8	-
STE. GENEVIEVE	13,600	136	4	-	115	1	-	10.0	19.3	-	8.5	5.9	-
ST. LOUIS COUNTY	516,200	7,233	144	-	6,675	77	1	14.0	11.5	-	12.9	5.1	.7
ST. LOUIS CITY	964,500	7,403	194	3	9,528	433	2	7.7	24.9	3.9	9.9	45.6	2.1
SALINE	23,800	318	6	-	296	4	-	13.4	17.2	-	12.4	17.8	-
SCHUYLER	5,100	79	-	-	26	-	-	15.5	-	-	5.1	-	-
SCOTLAND	5,500	82	-	-	68	-	-	14.9	-	-	12.4	-	-
SCOTT	35,600	359	12	-	485	14	-	10.1	19.7	-	13.6	15.8	-
SHANNON	7,500	72	2	-	38	-	-	9.6	22.5	-	5.1	-	-
SHELBY	7,700	136	1	-	60	-	-	17.7	9.7	-	7.8	-	-

DEATH RATES ARE PER 1,000 POP., INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS,  
MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.  
PROVISIONAL POPULATION ESTIMATES FOR JULY 1, 1976 (SEE PP IV)

TABLE 13 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS AND MATERNAL  
DEATHS BY COUNTIES, WITH RATES, MISSOURI 1976

COUNTIES	POP.	NUMBER						RATE					
		RESIDENT			RECORDED			RESIDENT			RECORDED		
		INFANT	MAT.		INFANT	MAT.		INF.	MAT.		INF.	MAT.	
		DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.
STODDARD	27,300	300	4	-	198	4	-	11.0	10.6	-	7.3	13.7	-
STONE	13,000	133	2	-	43	1	-	10.2	12.4	-	3.3	-	-
SULLIVAN	7,500	128	-	-	84	-	-	17.1	-	-	11.2	-	-
TANEY	18,100	211	4	-	185	2	-	11.7	20.6	-	10.2	14.2	-
TEXAS	21,100	268	5	-	234	2	-	12.7	16.9	-	11.1	5.4	-
VERNON	20,300	285	8	-	307	6	-	14.0	28.5	-	15.1	17.7	-
WARREN	12,600	152	2	-	81	-	-	12.1	10.6	-	6.4	-	-
WASHINGTON	16,300	151	5	-	84	-	-	9.3	15.5	-	5.2	-	-
WAYNE	10,300	140	3	-	57	-	-	13.6	25.6	-	5.5	-	-
WEBSTER	18,600	170	-	-	88	-	-	9.1	-	-	4.7	-	-
WORTH	3,300	52	1	-	18	1	-	15.8	25.6	-	5.5	-	-
WRIGHT	14,900	218	1	-	118	1	-	14.6	4.7	-	7.9	7.6	-

DEATH RATES ARE PER 1,000 POP., INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS,  
MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.  
PROVISIONAL POPULATION ESTIMATES FOR JULY 1, 1976 (SEE PP IV)

TABLE 14

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND  
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1976

CITIES	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
TOTAL CITIES 2,500 POP. AND OVER	30,353	676	5	40,321	1,141	6
TOTAL CITIES 10,000 POP. AND OVER	23,467	557	4	31,313	1,043	4
TOTAL CITIES OVER 2,500 POP. LESS THAN 10,000 POP.	6,886	119	1	9,008	98	2
CITIES 10,000 POP. AND OVER						
BALLWIN	74	1	-	7	-	-
BELLEFONTAINE NEIGHBORS	161	-	-	23	-	-
BERKELEY	86	5	-	9	-	-
BRENTWOOD	78	1	-	5	-	-
BRIDGETON	106	-	-	31	-	-
CAPE GIRARDEAU	288	4	-	613	9	-
CARTHAGE	157	5	-	191	2	-
CLAYTON	181	1	-	921	18	-
COLUMBIA	344	16	-	1,221	89	-
CRESTWOOD	84	1	-	3	-	-
FERGUSON	202	2	-	49	-	-
FLORISSANT	408	11	-	350	8	-
FULTON	106	1	-	229	-	-
GLADSTONE	71	6	-	9	-	-
GRANDVIEW	95	2	-	26	-	-
HANNIBAL	298	4	-	415	4	-
MARION CO. PART	298	4	-	414	4	-
RALLS CO. PART	-	-	-	1	-	-
HAZELWOOD	83	1	-	5	-	-
INDEPENDENCE	862	30	-	742	10	-
JACKSON CO. PART	862	30	-	742	10	-
CLAY CO. PART	-	-	-	-	-	-
JEFFERSON CITY	314	6	-	640	5	-
JENNINGS	210	-	-	14	-	-
JOPLIN	522	12	-	772	13	-
JASPER CO. PART	487	10	-	530	2	-
NEWTON CO. PART	35	2	-	242	11	-
KANSAS CITY	4,979	140	1	6,566	324	1



TABLE 14 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND  
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1976

CITIES 10,000 POP. AND OVER	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
CLAY CO. PART	330	8	-	39	-	-
JACKSON CO. PART	4,597	128	1	6,512	324	1
PLATTE CO. PART	52	4	-	15	-	-
KIRKSVILLE	166	7	-	406	13	-
KIRKWOOD	263	3	-	438	4	-
LADUE	71	-	-	7	-	-
LEE'S SUMMIT	219	3	-	101	-	-
LIBERTY	122	4	-	195	2	-
MAPLEWOOD	114	3	-	3	-	-
MARSHALL	128	4	-	182	4	-
MEXICO	161	2	-	340	3	-
MOBERLY	203	2	-	244	1	-
OVERLAND	242	5	-	29	-	-
POPLAR BLUFF	251	5	-	758	4	-
RAYTOWN	222	2	-	12	-	-
RICHMOND HEIGHTS	159	3	-	603	8	-
ROLLA	89	2	-	268	3	-
ST. ANN	104	3	-	3	-	-
ST. CHARLES	293	8	-	591	6	-
ST. JOSEPH	1,022	14	-	1,308	11	-
ST. LOUIS CITY	7,403	194	3	9,528	433	2
SEDALIA	319	3	-	402	3	-
SIKESTON	149	7	-	343	11	-
NEW MADRID CO. PART	2	-	-	2	-	-
SCOTT CO. PART	147	7	-	341	11	-
SPRINGFIELD	1,282	24	-	2,414	53	1
UNIVERSITY CITY	449	7	-	74	-	-
WARRENSBURG	82	1	-	166	2	-
WEBSTER GROVES.	245	2	-	57	-	-
CITIES OVER 2,500 POPULATION LESS THAN 10,000						
AURORA	87	1	-	98	1	-
BEL-RIDGE	38	-	-	5	-	-
BELTON	79	8	-	14	1	-

TABLE 14 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND  
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1976

CITIES OVER 2,500 POPULATION LESS THAN 10,000	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
BETHANY	47	-	-	94	-	-
BLUE SPRINGS	64	5	-	7	-	-
BOLIVAR	70	-	-	65	-	-
BONNE TERRE	60	-	-	131	1	-
BOONVILLE	83	1	-	55	-	-
BOWLING GREEN	57	-	-	34	-	-
BRECKENRIDGE HILLS	19	1	-	-	-	-
BROOKFIELD	114	1	-	172	-	-
BUTLER	82	-	-	138	-	-
CALIFORNIA	67	-	-	32	-	-
CAMERON	68	1	-	98	1	-
CLINTON CO. PART	63	-	-	97	1	-
DE KALB CO. PART	5	1	-	1	-	-
CANTON	23	-	-	4	-	-
CARROLLTON	54	-	-	67	-	-
CARUTHERSVILLE	121	2	-	21	-	-
CENTRALIA	62	-	-	23	-	-
CHAFFEE	29	1	-	109	3	-
CHARLESTON	78	1	-	54	-	-
CHILLICOTHE	122	2	-	213	2	-
CLINTON	113	1	-	225	2	-
CREVE COEUR	186	-	-	847	17	-
CRYSTAL CITY	44	1	-	6	-	-
DELLWOOD	59	-	-	-	-	-
DESOTO	90	4	-	33	-	-
DES PERES	51	1	-	48	-	-
DESLOGE	36	-	-	7	-	-
DEXTER	79	-	-	118	2	-
EAST PRAIRIE	38	-	-	9	-	-
ELDON	57	3	-	17	-	-
ELDORADO SPRINGS	83	3	-	110	1	-
ELLISVILLE	18	-	-	26	-	-
EXCELSIOR SPRINGS	122	1	-	128	1	-
CLAY CO. PART	120	1	-	128	1	-
RAY CO. PART	2	-	-	-	-	-
FARMINGTON	104	-	-	359	3	-

TABLE 14 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND  
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1976

CITIES OVER 2,500 POPULATION LESS THAN 10,000	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
FAYETTE	44	-	-	99	-	-
FESTUS	69	4	-	11	-	-
FLAT RIVER	74	-	-	10	-	-
FREDERICKTOWN	76	1	-	97	3	-
FRONTENAC	20	-	-	-	-	-
GLENDALE	49	-	-	2	-	-
HARRISONVILLE	63	1	-	133	1	-
HAYTI	64	-	1	243	5	1
HERMANN	46	-	-	85	-	-
HIGGINSVILLE	57	3	-	30	-	-
HILLSDALE VILLAGE	22	1	-	-	-	-
JACKSON	75	-	-	53	-	-
KENNETT	112	4	-	216	5	-
KINLOCH	12	1	-	-	-	-
LAMAR	71	-	-	91	-	-
LEBANON	130	-	-	227	4	-
LEXINGTON	77	-	-	120	-	-
LOUISTANA	81	-	-	150	1	-
MACON	97	3	-	130	1	-
MALDEN	70	1	-	56	-	-
MANCHESTER	73	5	-	46	-	-
MARCELINE	48	1	-	87	1	-
MARSHFIELD	53	-	-	32	-	-
MARYVILLE	84	-	-	156	1	-
MOLINE ACRES	40	-	-	4	-	-
MONETT	88	2	-	122	3	-
BARRY CO. PART	75	2	-	116	3	-
LAWRENCE CO. PART	13	-	-	6	-	-
MOUNTAIN GROVE	80	-	-	25	-	-
MT. VERNON	49	-	-	25	-	-
NEOSHO	117	4	-	180	2	-
NEVADA	161	5	-	221	4	-
NEW MADRID	31	1	-	9	-	-
NORMANDY	96	2	-	401	4	-
NORTH KANSAS CITY	69	1	-	317	4	-
NORTHWOODS	24	1	-	-	-	-

TABLE 14 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND  
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1976


CITIES OVER 2,500 POPULATION LESS THAN 10,000	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
ODESSA	44	1	-	22	-	-
O'FALLON	53	-	-	12	-	-
OLIVETTE	64	-	-	4	-	-
PACIFIC	27	2	-	6	-	-
FRANKLIN CO. PART	26	2	-	6	-	-
ST. LOUIS CO. PART	1	-	-	-	-	-
PAGEDALE	35	3	-	2	-	-
PALMYRA	38	-	-	16	-	-
PERRYVILLE	64	1	-	103	3	-
PINELAWN	38	2	-	7	-	-
PLEASANT HILL	27	1	-	5	1	-
PORTAGEVILLE	36	2	-	13	-	-
POTOSI	25	-	-	4	-	-
RICHMOND	91	3	-	126	2	-
RIVERVIEW	25	-	-	1	-	-
ROCK HILL	51	3	-	10	-	-
ST. CLAIR	45	1	-	4	-	-
ST. JAMES	87	1	-	59	-	-
ST. JOHN	66	1	-	2	-	-
STE. GENEVIEVE	47	-	-	101	1	-
SALEM	87	-	-	23	-	-
SAVANNAH	56	-	-	43	-	-
SHREWSBURY	37	-	-	2	-	-
SLATER	43	-	-	28	-	-
SUGAR CREEK	22	-	-	2	-	-
SULLIVAN	55	2	-	124	2	-
CRAWFORD CO. PART	11	-	-	119	2	-
FRANKLIN CO. PART	44	2	-	5	-	-
SUNSET HILLS	24	-	-	42	-	-
TOWN AND COUNTRY	19	-	-	296	6	1
TRENTON	153	2	-	181	1	-
TROY	55	1	-	157	-	-
UNION	64	-	-	41	-	-
VALLEY PARK	36	1	-	64	-	-
VANDALIA	44	-	-	11	-	-
VINITA PARK	16	-	-	-	-	-

TABLE 14 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND  
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1976

CITIES OVER 2,500 POPULATION LESS THAN 10,000	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
WARSON WOODS	11	-	-	1	-	-
WASHINGTON	105	2	-	339	2	-
WAYNESVILLE	32	4	-	71	2	-
WEBR CITY	85	2	-	81	-	-
WELLSTON	30	2	-	-	-	-
WENTZVILLE	44	-	-	6	-	-
WEST PLAINS	101	2	-	205	4	-
WINDSOR	50	-	-	49	-	-
WOODSON TERRACE	28	1	-	-	-	-

GRAPH D.

INFANT DEATH RATES BY COLOR 1932-1975  
(per 1,000 live births)

Source: Missouri State Board of Health, Vital Statistics Reports, 1932-34 and 1937-48; U. S. Bureau of the Census, Mortality Statistics, 1935-36; Missouri Division of Health, Vital Statistics Reports, 1949 to date. 1932-44 Recorded data and 1945 to date Resident.

INFANT DEATH TRENDS

Year	Total	White	Non-White	Year	Total	White	Non-White
1932	57.4	53.9	112.9	1962	25.5	23.2	40.0
1933	56.8	54.5	94.3	1963	24.3	21.5	41.5
1934	62.3	59.4	107.6	1964	24.4	21.2	43.2
1935	56.9	55.2	83.1	1965	25.4	22.2	42.7
1936	57.9	55.7	90.0	1966	23.4	19.8	43.0
1937	64.0	61.7	96.5	1967	22.6	19.1	41.9
1938	51.1	48.1	93.0	1968	21.3	19.1	33.9
1939	45.0	42.2	83.8	1969	21.3	18.6	36.4
1940	47.0	44.7	78.4	1970	19.5	17.0	33.6
1941	46.8	44.2	83.0	1971	20.2	18.6	28.0
1942	39.0	37.1	64.8	1972	18.3	16.2	28.5
1943	39.8	37.5	69.5	1973	17.7	15.9	27.1
1944	37.3	35.1	63.7	1974	16.9	15.0	27.0
1945	37.5	35.1	65.8	1975	16.4	14.5	25.9
1946	33.0	31.1	55.8	1976	15.3	13.5	24.8
1947	32.4	30.1	59.9				
1948	30.4	28.6	49.3				
1949	30.0	28.7	43.4				
1950	29.2	27.1	49.0				
1951	27.7	25.8	45.0				
1952	28.3	25.9	49.4				
1953	27.7	25.4	46.9				
1954	26.8	24.2	46.6				
1955	25.3	23.1	41.7				
1956	24.5	22.4	38.9				
1957	24.8	22.4	40.5				
1958	26.4	23.2	46.9				
1959	24.5	21.5	43.6				
1960	24.7	21.4	45.9				
1961	24.5	21.9	41.6				

TABLE 15 RESIDENT INFANT DEATHS BY AGE, CAUSE, AND COLOR WITH RATES BY CAUSE AND COLOR, MISSOURI 1976

CAUSE	COLOR	NUMBER	RATE	UNDER 1 HR.	OVER	OVER	OVER	OVER	OVER	OVER
					1 HR. UNDER 1 DAY	1 DAY UNDER 7 DAS	7 DAS UNDER 28 DAS	28 DAS UNDER 3 MOS	3 MOS UNDER 6 MOS	6 MOS UNDER 1 YEAR
ALL CAUSES	WHITE	778	13.5	76	205	210	81	81	74	45
	NONWHITE	274	24.8	21	67	68	19	47	30	19
	TOTAL	1,052	15.3	97	272	278	100	128	104	64
GASTRO-INTESTINAL DISEASES (004,006-009,535,561,563)	WHITE	6	.1			2		2	1	1
	NONWHITE	8	.7			1	1	4	1	1
	TOTAL	14	.2			3	1	6	2	2
INFLUENZA & PNEUMONIA (470-474,480-486)	WHITE	19	.3		1		4	2	9	3
	NONWHITE	15	1.4		1			7	4	3
	TOTAL	34	.5		2		4	9	13	6
CONGENITAL ANOMALIES (740-759)	WHITE	153	2.7	11	27	39	27	22	16	10
	NONWHITE	37	3.3	2	5	15	2	6	5	2
	TOTAL	190	2.8	13	32	54	29	28	21	12
BIRTH INJURIES (764-768 (.0-.3),772)	WHITE	36	.6		4	24	8			
	NONWHITE	12	1.1		3	8	1			
	TOTAL	48	.7		7	32	9			
ASPHYXIA OF NEWBORN,UNSPECIFIED (776.9)	WHITE	55	1.0	6	30	13	4		1	
	NONWHITE	24	2.2	2	15	6	1			
	TOTAL	79	1.1	8	45	19	5		1	
IMMATURITY, UNQUALIFIED (777)	WHITE	44	.8	17	24	2				
	NONWHITE	13	1.2	4	8		1			
	TOTAL	57	.8	21	32	2	1			
OTHER DISEASES OF EARLY INFANCY (REMAINDER OF 760-778)	WHITE	288	5.0	41	102	114	26	1	2	
	NONWHITE	84	7.6	11	31	32	8			
	TOTAL	372	5.4	52	133	146	34	1	2	
ALL OTHER CAUSES (RESIDUAL)	WHITE	177	3.1	1	17	16	12	54	45	31
	NONWHITE	81	7.3	2	4	6	5	30	20	13
	TOTAL	258	3.8	3	21	22	17	84	65	44

INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS.

NUMBER IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REVISION OF THE INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, ADAPTED.

NUMBER INCLUDES AGE UNKNOWN.

TABLE 16

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

PROVISIONAL EST. POP. JULY 1, 1976 (SEE PP IV) MISSOURI - 4,778,000	STATE TOTAL		UNDER 2,500		2,500 - LESS THAN 5,000		NON- WHITE	
	TOTAL	RATE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	68,781	14.4	57,727	11,054	29,125	1,439	2,847	210
ATTENDED BY M.D.	61,595		51,368	10,227	25,435	1,325	2,347	194
ATTENDED BY D.O.	7,043		6,241	802	3,586	102	499	14
ATTENDED BY MIDWIFE	70		51	19	49	11		1
OTHERS OR UNSPECIFIED	73		67	6	55	1	1	1
LIVE BIRTHS UNDER 5.5 LBS.	4,997		3,565	1,432	1,736	138	178	28
TOTAL FETAL DEATHS	750	10.9	598	152	284	18	31	4
ATTENDED BY M.D.	673		535	138	251	15	20	4
ATTENDED BY D.O.	75		61	14	31	3	11	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	2		2		2			
TOTAL DEATHS	49,008	10.3	44,068	4,940	13,124	531	2,892	114
UNDER ONE YEAR OF AGE	1,052	15.3	778	274	350	26	36	5
NEONATAL DEATHS	747	10.9	572	175	250	16	28	3
MATERNAL DEATHS	7	1.0	4	3	2			1
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	48	1.0	36	12	15		2	
SYPHILIS AND ITS SEQUELAE (090-097)	8	.2	3	5	2	2		1
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (100-136)	300	6.3	239	61	94	6	12	
MALIGNANT NEOPLASMS (140-209)	9,405	196.8	8,451	954	3,311	115	505	19
DIGEST. ORGANS (150-159)	2,467	51.6	2,190	277	840	29	145	6
RESPIRATORY SYSTEM (160-163)	2,326	48.7	2,088	238	814	30	108	5
BREAST (174)	748	15.7	686	62	260	12	36	2
GENITAL ORGANS (180-187)	1,086	22.7	941	145	376	16	59	3
URINARY ORGANS (188-189)	428	9.0	398	30	164	4	15	
LEUKEMIA (204-207)	385	8.1	364	21	149	3	23	
OTHER REMAINDER OF (140-209)	1,965	41.1	1,784	181	708	21	119	3
DIABETES MELLITUS (250)	912	19.1	797	115	280	16	66	3
MAJOR CARDIOVASCULAR DISEASE (390-448)	25,319	529.9	23,285	2,034	9,449	208	1,602	50
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	18,489	387.0	17,068	1,421	6,938	142	1,148	37

MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

LIVE BIRTH AND DEATH RATES ARE PER 1,000 POP.

INFANT DEATHS, NEONATAL DEATHS AND FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS.

RATES FOR SPECIFIC CAUSES OF DEATH ARE PER 100,000 POPULATION.

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	STATE TOTAL		UNDER 2,500		2,500 - LESS THAN 5,000	
	TOTAL	RATE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC						
RHEUMATIC HEART DISEASE (390-398)	279	5.8	264	15	101	3
HYPERTENSIVE HEART (402,404)	381	8.0	332	49	157	2
ISCHEMIC HEART (410-414)	16,365	342.5	15,187	1,178	6,036	110
OTHER HEART DISEASE (420-429)	1,464	30.6	1,285	179	644	27
HYPERTENSION (400,401,403)	175	3.7	144	31	47	13
CEREBROVASCULAR DISEASE (430-438)	5,186	108.5	4,686	500	1,917	53
ARTERIOSCLEROSIS (440)	870	18.2	829	41	310	5
OTHER CIRCULATORY (441-448)	599	12.5	558	41	237	8
INFLUENZA/PNEUMONIA (470-474,480-486)	1,516	31.7	1,374	142	595	14
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	596	12.5	566	30	239	3
PEPTIC ULCER (531-533)	158	3.3	140	18	56	3
CIRRHOSIS OF LIVER (571)	512	10.7	422	90	150	6
NEPHRITIS AND NEPHROSIS (580-584)	235	4.9	177	58	81	3
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	7	.1	4	3	2	
CONGENITAL ANOMALIES (740-759)	285	6.0	234	51	109	6
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	556	11.6	423	133	185	12
SYMPTOMS & ILL-DEFINED COND. (780-796)	1,675	35.1	1,477	198	710	33
ALL OTHER DISEASES (RESIDUAL)	3,776	79.0	3,307	469	1,351	35
ACCIDENTAL DEATHS (E800-E949)	2,405	50.3	2,182	223	1,136	45
MOTOR VEHICLE (E810-E823)	1,234	25.8	1,148	86	668	16
OTHER TRANS. (E800-E807,E825-E845)	63	1.3	61	2	28	
POISONING (E850-E877)	78	1.6	69	9	32	3
FALLS (E880-E887)	399	8.4	375	24	121	3
FIRES (E890-E899)	164	3.4	119	45	54	17
DROWNING & SUBMERSIONS (E910)	113	2.4	99	14	51	4
FIREARM MISSILES (E922)	44	.9	43	1	25	
INDUS. TYPE (E916-E921,E923-E928)	156	3.3	144	12	100	2
OTHER REMAINDER OF (E900-E949)	154	3.2	124	30	57	
SUICIDE (E950-E959)	628	13.1	595	33	220	1
HOMICIDE (E960-E978)	464	9.7	190	274	80	19
ALL OTHER EXTERNAL CAUSES (E980-E999)	203	4.2	166	37	59	4

MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

LIVE BIRTH AND DEATH RATES ARE PER 1,000 POP.

INFANT DEATHS, NEONATAL DEATHS AND FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS.

RATES FOR SPECIFIC CAUSES OF DEATH ARE PER 100,000 POPULATION.



TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	5,000 - LESS THAN 10,000		10,000 - LESS THAN 15,000		15,000 - LESS THAN 25,000		25,000 - LESS THAN 50,000	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	4,238	475	1,981	275	3,149	391	3,052	453
ATTENDED BY M.D.	3,696	586	1,790	247	2,814	372	2,846	413
ATTENDED BY D.O.	541	88	138	21	334	18	205	39
ATTENDED BY MIDWIFE			1	7				
OTHERS OR UNSPECIFIED	1	1	2		1	1	1	1
LIVE BIRTHS UNDER 5.5 LBS.	265	92	126	39	203	35	169	50
TOTAL FETAL DEATHS	38	10	24	5	35	5	40	7
ATTENDED BY M.D.	34	6	20	4	34	5	39	7
ATTENDED BY D.O.	4	4	4	1	1		1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	3,695	185	1,736	127	2,429	77	2,654	144
UNDER ONE YEAR OF AGE	68	10	25	11	43	3	35	11
NEONATAL DEATHS	51	7	20	9	34	3	25	8
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	2		1				1	1
SYPHILIS AND ITS SEQUELAE (090-097)	1							
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (100-136)	17	2	10	2	9	2	14	
MALIGNANT NEOPLASMS (140-209)	746	36	344	26	510	16	572	33
DIGEST. ORGANS (150-159)	195	8	100	5	121	3	163	12
RESPIRATORY SYSTEM (160-163)	179	10	73	4	138	6	133	9
BREAST (174)	64	2	16	2	48		59	3
GENITAL ORGANS (180-187)	77	7	56	5	51	3	56	5
URINARY ORGANS (188-189)	32		16	1	37		22	1
LEUKEMIA (204-207)	36		10	1	20		18	
OTHER REMAINDER OF (140-209)	163	9	73	8	95	4	121	3
DIABETES MELLITUS (250)	74	3	31	1	54	2	45	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	1,976	91	944	58	1,270	30	1,438	57
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	1,444	62	690	35	933	20	1,056	39

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 3TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	5,000 - LESS THAN 10,000		10,000 - LESS THAN 15,000		15,000 - LESS THAN 25,000		25,000 - LESS THAN 50,000	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	4,238	675	1,981	275	3,149	391	3,052	453
ATTENDED BY M.D.	3,696	586	1,790	247	2,814	372	2,846	413
ATTENDED BY D.O.	541	88	188	21	334	18	205	39
ATTENDED BY MIDWIFE			1	7				
OTHERS OR UNSPECIFIED	1	1	2		1	1	1	1
LIVE BIRTHS UNDER 5.5 LBS.	265	92	126	39	203	35	169	50
TOTAL FETAL DEATHS	38	10	24	5	35	5	40	7
ATTENDED BY M.D.	34	6	20	4	34	5	39	7
ATTENDED BY D.O.	4	4	4	1	1		1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	3,695	185	1,736	127	2,429	77	2,654	144
UNDER ONE YEAR OF AGE	68	10	25	11	43	3	35	11
NEONATAL DEATHS	51	7	20	9	34	3	25	8
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	2		1				1	1
SYPHILIS AND ITS SEQUELAE (090-097)	1							
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	17	2	10	2	9	2	14	
MALIGNANT NEOPLASMS (140-209)	746	36	344	26	510	16	572	33
DIGEST. ORGANS (150-159)	195	8	100	5	121	3	163	12
RESPIRATORY SYSTEM (160-163)	179	10	73	4	138	6	133	9
BREAST (174)	64	2	16	2	48		59	3
GENITAL ORGANS (180-187)	77	7	56	5	51	3	56	5
URINARY ORGANS (188-189)	32		16	1	37		22	1
LEUKEMIA (204-207)	36		10	1	20		18	
OTHER REMAINDER OF (140-209)	163	9	73	8	95	4	121	3
DIABETES MELLITUS (250)	74	3	31	1	54	2	45	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	1,976	91	944	58	1,270	30	1,438	57
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	1,444	62	690	35	933	20	1,056	39

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	50,000 - LESS THAN 75,000		75,000 - LESS THAN 100,000		100,000 -LESS THAN 500,000		500,000 AND OVER	
	NON- WHITE		NON- WHITE		NON- WHITE		NON- WHITE	
TOTAL LIVE BIRTHS	2,389	246	1,859	73	6,057	2,542	3,030	4,750
ATTENDED BY M.D.	2,358	243	1,840	72	5,365	2,241	2,877	4,534
ATTENDED BY D.O.	30	3	19	1	688	300	151	216
ATTENDED BY MIDWIFE							1	
OTHERS OR UNSPECIFIED	1				4	1	1	
LIVE BIRTHS UNDER 5.5 LBS.	164	34	101	6	428	353	195	657
TOTAL FETAL DEATHS	25	2	11		83	39	27	62
ATTENDED BY M.D.	25	2	11		74	34	27	61
ATTENDED BY D.O.					9	5		1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	1,688	86	1,250	32	4,753	1,088	4,847	2,556
UNDER ONE YEAR OF AGE	38	3	22	2	90	80	71	123
NEONATAL DEATHS	33	2	16	1	61	55	54	71
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	3		1		6	1	2	1
SYPHILIS AND ITS SEQUELAE (090-097)						5	5	6
OTHER INFECTIVE & PARASITIC DISEASES								2
REMAINDER OF (000-136)	8	2	7		36	12	32	35
MALIGNANT NEOPLASMS (140-209)	355	16	222	7	960	208	926	478
DIGEST. ORGANS (150-159)	90	4	66	3	235	61	235	146
RESPIRATORY SYSTEM (160-163)	83	5	55	1	236	52	269	116
BREAST (174)	36	2	17	1	73	10	77	28
GENITAL ORGANS (180-187)	35	2	22	1	115	33	94	70
URINARY ORGANS (188-189)	14		8		49	9	41	15
LEUKEMIA (204-207)	22	1	5		43	6	38	10
OTHER REMAINDER OF (140-209)	75	2	49	1	209	37	172	93
DIABETES MELLITUS (250)	35	6	15		75	21	122	62
MAJOR CARDIOVASCULAR DISEASE (390-448)								
DISEASES OF HEART	874	44	670	13	2,313	401	2,749	1,082

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	50,000 - LESS THAN 75,000		75,000 - LESS THAN 100,000		100,000 - LESS THAN 500,000		500,000 AND OVER	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
(390-398,402,404,410-429)								
RHEUMATIC FEVER & CHRONIC	13		7	1	29	6	34	4
RHEUMATIC HEART DISEASE (390-398)	18		8		17	14	18	27
HYPERTENSIVE HEART (402,404)	552	29	411	9	1,482	213	1,988	662
ISCHEMIC HEART (410-414)	42	3	20	1	133	38	87	79
OTHER HEART DISEASE (420-429)	3	1	8		14	4	22	18
HYPERTENSION (400,401,403)	177	10	157	2	501	107	442	255
CEREBROVASCULAR DISEASE (430-438)	45		50		69	9	105	18
ARTERIOSCLEROSIS (440)	24	1	9		68	10	53	19
OTHER CIRCULATORY (441-448)	35	2	31	1	144	21	152	86
INFLUENZA/PNEUMONIA (470-474,480-486)	22		8		64	4	58	19
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	10		3		14	4	24	9
PEPTIC ULCER (531-533)	17	1	11		68	16	72	60
CIRRHOSIS OF LIVER (571)	6	2	3	1	28	9	13	37
NEPHRITIS AND NEPHROSIS (580-584)								
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	8	1	9		31	17	20	20
CONGENITAL ANOMALIES (740-759)								
DISEASES OF EARLY INFANCY	28	1	11	2	42	39	39	54
(760-769.2,769.4-772,774-778)	47	3	71	2	198	91	47	43
SYMPTOMS & ILL-DEFINED COND. (780-796)	129	3	98	2	400	102	362	266
ALL OTHER DISEASES (RESIDUAL)								
ACCIDENTAL DEATHS	68	3	54	3	222	43	141	102
(E800-E949)	27	2	23	3	98	17	44	41
MOTOR VEHICLE (E810-E823)	2				7		3	
OTHER TRANS. (E800-E807,E825-E845)	3		2		8	1	8	3
POISONING (E850-E877)	15	1	13		49	3	57	15
FALLS (E880-E887)	2		6		14	7	13	16
FIRES (E890-E899)	4		1		13	4	3	3
DROWNING & SUBMERSIONS (E910)	2		2		5		2	
FIREARM MISSILES (E922)	6		1		12	3	2	5
INDUSTRIAL (E916-E921,E923-E928)	7		6		16	8	9	19
OTHER REMAINDER OF (E900-E949)	29		24		88	12	43	16
SUICIDE (E950-E959)	5	2	5		38	71	22	163
HOMICIDE (E960-E978)	9		7	1	26	11	18	15

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	ADAIR		ANDREW		ATCHISON		AUDRAIN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	313	7	170		105	1	338	26
ATTENDED BY M.D.	13		170		105	1	308	23
ATTENDED BY D.O.	296	7					14	3
ATTENDED BY MIDWIFE	2						16	
OTHERS OR UNSPECIFIED	2							
LIVE BIRTHS UNDER 5.5 LBS.	22		16		4		27	2
TOTAL FETAL DEATHS	2						2	
ATTENDED BY M.D.	1						2	
ATTENDED BY D.O.	1							
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	246	1	118		120		284	22
UNDER ONE YEAR OF AGE	9		2		1		7	2
NEONATAL DEATHS	9		1		1		6	1
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2		1				2	1
MALIGNANT NEOPLASMS (140-209)	31		21		18		56	2
DIGEST. ORGANS (150-159)	5		7		5		17	
RESPIRATORY SYSTEM (160-163)	8		4		4		9	
BREAST (174)	4		3				7	
GENITAL ORGANS (180-187)	5		3		1		8	1
URINARY ORGANS (188-189)			1		1		4	
LEUKEMIA (204-207)	1						1	
OTHER REMAINDER OF (140-209)	8		3		7		10	1
DIABETES MELLITUS (250)	1		2		1		4	
MAJOR CARDIOVASCULAR DISEASE (390-448)	135	1	77		72		144	12
DISEASES OF HEART (390-398, 402, 404, 410-429)	106	1	61		49		91	4

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	ADAIR		ANDREW		ATCHISON		AUDRAIN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	3						1	
HYPERTENSIVE HEART (402,404)	3		2				4	
ISCHEMIC HEART (410-414)	91		57		48		79	4
OTHER HEART DISEASE (420-429)	9	1	2		1		7	
HYPERTENSION (400,401,403)			1				2	1
CEREBROVASCULAR DISEASE (430-438)	23		12		13		27	6
ARTERIOSCLEROSIS (440)	1		1		3		16	1
OTHER CIRCULATORY (441-448)	5		2		7		8	
INFLUENZA/PNEUMONIA (470-474,480-486)	9		2		8		8	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		1		2		9	1
PEPTIC ULCER (531-533)	1						1	
CIRRHOSIS OF LIVER (571)			1				4	1
NEPHRITIS AND NEPHROSIS (580-584)	1		1		2		2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1				1		1	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	8		1				6	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	9						5	2
ALL OTHER DISEASES (RESIDUAL)	29		7		9		28	1
ACCIDENTAL DEATHS (E800-E949)	12		4		7		9	
MOTOR VEHICLE (E810-E823)	7		2		2		5	
OTHER TRANS. (E800-E807,E825-E845)					1		1	
POISONING (E850-E877)					1			
FALLS (E880-E887)			1		2		2	
FIRES (E890-E899)	1							
DROWNING & SUBMERSIONS (E910)			1				1	
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	2				1			
OTHER REMAINDER OF (E900-E949)	2							
SUICIDE (E950-E959)	4						4	
HOMICIDE (E960-E978)							1	
ALL OTHER EXTERNAL CAUSES (E980-E999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	BARRY		BARTON		BATES		BENTON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	287		141		249	1	117	2
ATTENDED BY M.D.	250		135		223	1	77	1
ATTENDED BY D.O.	37		5		26		40	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED			1					
LIVE BIRTHS UNDER 5.5 LBS.	20		7		13		5	
TOTAL FETAL DEATHS	2	1	1				4	
ATTENDED BY M.D.	2	1	1				2	
ATTENDED BY D.O.							2	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	291		159		249	3	144	
UNDER ONE YEAR OF AGE	10		2		3		1	
NEONATAL DEATHS	8		1		3			
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2				1		1	
MALIGNANT NEOPLASMS (140-209)	51		17		46		28	
DIGEST. ORGANS (150-159)	8		2		8		7	
RESPIRATORY SYSTEM (160-163)	14		1		12		8	
BREAST (174)	3		4		5		1	
GENITAL ORGANS (180-187)	5		1		10		3	
URINARY ORGANS (188-189)	3				5		1	
LEUKEMIA (204-207)	1		5		1		2	
OTHER REMAINDER OF (140-209)	17		4		5		6	
DIABETES MELLITUS (250)	1		4		8		2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	156		107		119	1	72	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	101		82		96		41	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	BARRY		BARTON		BATES		BENTON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		2					
HYPERTENSIVE HEART (402,404)	1		3		1			
ISCHEMIC HEART (410-414)	94		75		82		23	
OTHER HEART DISEASE (420-429)	4		2		13		18	
HYPERTENSION (400,401,403)	2							
CEREBROVASCULAR DISEASE (430-438)	45		21		18		27	
ARTERIOSCLEROSIS (440)	4		2		2	1	2	
OTHER CIRCULATORY (441-448)	4		2		3		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	16		3		10		2	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		3		2		2	
PEPTIC ULCER (531-533)								
CIRRHOSIS OF LIVER (571)	1		1		1			
NEPHRITIS AND NEPHROSIS (580-584)	3				5		1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	4							
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	5		1		3			
SYMPTOMS & ILL-DEFINED COND. (780-796)	14		2		16	1	1	
ALL OTHER DISEASES (RESIDUAL)	18		11		22		21	
ACCIDENTAL DEATHS (E800-E949)	14		9		14	1	9	
MOTOR VEHICLE (E810-E823)	10		5		7		5	
OTHER TRANS. (E800-E807,E825-E845)					1			
POISONING (E850-E877)								
FALLS (E880-E887)	1		3		3		2	
FIRES (E890-E899)					1		1	
DROWNING & SUBMERSIONS (E910)								
FIREARM MISSILES (E922)					1			
INDUSTRIAL (E916-E921,E923-E928)	2		1		1			
OTHER REMAINDER OF (E900-E949)	1					1	1	
SUICIDE (E950-E959)	2		1		1		3	
HOMICIDE (E960-E978)							2	
ALL OTHER EXTERNAL CAUSES (E980-E999)					1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.



TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	BOLLINGER		BCCNE		BUCHANAN		BUTLER	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	145	1	1,099	159	1,240	68	476	39
ATTENDED BY M.D.	104		1,086	159	1,238	68	462	39
ATTENDED BY D.O.	41	1	10		2		14	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED			3					
LIVE BIRTHS UNDER 5.5 LBS.	8		80	19	82	12	23	5
TOTAL FETAL DEATHS	6		8	1	16	1	4	1
ATTENDED BY M.D.	5		8	1	16	1	4	1
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	1							
TOTAL DEATHS	128		499	45	1,077	39	430	28
UNDER ONE YEAR OF AGE	3		20	3	16		8	1
NEONATAL DEATHS	3		17	2	10		6	1
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1		1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		6	2			2	
MALIGNANT NEOPLASMS (140-209)	28		92	8	205	8	78	1
DIGEST. ORGANS (150-159)	9		22	3	49	1	17	
RESPIRATORY SYSTEM (160-163)	7		17	2	48	3	17	
BREAST (174)	2		8	1	14	1	7	
GENITAL ORGANS (180-187)			11		24	2	7	
URINARY ORGANS (188-189)	2		1		11		10	
LEUKEMIA (204-207)	2		6		10	1	7	
OTHER REMAINDER OF (140-209)	6		27	2	49		13	1
DIABETES MELLITUS (250)	2		12	3	20	3	5	
MAJOR CARDIOVASCULAR DISEASE (390-448)	61		254	24	595	19	215	11
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	47		184	20	420	11	153	5

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	BOLLINGER		BCCNE		BUCHANAN		BUTLER	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			7		10		1	
HYPERTENSIVE HEART (402,404)			4		15			
ISCHEMIC HEART (410-414)	45		162	19	361	10	130	4
OTHER HEART DISEASE (420-429)	2		11	1	34	1	22	1
HYPERTENSION (400,401,403)					4	1		
CEREBROVASCULAR DISEASE (430-438)	14		63	2	113	7	55	5
ARTERIOSCLEROSIS (440)			3	1	46		4	
OTHER CIRCULATORY (441-448)			4	1	12		3	1
INFLUENZA/PNEUMONIA (470-474,480-486)	6		16		23	2	10	2
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)			11		11		3	
PEPTIC ULCER (531-533)	1		2		9		1	
CIRRHOSIS OF LIVER (571)	1		4		10	1	7	2
NEPHRITIS AND NEPHROSIS (580-584)			2	2	5		2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			3	1	3		2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	3		14	1	9		5	
SYMPTOMS & ILL-DEFINED COND. (780-796)	4		3	1	41	2	40	3
ALL OTHER DISEASES (RESIDUAL)	15		34		83	3	28	5
ACCIDENTAL DEATHS (E800-E949)	5		25	2	40		23	4
MOTOR VEHICLE (E810-E823)	2		10	2	12		12	1
OTHER TRANS. (E800-E807,E825-E845)			2		2		1	1
POISONING (E850-E877)			1		1			
FALLS (E880-E887)	1		4		9		3	2
FIRES (E890-E899)			1		3			
DROWNING & SUBMERSIONS (E910)			4		3		1	
FIREARM MISSILES (E922)					1		2	
INDUSTRIAL (E916-E921,E923-E928)	1		1		5		1	
OTHER REMAINDER OF (E900-E949)	1		2		4		3	
SUICIDE (E950-E959)			15		16		5	
HOMICIDE (E960-E978)			2	1	2	1	1	
ALL OTHER EXTERNAL CAUSES (E980-E999)	1		3		4		3	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	CALDWELL		CALLAWAY		CAMDEN		CAPE GIRARDEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	107		346	22	178	3	616	52
ATTENDED BY M.D.	84		297	19	133	3	582	40
ATTENDED BY D.O.	23		47	3	45		34	11
ATTENDED BY MIDWIFE			1					
OTHERS OR UNSPECIFIED			1					1
LIVE BIRTHS UNDER 5.5 LBS.	11		21	4	14		32	5
TOTAL FETAL DEATHS	1		3		2		4	
ATTENDED BY M.D.	1		3		2		4	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	113		236	22	208		473	21
UNDER ONE YEAR OF AGE	1		7		1		6	
NEONATAL DEATHS	1		6		1		4	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1				3	
MALIGNANT NEOPLASMS (140-209)	16		41	8	45		87	5
DIGEST. ORGANS (150-159)	3		13	3	9		20	2
RESPIRATORY SYSTEM (160-163)	2		6	4	8		28	2
BREAST (174)	1		3		1		9	
GENITAL ORGANS (180-187)	2		6	1	8		10	1
URINARY ORGANS (188-189)	1		2		5		1	
LEUKEMIA (204-207)	1		3		2		2	
OTHER REMAINDER OF (140-209)	6		8		12		17	
DIABETES MELLITUS (250)	4		9	1	2		8	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	59		133	11	106		257	9
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	42		104	8	77		177	6

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	CALDWELL		CALLAWAY		CAMDEN		CAPE GIRARDEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			2		3		3	
HYPERTENSIVE HEART (402,404)			6		3		4	
ISCHEMIC HEART (410-414)	37		88	7	57		164	6
OTHER HEART DISEASE (420-429)	5		8	1	14		6	
HYPERTENSION (400,401,403)			2		2		5	
CEREBROVASCULAR DISEASE (430-438)	14		19	3	21		62	3
ARTERIOSCLEROSIS (440)	2		4		4		9	
OTHER CIRCULATORY (441-448)	1		4		2		4	
INFLUENZA/PNEUMONIA (470-474,480-486)	3		11		8		10	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		1		1		10	
PEPTIC ULCER (531-533)					1		2	
CIRRHOSIS OF LIVER (571)					1		4	
NEPHRITIS AND NEPHROSIS (580-584)	2		1		1		1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			3		1		2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			3		1		3	
SYMPTOMS & ILL-DEFINED COND. (780-796)	3		1		5		24	4
ALL OTHER DISEASES (RESIDUAL)	14		15		14		26	1
ACCIDENTAL DEATHS (E800-E949)	9		16	2	20		28	1
MOTOR VEHICLE (E810-E823)	3		2	1	11		17	1
OTHER TRANS. (E800-E807,E825-E845)					2			
POISONING (E850-E877)	1		2					
FALLS (E880-E887)	1		3				6	
FIRES (E890-E899)	1		4		1		2	
DROWNING & SUBMERSIONS (E910)	1		3	1	5		1	
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	2							
OTHER REMAINDER OF (E900-E949)			2		1		2	
SUICIDE (E950-E959)					1		5	
HOMICIDE (E960-E978)								
ALL OTHER EXTERNAL CAUSES (E980-E999)			1		1		3	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	CARROLL		CARTER		CASS		CEDAR	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	170	5	84		697	20	144	1
ATTENDED BY M.D.	129	4	79		561	16	107	1
ATTENDED BY D.O.	41	1	2		136	4	37	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED			3					
LIVE BIRTHS UNDER 5.5 LBS.	8		8		38	2	8	
TOTAL FETAL DEATHS					10		3	
ATTENDED BY M.D.					8		1	
ATTENDED BY D.O.					2		2	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	143	4	56		308		184	
UNDER ONE YEAR OF AGE			1		12		3	
NEONATAL DEATHS			1		10		2	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					1			
SYPHILIS AND ITS SEQUELAE (090-097)		1						
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2				4			
MALIGNANT NEOPLASMS (140-209)	28		13		60		31	
DIGEST. ORGANS (150-159)	4		1		12		9	
RESPIRATORY SYSTEM (160-163)	9		4		10		5	
BREAST (174)					4		1	
GENITAL ORGANS (180-187)	5		3		5		2	
URINARY ORGANS (188-189)	2							
LEUKEMIA (204-207)	1		1		4		3	
OTHER REMAINDER OF (140-209)	7		4		25		11	
DIABETES MELLITUS (250)	2		1		4			
MAJOR CARDIOVASCULAR DISEASE (390-448)	66	1	18		145		116	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	45	1	12		107		61	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	CARROLL		CARTER		CASS		CEDAR	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)					2		1	
HYPERTENSIVE HEART (402,404)	3						2	
ISCHEMIC HEART (410-414)	39	1	10		84		52	
OTHER HEART DISEASE (420-429)	3		2		21		6	
HYPERTENSION (400,401,403)	1						2	
CEREBROVASCULAR DISEASE (430-438)	13		6		34		46	
ARTERIOSCLEROSIS (440)	4				1		4	
OTHER CIRCULATORY (441-448)	3				3		3	
INFLUENZA/PNEUMONIA (470-474,480-486)	2		3		11		6	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	5				5		1	
PEPTIC ULCER (531-533)	1				2			
CIRRHOSIS OF LIVER (571)	2		1		3			
NEPHRITIS AND NEPHROSIS (580-584)					1		1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)					1			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			1		8		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	14	1	9		14		4	
ALL OTHER DISEASES (RESIDUAL)	13	1	5		24		10	
ACCIDENTAL DEATHS (E800-E949)	7		5		20		10	
MOTOR VEHICLE (E810-E823)	4		3		9		6	
OTHER TRANS. (E800-E807,E825-E845)	1				1			
POISONING (E850-E877)					1			
FALLS (E880-E887)			1		2		2	
FIRES (E890-E899)			1		1			
DROWNING & SUBMERSIONS (E910)					1			
FIREARM MISSILES (E922)	1				2			
INDUSTRIAL (E916-E921,E923-E928)	1				2		1	
OTHER REMAINDER OF (E900-E949)					1		1	
SUICIDE (E950-E959)	1				2		3	
HOMICIDE (E960-E978)					2			
ALL OTHER EXTERNAL CAUSES (E980-E999)					1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	CHARITON		CHRISTIAN		CLARK		CLAY	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	113	8	298		113		1,837	41
ATTENDED BY M.D.	70	4	296		93		1,653	37
ATTENDED BY D.O.	43	4	2		20		184	4
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	10		12		8		121	3
TOTAL FETAL DEATHS			4				19	1
ATTENDED BY M.D.			3				17	1
ATTENDED BY D.O.			1				2	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	134	12	161		82		840	10
UNDER ONE YEAR OF AGE	1		2		2		26	
NEONATAL DEATHS	1		2		2		18	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2		1				7	
MALIGNANT NEOPLASMS (140-209)	18	1	34		11		168	1
DIGEST. ORGANS (150-159)	9		9		2		41	
RESPIRATORY SYSTEM (160-163)	3		6		3		35	
BREAST (174)	1		3		1		17	
GENITAL ORGANS (180-187)	1		1		2		19	
URINARY ORGANS (188-189)	1		2				10	
LEUKEMIA (204-207)	2	1	1				10	
OTHER REMAINDER OF (140-209)	1		12		3		36	1
DIABETES MELLITUS (250)	2	2	4		1		9	
MAJOR CARDIOVASCULAR DISEASE (390-448)	76	5	76		33		431	8
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	53	4	52		20		290	3

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	CHARITON		CHRISTIAN		CLARK		CLAY	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		2				10	
HYPERTENSIVE HEART (402,404)			1		1		3	
ISCHEMIC HEART (410-414)	49	4	47		17		250	2
OTHER HEART DISEASE (420-429)	3		2		2		27	1
HYPERTENSION (400,401,403)							5	
CEREBROVASCULAR DISEASE (430-438)	17		15		10		116	4
ARTERIOSCLEROSIS (440)	3	1	7		2		10	1
OTHER CIRCULATORY (441-448)	3		2		1		10	
INFLUENZA/PNEUMONIA (470-474,480-486)	3	2	4		3		31	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		1		2		12	
PEPTIC ULCER (531-533)							3	
CIRRHOSIS OF LIVER (571)			1				7	
NEPHRITIS AND NEPHROSIS (580-584)			1				2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			2		1		8	
DISEASES OF EARLY INFANCY (760-769,2,769.4-772,774-778)	1				1		11	
SYMPTOMS & ILL-DEFINED COND. (780-796)	3		12		23		4	
ALL OTHER DISEASES (RESIDUAL)	15	1	15		2		70	1
ACCIDENTAL DEATHS (E800-E949)	11	1	9		4		47	
MOTOR VEHICLE (E810-E823)	3		5		4		25	
OTHER TRANS. (E800-E807,E825-E845)	2						1	
POISONING (E850-E877)							2	
FALLS (E880-E887)	1		3				6	
FIRES (E890-E899)							1	
DROWNING & SUBMERSIONS (E910)	1						5	
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	3	1					4	
OTHER REMAINDER OF (E900-E949)	1		1				3	
SUICIDE (E950-E959)	1		1		1		18	
HOMICIDE (E960-E978)							5	
ALL OTHER EXTERNAL CAUSES (E980-E999)							6	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.



TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	CLINTON		COLE		COOPER		CRAWFORD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	196	5	661	52	192	14	252	
ATTENDED BY M.D.	147	5	502	35	192	14	192	
ATTENDED BY D.O.	49		159	17			59	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED							1	
LIVE BIRTHS UNDER 5.5 LBS.	10		31	5	11	2	19	
TOTAL FETAL DEATHS	2		8		2		3	
ATTENDED BY M.D.	1		6		2		1	
ATTENDED BY D.O.	1		2				2	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	164	2	400	19	171	14	198	1
UNDER ONE YEAR OF AGE			7	1	3		4	
NEONATAL DEATHS			4	1	3		3	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1					
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1		3		1	
MALIGNANT NEOPLASMS (140-209)	25	1	83	3	35	4	30	
DIGEST. ORGANS (150-159)	7		29	2	11	1	9	
RESPIRATORY SYSTEM (160-163)	7	1	16	1	6		8	
BREAST (174)			8		3		4	
GENITAL ORGANS (180-187)	3		8		9	2	3	
URINARY ORGANS (188-189)	1		4		1		2	
LEUKEMIA (204-207)			2					
OTHER REMAINDER OF (140-209)	7		16		5	1	4	
DIABETES MELLITUS (250)	1		8		3		5	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	93	1	227	7	91	10	100	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	61		176	5	66	8	68	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	CLINTON		COLE		COOPER		CRAWFORD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		7					
HYPERTENSIVE HEART (402,404)			1				2	
ISCHEMIC HEART (410-414)	51		155	5	60	7	57	
OTHER HEART DISEASE (420-429)	8		13		6	1	9	
HYPERTENSION (400,401,403)	1		1		1		1	
CEREBROVASCULAR DISEASE (430-438)	23		44	2	19	2	21	
ARTERIOSCLEROSIS (440)	5		4		1		4	
OTHER CIRCULATORY (441-448)	3	1	2		4		6	
INFLUENZA/PNEUMONIA (470-474,480-486)	5		8		2		5	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		2		1		2	
PEPTIC ULCER (531-533)					1			
CIRRHOSIS OF LIVER (571)	1		3		2		3	
NEPHRITIS AND NEPHROSIS (580-584)	1		1	1			1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		3		2			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			2	1	2		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	1				1		12	
ALL OTHER DISEASES (RESIDUAL)	15		31	5	16		20	
ACCIDENTAL DEATHS (E800-E949)	16		18		10		14	
MOTOR VEHICLE (E810-E823)	11		14		7		9	
OTHER TRANS. (E800-E807,E825-E845)			1				2	
POISONING (E850-E877)								
FALLS (E880-E887)	2		1		2		2	
FIRES (E890-E899)	1		1					
DROWNING & SUBMERSIONS (E910)	1							
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)			1				1	
OTHER REMAINDER OF (E900-E949)	1				1			
SUICIDE (E950-E959)	2		9	1	2		1	
HOMICIDE (E960-E978)	1		1	1				
ALL OTHER EXTERNAL CAUSES (E980-E999)	1		2				2	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	DADE		DALLAS		DAVIESS		DE KALB	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	97		130	1	105		125	1
ATTENDED BY M.D.	89		120	1	76		99	1
ATTENDED BY D.O.	8		9		29		26	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED			1					
LIVE BIRTHS UNDER 5.5 LBS.	9		5		4		4	
TOTAL FETAL DEATHS					2			
ATTENDED BY M.D.					2			
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	95	1	159		129		100	
UNDER ONE YEAR OF AGE	3						3	
NEONATAL DEATHS	2							
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)							1	
MALIGNANT NEOPLASMS (140-209)	17	1	35		22		21	
DIGEST. ORGANS (150-159)	7		5		9		4	
RESPIRATORY SYSTEM (160-163)	3	1	12		2		1	
BREAST (174)	2		2		4		4	
GENITAL ORGANS (180-187)			5		3		5	
URINARY ORGANS (188-189)			3				1	
LEUKEMIA (204-207)			2				2	
OTHER REMAINDER OF (140-209)	5		6		4		4	
DIABETES MELLITUS (250)					2			
MAJOR CARDIOVASCULAR DISEASE (390-448)	50		82		75		44	
DISEASES OF HEART (390-398, 402, 404, 410-429)	38		52		51		28	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	DADE		DALLAS		DAVIESS		DE KALB	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)					1			
HYPERTENSIVE HEART (402,404)			9		6			
ISCHEMIC HEART (410-414)	27		39		38		21	
OTHER HEART DISEASE (420-429)	11		4		6		7	
HYPERTENSION (400,401,403)			2				1	
CEREBROVASCULAR DISEASE (430-438)	9		22		23		11	
ARTERIOSCLEROSIS (440)	2		2		1		2	
OTHER CIRCULATORY (441-448)	1		4				2	
INFLUENZA/PNEUMONIA (470-474,480-486)	5		4		3		3	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)					3		1	
PEPTIC ULCER (531-533)					1			
CIRRHOSIS OF LIVER (571)								
NEPHRITIS AND NEPHROSIS (580-584)								
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)								
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2							
SYMPTOMS & ILL-DEFINED COND. (780-796)	5		10		2		9	
ALL OTHER DISEASES (RESIDUAL)	5		13		14		11	
ACCIDENTAL DEATHS (E800-E949)	9		12		7		9	
MOTOR VEHICLE (E810-E823)	7		7		4		4	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)								
FALLS (E880-E887)	1		2		2			
FIRES (E890-E899)					1			
DROWNING & SUBMERSIONS (E910)							1	
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	1		2				2	
OTHER REMAINDER OF (E900-E949)			1				2	
SUICIDE (E950-E959)	1		2				1	
HOMICIDE (E960-E978)			1					
ALL OTHER EXTERNAL CAUSES (E980-E999)	1							

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	DENT		DOUGLAS		DUNKLIN		FRANKLIN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	203	1	139	1	493	64	1,001	8
ATTENDED BY M.D.	133	1	100		479	51	878	5
ATTENDED BY D.O.	70		37		14	13	122	3
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED			2	1			1	
LIVE BIRTHS UNDER 5.5 LBS.	10		15		40	12	59	
TOTAL FETAL DEATHS	1		2		6	2	7	
ATTENDED BY M.D.			2		6	1	4	
ATTENDED BY D.O.	1					1	3	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	167		97		372	25	607	10
UNDER ONE YEAR OF AGE	2		1		7	2	12	
NEONATAL DEATHS	2				4	2	12	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		1		3		1	
MALIGNANT NEOPLASMS (140-209)	31		20		73	6	123	2
DIGEST. ORGANS (150-159)	11		9		15	1	28	1
RESPIRATORY SYSTEM (160-163)	6		6		28	2	38	
BREAST (174)	2		1		6	1	11	
GENITAL ORGANS (180-187)	3		1		5	1	16	
URINARY ORGANS (188-189)	1				2		4	
LEUKEMIA (204-207)	2				5		4	
OTHER REMAINDER OF (140-209)	6		3		12	1	22	1
DIABETES MELLITUS (250)	2		2		9		13	
MAJOR CARDIOVASCULAR DISEASE (390-448)	78		51		181	10	298	3
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	67		33		148	8	219	3

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	DENT		DOUGLAS		DUNKLIN		FRANKLIN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			2		2		3	
HYPERTENSIVE HEART (402,404)			2		2	1	2	
ISCHEMIC HEART (410-414)	64		24		134	5	194	2
OTHER HEART DISEASE (420-429)	3		5		10	2	20	1
HYPERTENSION (400,401,403)							2	
CEREBROVASCULAR DISEASE (430-438)	6		14		29	2	61	
ARTERIOSCLEROSIS (440)	1		4		2		10	
OTHER CIRCULATORY (441-448)	4				2		6	
INFLUENZA/PNEUMONIA (470-474,480-486)	9		4		20	1	24	2
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		1		9	2	5	
PEPTIC ULCER (531-533)					1		4	
CIRRHOSIS OF LIVER (571)	1		1		3		7	
NEPHRITIS AND NEPHROSIS (580-584)	1				2		2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1						3	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1				6	2	8	
SYMPTOMS & ILL-DEFINED COND. (780-796)	14		4		18	1	34	2
ALL OTHER DISEASES (RESIDUAL)	11		8		20	1	31	
ACCIDENTAL DEATHS (E800-E949)	15		3		17		33	1
MOTOR VEHICLE (E810-E823)	10		1		9		25	1
OTHER TRANS. (E800-E807,E825-E845)					1		1	
POISONING (E850-E877)							2	
FALLS (E880-E887)	2				1		2	
FIRES (E890-E899)					3			
DROWNING & SUBMERSIONS (E910)								
FIREARM MISSILES (E922)	1				1			
INDUSTRIAL (E916-E921,E923-E928)			1				2	
OTHER REMAINDER OF (E900-E949)	2		1		2		1	
SUICIDE (E950-E959)			1		7		13	
HOMICIDE (E960-E978)			1		1	2	4	
ALL OTHER EXTERNAL CAUSES (E980-E999)					2		3	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	GASCONADE		GENTRY		GREENE		GRUNDY	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	142		101		2,470	74	192	2
ATTENDED BY M.D.	90		97		2,441	73	165	2
ATTENDED BY D.O.	52		4		29	1	27	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	6		10		136	6	7	
TOTAL FETAL DEATHS	1		2		15		1	
ATTENDED BY M.D.			2		15		1	
ATTENDED BY D.O.	1							
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	177		149		1,534	33	212	1
UNDER ONE YEAR OF AGE					25	2	3	
NEONATAL DEATHS					17	1	3	
MATERNAL DEATHS			1					
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)					10		3	
MALIGNANT NEOPLASMS (140-209)	24		24		275	7	35	
DIGEST. ORGANS (150-159)	7		7		81	3	9	
RESPIRATORY SYSTEM (160-163)	4		4		68	1	11	
BREAST (174)	2				21	1	2	
GENITAL ORGANS (180-187)	3		7		28	1	3	
URINARY ORGANS (188-189)			3		10		3	
LEUKEMIA (204-207)			2		8			
OTHER REMAINDER OF (140-209)	8		1		59	1	7	
DIABETES MELLITUS (250)	4				16		6	
MAJOR CARDIOVASCULAR DISEASE (390-448)	111		87		805	14	120	1
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	90		65		540	11	90	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	GASCONADE		GENTRY		GREENE		GRUNDY	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1				9	1		
HYPERTENSIVE HEART (402,404)	2				8		18	
ISCHEMIC HEART (410-414)	80		61		496	9	67	1
OTHER HEART DISEASE (420-429)	7		4		27	1	5	
HYPERTENSION (400,401,403)					8			
CEREBROVASCULAR DISEASE (430-438)	19		16		188	3	29	
ARTERIOSCLEROSIS (440)	1		2		59		1	
OTHER CIRCULATORY (441-448)	1		4		10			
INFLUENZA/PNEUMONIA (470-474,480-486)	2		3		40	1	6	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		2		9		4	
PEPTIC ULCER (531-533)					5		1	
CIRRHOSIS OF LIVER (571)	1				13		1	
NEPHRITIS AND NEPHROSIS (580-584)	1				3	1		
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)			1					
CONGENITAL ANOMALIES (740-759)			1		9			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)					12	2	3	
SYMPTOMS & ILL-DEFINED COND. (780-796)	3		1		89	2	10	
ALL OTHER DISEASES (RESIDUAL)	13		17		125	2	17	
ACCIDENTAL DEATHS (E800-E949)	13		12		77	3	3	
MOTOR VEHICLE (E810-E823)	10		9		38	3		
OTHER TRANS. (E800-E807,E825-E845)					1			
POISONING (E850-E877)			1		3			
FALLS (E880-E887)	2		1		16		1	
FIRES (E890-E899)			1		6		2	
DROWNING & SUBMERSIONS (E910)					1			
FIREARM MISSILES (E922)	1				2			
INDUSTRIAL (E916-E921,E923-E928)					3			
OTHER REMAINDER OF (E900-E949)					7			
SUICIDE (E950-E959)	2				31		3	
HOMICIDE (E960-E978)	1		1		5			
ALL OTHER EXTERNAL CAUSES (E980-E999)					9	1		

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.



TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	HARRISON		HENRY		HICKORY		HOLT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	122		267	6	55		79	1
ATTENDED BY M.D.	92		100	4	43		79	1
ATTENDED BY D.O.	30		165	2	11			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED			2		1			
LIVE BIRTHS UNDER 5.5 LBS.	6		14	2	3		7	
TOTAL FETAL DEATHS			4				1	
ATTENDED BY M.D.			2				1	
ATTENDED BY D.O.			2					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	153		259	2	92		101	
UNDER ONE YEAR OF AGE	1		2				1	
NEONATAL DEATHS							1	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)								
MALIGNANT NEOPLASMS (140-209)	27		40	1	19		15	
DIGEST. ORGANS (150-159)	8		6		3		4	
RESPIRATORY SYSTEM (160-163)	9		10		4		5	
BREAST (174)	3		5		1			
GENITAL ORGANS (180-187)	1		6	1	4		2	
URINARY ORGANS (188-189)			2				1	
LEUKEMIA (204-207)			2		1			
OTHER REMAINDER OF (140-209)	6		9		6		3	
DIABETES MELLITUS (250)	4		2					
MAJOR CARDIOVASCULAR DISEASE (390-448)	89		156	1	40		57	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	72		100	1	27		48	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	HARRISON		HENRY		HICKORY		HOLT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)							1	
HYPERTENSIVE HEART (402,404)	5				2			
ISCHEMIC HEART (410-414)	64		82	1	23		38	
OTHER HEART DISEASE (420-429)	3		18		2		9	
HYPERTENSION (400,401,403)								
CEREBROVASCULAR DISEASE (430-438)	16		45		11		8	
ARTERIOSCLEROSIS (440)			9		1			
OTHER CIRCULATORY (441-448)	1		2		1		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	5		2		6		6	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		4				2	
PEPTIC ULCER (531-533)			2					
CIRRHOSIS OF LIVER (571)	1		2					
NEPHRITIS AND NEPHROSIS (580-584)								
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			1				2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)								
SYMPTOMS & ILL-DEFINED COND. (780-796)	3		10		10			
ALL OTHER DISEASES (RESIDUAL)	9		21		11		9	
ACCIDENTAL DEATHS (E800-E949)	11		11		4		8	
MOTOR VEHICLE (E810-E823)	5		3		2		6	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)	1		1		1			
FALLS (E880-E887)	1		3		1		1	
FIRES (E890-E899)	1							
DROWNING & SUBMERSIONS (E910)			1				1	
FIREARM MISSILES (E922)	1							
INDUSTRIAL (E916-E921,E923-E928)	2		1					
OTHER REMAINDER OF (E900-E949)			2					
SUICIDE (E950-E959)	1		5					
HOMICIDE (E960-E978)			2		1		1	
ALL OTHER EXTERNAL CAUSES (E980-E999)			1		1		1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	HOWARD		MCWELL		IRON		JACKSON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	105	16	379	4	151	1	6,826	2,583
ATTENDED BY M.D.	105	16	308	4	117	1	6,038	2,280
ATTENDED BY D.O.			69		33		784	301
ATTENDED BY MIDWIFE					1			
OTHERS OR UNSPECIFIED			2				4	2
LIVE BIRTHS UNDER 5.5 LBS.	9	2	29	2	15		493	356
TOTAL FETAL DEATHS	4		5		5		94	40
ATTENDED BY M.D.	4		4		5		82	34
ATTENDED BY D.O.							12	6
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED			1					
TOTAL DEATHS	136	17	310		116		5,204	1,094
UNDER ONE YEAR OF AGE	4	1	9		3		100	80
NEONATAL DEATHS	3	1	5		2		71	55
MATERNAL DEATHS								1
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							7	5
SYPHILIS AND ITS SEQUELAE (090-097)		1						
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		1				35	12
MALIGNANT NEOPLASMS (140-209)	19	4	51		21		1,050	210
DIGEST. ORGANS (150-159)	7	1	12		5		254	61
RESPIRATORY SYSTEM (160-163)	3		14		7		265	52
BREAST (174)	3	1	4		2		78	10
GENITAL ORGANS (180-187)	1	1	9		1		121	34
URINARY ORGANS (188-189)			2		1		52	9
LEUKEMIA (204-207)	2		2		3		44	7
OTHER REMAINDER OF (140-209)	3	1	8		2		236	37
DIABETES MELLITUS (250)	2		4				91	21
MAJOR CARDIOVASCULAR DISEASE (390-448)	73	7	165		62		2,563	403
DISEASES OF HEART								
(390-398,402,404,410-429)	52	6	122		47		1,841	273

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	HOWARD		HOWELL		IRON		JACKSON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			1				31	6
HYPERTENSIVE HEART (402,404)			1				18	14
ISCHEMIC HEART (410-414)	46	5	109		44		1,648	215
OTHER HEART DISEASE (420-429)	6	1	11		3		144	38
HYPERTENSION (400,401,403)			1				13	4
CEREBROVASCULAR DISEASE (430-438)	14	1	31		12		550	106
ARTERIOSCLEROSIS (440)	6		5		2		77	9
OTHER CIRCULATORY (441-448)	1		6		1		82	11
INFLUENZA/PNEUMONIA (470-474,480-486)	9		9		4		149	21
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		4		4		65	4
PEPTIC ULCER (531-533)	1		1				12	4
CIRRHOSIS OF LIVER (571)	1		2				69	16
NEPHRITIS AND NEPHROSIS (580-584)					3		31	9
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								1
CONGENITAL ANOMALIES (740-759)	1		4		1		35	17
DISEASES OF EARLY INFANCY (760-769,2,769.4-772,774-778)	2	1	3		1		48	39
SYMPTOMS & ILL-DEFINED COND. (780-796)	1		18		7		215	91
ALL OTHER DISEASES (RESIDUAL)	13		20		4		430	103
ACCIDENTAL DEATHS (E800-E949)	10	4	18		5		237	43
MOTOR VEHICLE (E810-E823)	2	3	13		4		103	17
OTHER TRANS. (E800-E807,E825-E845)							9	
POISONING (E850-E877)							11	1
FALLS (E880-E887)	3	1	1		1		54	3
FIRES (E890-E899)	1						16	7
DROWNING & SUBMERSIONS (E910)			1				10	4
FIREARM MISSILES (E922)	1						5	
INDUSTRIAL (E916-E921,E923-E928)	3		3				13	3
OTHER REMAINDER OF (E900-E949)							16	8
SUICIDE (E950-E959)			5		3		106	12
HOMICIDE (E960-E978)			1				33	72
ALL OTHER EXTERNAL CAUSES (E980-E999)	1		4		1		28	11

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	JASPER		JEFFERSON		JOHNSON		KNOX	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	1,194	18	2,151	26	568	66	76	
ATTENDED BY M.D.	1,055	17	2,085	26	490	62	14	
ATTENDED BY D.O.	138	1	66		77	4	60	
ATTENDED BY MIDWIFE							1	
OTHERS OR UNSPECIFIED	1				1		1	
LIVE BIRTHS UNDER 5.5 LBS.	88	3	138	3	38	6	5	
TOTAL FETAL DEATHS	18		16		6	2	1	
ATTENDED BY M.D.	18		16		3	2		
ATTENDED BY D.O.					3		1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	984	12	783	12	232	9	87	1
UNDER ONE YEAR OF AGE	22		29	1	5		2	
NEONATAL DEATHS	18		19		4			
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1							
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	7		3		4		1	
MALIGNANT NEOPLASMS (140-209)	202		157	3	31		14	
DIGEST. ORGANS (150-159)	50		49	2	7		3	
RESPIRATORY SYSTEM (160-163)	59		37	1	6			
BREAST (174)	12		8		4			
GENITAL ORGANS (180-187)	30		19		3		4	
URINARY ORGANS (188-189)	6		6		2		2	
LEUKEMIA (204-207)	10		5		2			
OTHER REMAINDER OF (140-209)	35		33		7		5	
DIABETES MELLITUS (250)	10		16		4		2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	487	6	388	5	141	4	43	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	348	4	312	4	104	4	32	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	JASPER		JEFFERSON		JOHNSON		KNOX	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		11		1	1		
HYPERTENSIVE HEART (402,404)	18	1	2		2		1	
ISCHEMIC HEART (410-414)	306	3	282	2	89	2	27	
OTHER HEART DISEASE (420-429)	22		17	2	12	1	4	
HYPERTENSION (400,401,403)	4							
CEREBROVASCULAR DISEASE (430-438)	112	2	53	1	22		9	
ARTERIOSCLEROSIS (440)	14		12		11			
OTHER CIRCULATORY (441-448)	9		11		4		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	40		25	1	5		3	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	14		11		3		3	
PEPTIC ULCER (531-533)	3		2		1			
CIRRHOSIS OF LIVER (571)	8		7		3			
NEPHRITIS AND NEPHROSIS (580-584)	8		3		1	1		
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANCMALIES (740-759)	6		12	1	1		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	13		14		3			
SYMPTOMS & ILL-DEFINED COND. (780-796)	55	1	11		4		1	
ALL OTHER DISEASES (RESIDUAL)	70	3	60	1	14	2	10	1
ACCIDENTAL DEATHS (E800-E949)	46	1	53		10	2	9	
MOTOR VEHICLE (E810-E823)	21		35		9	2	5	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)			2				1	
FALLS (E880-E887)	12		3					
FIRES (E890-E899)	2		2				1	
DROWNING & SUBMERSIONS (E910)	5		2					
FIREARM MISSILES (E922)	1		1		1			
INDUSTRIAL (E916-E921,E923-E928)	2	1	5					
OTHER REMAINDER OF (E900-E949)	3		3				2	
SUICIDE (E950-E959)	10		10		6			
HOMICIDE (E960-E978)	4	1	8	1	1			
ALL OTHER EXTERNAL CAUSES (E980-E999)			3					

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT.)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	LACLEDE		LAFAYETTE		LAWRENCE		LEWIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	299	7	347	12	390	3	123	7
ATTENDED BY M.D.	219	5	282	9	351	3	108	4
ATTENDED BY D.O.	78	1	65	3	38		15	3
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	2	1			1			
LIVE BIRTHS UNDER 5.5 LBS.	27		14	2	15		7	
TOTAL FETAL DEATHS	5	1	6		3		6	2
ATTENDED BY M.D.	4	1	5		3		6	
ATTENDED BY D.O.	1		1					2
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	274	3	335	15	332		120	4
UNDER ONE YEAR OF AGE	8		6	1	2		1	
NEONATAL DEATHS	7		5	1	2			
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					3			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			3		1			
MALIGNANT NEOPLASMS (140-209)	54		64	2	63		23	
DIGEST. ORGANS (150-159)	16		14	1	16		3	
RESPIRATORY SYSTEM (160-163)	12		19	1	14		2	
BREAST (174)	2		8		6		3	
GENITAL ORGANS (180-187)	3		7		3		2	
URINARY ORGANS (188-189)	5		1				3	
LEUKEMIA (204-207)	6		2		5		2	
OTHER REMAINDER OF (140-209)	10		13		19		8	
DIABETES MELLITUS (250)	5		5		7		2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	139	2	186	6	171		64	3
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	106	2	129	3	134		40	2

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	LACLEDE		LAFAYETTE		LAWRENCE		LEWIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			3		1			
HYPERTENSIVE HEART (402,404)	2		3		2		1	
ISCHEMIC HEART (410-414)	97	1	103	3	115		34	2
OTHER HEART DISEASE (420-429)	7	1	20		16		5	
HYPERTENSION (400,401,403)	1		2		1			
CEREBROVASCULAR DISEASE (430-438)	24		36	2	26		22	1
ARTERIOSCLEROSIS (440)	4		10	1	5			
OTHER CIRCULATORY (441-448)	4		9		5		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	6		9		9		6	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		6		1		3	
PEPTIC ULCER (531-533)			2					
CIRRHOSIS OF LIVER (571)	3		1		3		1	
NEPHRITIS AND NEPHROSIS (580-584)			4		6		1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			1				1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	7		5	1	2			
SYMPTOMS & ILL-DEFINED COND. (780-796)	13		9	1	26		2	
ALL OTHER DISEASES (RESIDUAL)	23	1	20	3	21		6	
ACCIDENTAL DEATHS (E800-E949)	18		12	1	15		9	
MOTOR VEHICLE (E810-E823)	10		8		11		5	
OTHER TRANS. (E800-E807,E825-E845)	2				1			
POISONING (E850-E877)	1			1				
FALLS (E880-E887)	3		4		2		1	
FIRES (E890-E899)	1							
DROWNING & SUBMERSIONS (E910)					1		2	
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	1							
OTHER REMAINDER OF (E900-E949)							1	
SUICIDE (E950-E959)	4		3		1			
HOMICIDE (E960-E978)			1		3		1	
ALL OTHER EXTERNAL CAUSES (E980-E999)			4	1			1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.



TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	LINCOLN		LINN		LIVINGSTON		MC DONALD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	265	9	197	2	235	9	164	3
ATTENDED BY M.O.	259	9	121		192	4	129	3
ATTENDED BY D.O.	5		76	2	43	5	34	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	1						1	
LIVE BIRTHS UNDER 5.5 LBS.	17		11		16	5	9	
TOTAL FETAL DEATHS	1		6	1			1	
ATTENDED BY M.O.	1		5				1	
ATTENDED BY D.O.			1	1				
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	225	8	253	9	196	4	179	
UNDER ONE YEAR OF AGE	3		2		3			
NEONATAL DEATHS	2		2		2			
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)			1					
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)							1	
MALIGNANT NEOPLASMS (140-209)	40	1	43	2	35	2	23	
DIGEST. ORGANS (150-159)	12		9	1	9		4	
RESPIRATORY SYSTEM (160-163)	8	1	12		6	2	6	
BREAST (174)	3		3		1		1	
GENITAL ORGANS (180-187)	5		9	1	7		2	
URINARY ORGANS (188-189)	5		1		3		4	
LEUKEMIA (204-207)	1		2				1	
OTHER REMAINDER OF (140-209)	6		7		9		5	
DIABETES MELLITUS (250)	5		3		3	1	3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	135	3	161	6	112	1	92	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	78	2	104	5	78	1	74	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	LINCOLN		LINN		LIVINGSTON		MC DONALD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			1		1			
HYPERTENSIVE HEART (402,404)	1		3	1	2		1	
ISCHEMIC HEART (410-414)	72	2	87	3	67	1	41	
OTHER HEART DISEASE (420-429)	5		13	1	8		32	
HYPERTENSION (400,401,403)	2						1	
CEREBROVASCULAR DISEASE (430-438)	42	1	45		29		15	
ARTERIOSCLEROSIS (440)	9		3	1	1			
OTHER CIRCULATORY (441-448)	4		9		4		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	3		6		9		9	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		1		3		4	
PEPTIC ULCER (531-533)	1		1		2			
CIRRHOSIS OF LIVER (571)	3		2		2		4	
NEPHRITIS AND NEPHROSIS (580-584)								
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			2		1			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2				2			
SYMPTOMS & ILL-DEFINED COND. (780-796)	3	1	4				11	
ALL OTHER DISEASES (RESIDUAL)	19		20		11		17	
ACCIDENTAL DEATHS (E800-E949)	7	3	8	1	13		11	
MOTOR VEHICLE (E810-E823)	5		4		1		9	
OTHER TRANS. (E800-E807,E825-E845)					7			
POISONING (E850-E877)								
FALLS (E880-E887)			1		1			
FIRES (E890-E899)		3		1	1			
DROWNING & SUBMERSIONS (E910)	2							
FIREARM MISSILES (E922)			1		1			
INDUSTRIAL (E916-E921,E923-E928)			1		2		1	
OTHER REMAINDER OF (E900-E949)			1				1	
SUICIDE (E950-E959)	4				3		4	
HOMICIDE (E960-E978)	1							
ALL OTHER EXTERNAL CAUSES (E980-E999)			1					

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	MACON		MADISON		MARIES		MARION	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	193	5	135	2	92		388	22
ATTENDED BY M.D.	70	2	104	2	64		384	22
ATTENDED BY D.O.	123	3	31		28		4	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	13		9		7		23	
TOTAL FETAL DEATHS			1		2		4	
ATTENDED BY M.D.			1		2		4	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	250	4	145		81		364	25
UNDER ONE YEAR OF AGE	5		1		2		5	
NEONATAL DEATHS	4		1		2		5	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2		1				2	1
MALIGNANT NEOPLASMS (140-209)	38		22		8		79	4
DIGEST. ORGANS (150-159)	5		5		1		20	1
RESPIRATORY SYSTEM (160-163)	8		6		5		21	3
BREAST (174)	4		2				4	
GENITAL ORGANS (180-187)	4		2		1		7	
URINARY ORGANS (188-189)	2						4	
LEUKEMIA (204-207)	1		2				4	
OTHER REMAINDER OF (140-209)	14		5		1		19	
DIABETES MELLITUS (250)	5		5		3		4	2
MAJOR CARDIOVASCULAR DISEASE (390-448)	142	2	72		46		204	11
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	109	1	57		39		151	9

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	MACON		MADISON		MARIES		MARION	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1				1		1	
HYPERTENSIVE HEART (402,404)	8		1				2	1
ISCHEMIC HEART (410-414)	91	1	53		36		141	7
OTHER HEART DISEASE (420-429)	9		3		2		7	1
HYPERTENSION (400,401,403)							2	1
CEREBROVASCULAR DISEASE (430-438)	26	1	14		7		40	
ARTERIOSCLEROSIS (440)	4						8	
OTHER CIRCULATORY (441-448)	3		1				3	1
INFLUENZA/PNEUMONIA (470-474,480-486)	4		5		3		15	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		2				7	1
PEPTIC ULCER (531-533)							2	
CIRRHOSIS OF LIVER (571)	1	1					3	
NEPHRITIS AND NEPHROSIS (580-584)	1						1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)							3	1
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	4				2		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	2		18		4		12	
ALL OTHER DISEASES (RESIDUAL)	28		9		8		19	4
ACCIDENTAL DEATHS (E800-E949)	17	1	7		4		8	
MOTOR VEHICLE (E810-E823)	11	1	2		3		4	
OTHER TRANS. (E800-E807,E825-E845)							1	
POISONING (E850-E877)								
FALLS (E880-E887)	3		1				2	
FIRES (E890-E899)			3					
DROWNING & SUBMERSIONS (E910)								
FIREARM MISSILES (E922)					1		1	
INDUSTRIAL (E916-E921,E923-E928)	2		1					
OTHER REMAINDER OF (E900-E949)	1							
SUICIDE (E950-E959)	3		1		3		2	
HOMICIDE (E960-E978)			2				1	
ALL OTHER EXTERNAL CAUSES (E980-E999)			1					

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	MERCER		MILLER		MISSISSIPPI		MONITEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	51	1	261		216	73	154	5
ATTENDED BY M.O.	35	1	115		147	26	99	4
ATTENDED BY D.O.	16		146		68	47	54	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED					1		1	
LIVE BIRTHS UNDER 5.5 LBS.	9		26		17	3	2	
TOTAL FETAL DEATHS			2		2	3	4	
ATTENDED BY M.O.			1		2	2	3	
ATTENDED BY D.O.			1			1	1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	79		204		157	42	135	6
UNDER ONE YEAR OF AGE	2		6		3	3	1	
NEONATAL DEATHS	1		5		1	1	1	
MATERNAL DEATHS	1							
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1				1			
MALIGNANT NEOPLASMS (140-209)	13		30		23	7	24	3
DIGEST. ORGANS (150-159)	5		8		2	1	7	
RESPIRATORY SYSTEM (160-163)	1		5		3	1	5	1
BREAST (174)	2		2		1	2	2	1
GENITAL ORGANS (180-187)	3		2		7		2	1
URINARY ORGANS (188-189)					3		2	
LEUKEMIA (204-207)			1		2		1	
OTHER REMAINDER OF (140-209)	2		12		5	3	5	
DIABETES MELLITUS (250)	3		3		2	3	5	
MAJOR CARDIOVASCULAR DISEASE (390-448)	45		105		82	19	79	3
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	34		70		62	10	55	2

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	MERCER		MILLER		MISSISSIPPI		MONITEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1						2	
HYPERTENSIVE HEART (402,404)	3				3			
ISCHEMIC HEART (410-414)	26		66		53	10	49	2
OTHER HEART DISEASE (420-429)	4		4		6		4	
HYPERTENSION (400,401,403)					2			
CEREBROVASCULAR DISEASE (430-438)	10		26		14	8	18	
ARTERIOSCLEROSIS (440)	1		5		1		2	
OTHER CIRCULATORY (441-448)			4		3	1	4	1
INFLUENZA/PNEUMONIA (470-474,480-486)	3		6		4	1	5	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		2		3	1	2	
PEPTIC ULCER (531-533)			1		1			
CIRRHOSIS OF LIVER (571)			3		1		1	
NEPHRITIS AND NEPHROSIS (580-584)					1		1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	1							
CONGENITAL ANOMALIES (740-759)	1						1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			6		1	1		
SYMPTOMS & ILL-DEFINED COND. (780-796)	1		9		11	4	1	
ALL OTHER DISEASES (RESIDUAL)	7		23		11	4	8	
ACCIDENTAL DEATHS (E800-E949)	3		13		16	1	6	
MOTOR VEHICLE (E810-E823)	1		5		8		1	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)	1						1	
FALLS (E880-E887)			4		1		2	
FIRES (E890-E899)					1			
DROWNING & SUBMERSIONS (E910)					2	1	1	
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	1		3		4		1	
OTHER REMAINDER OF (E900-E949)			1					
SUICIDE (E950-E959)			2				1	
HOMICIDE (E960-E978)								
ALL OTHER EXTERNAL CAUSES (E980-E999)			1			1		

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	MONROE		MONTGOMERY		MORGAN		NEW MADRID	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	132	9	142	6	142		354	84
ATTENDED BY M.D.	118	8	127	5	112		328	77
ATTENDED BY D.O.	11	1	15	1	29		24	6
ATTENDED BY MIDWIFE	3							1
OTHERS OR UNSPECIFIED					1		2	
LIVE BIRTHS UNDER 5.5 LBS.	7		3	1	12		23	16
TOTAL FETAL DEATHS	1	1	5		3		4	4
ATTENDED BY M.D.	1	1	4		3		3	4
ATTENDED BY D.O.			1				1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	146	11	157	6	176	2	220	56
UNDER ONE YEAR OF AGE	1		1	1	2		6	3
NEONATAL DEATHS				1	1		4	1
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1				1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1						1	
MALIGNANT NEOPLASMS (140-209)	23		27	2	49	1	42	5
DIGEST. ORGANS (150-159)	9		9		16		8	3
RESPIRATORY SYSTEM (160-163)	5		8	1	11		17	2
BREAST (174)	2		2		1		4	
GENITAL ORGANS (180-187)	2		2		7	1	3	
URINARY ORGANS (188-189)				1	6		1	
LEUKEMIA (204-207)	1		2				2	
OTHER REMAINDER OF (140-209)	4		4		8		7	
DIABETES MELLITUS (250)	4		3		4		1	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	75	4	94	1	83	1	109	26
DISEASES OF HEART (390-398, 402, 404, 410-429)	56	2	64	1	56		80	23

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	MONROE		MONTGOMERY		MORGAN		NEW MADRID	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			1				2	
HYPERTENSIVE HEART (402,404)	3		1					
ISCHEMIC HEART (410-414)	48	2	57	1	52		71	23
OTHER HEART DISEASE (420-429)	5		5		4		7	
HYPERTENSION (400,401,403)			1		1			
CEREBROVASCULAR DISEASE (430-438)	13	2	17		22	1	23	3
ARTERIOSCLEROSIS (440)	5		11		3		3	
OTHER CIRCULATORY (441-448)	1		1		1		3	
INFLUENZA/PNEUMONIA (470-474,480-486)	13		9	1	6		6	2
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		4		3		4	
PEPTIC ULCER (531-533)		1	2				2	
CIRRHOSIS OF LIVER (571)	1		2		5		2	1
NEPHRITIS AND NEPHROSIS (580-584)	1							1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			1	1	1		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)							4	
SYMPTOMS & ILL-DEFINED COND. (780-796)	7	1					22	11
ALL OTHER DISEASES (RESIDUAL)	10		6		12		12	4
ACCIDENTAL DEATHS (E800-E949)	8	5	8	1	6		9	5
MOTOR VEHICLE (E810-E823)	3	2	4		2		5	1
OTHER TRANS. (E800-E807,E825-E845)							1	
POISONING (E850-E877)			1					
FALLS (E880-E887)	4						1	
FIRES (E890-E899)		3	2	1			2	3
DROWNING & SUBMERSIONS (E910)			1		2			1
FIREARM MISSILES (E922)					2			
INDUSTRIAL (E916-E921,E923-E928)								
OTHER REMAINDER OF (E900-E949)	1							
SUICIDE (E950-E959)	2				2		1	
HOMICIDE (E960-E978)					5		2	
ALL OTHER EXTERNAL CAUSES (E980-E999)							1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.



TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	NEWTON		MCDAWAY		OREGON		OSAGE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	474	7	314	4	131	1	178	
ATTENDED BY M.D.	404	3	309	4	93	1	132	
ATTENDED BY D.O.	67	4	5		35		46	
ATTENDED BY MIDWIFE	3							
OTHERS OR UNSPECIFIED					3			
LIVE BIRTHS UNDER 5.5 LBS.	29		11		7		7	
TOTAL FETAL DEATHS	4		3		2		1	
ATTENDED BY M.D.	3		3		1		1	
ATTENDED BY D.O.	1				1			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	393	2	206		148		120	
UNDER ONE YEAR OF AGE	10				1		1	
NEONATAL DEATHS	8							
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1							
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		1				2	
MALIGNANT NEOPLASMS (140-209)	69		27		28		28	
DIGEST. ORGANS (150-159)	21		12		5		6	
RESPIRATORY SYSTEM (160-163)	13		5		7		8	
BREAST (174)	9		1				5	
GENITAL ORGANS (180-187)	5		4		4		1	
URINARY ORGANS (188-189)	3				2			
LEUKEMIA (204-207)	2						2	
OTHER REMAINDER OF (140-209)	16		5		10		6	
DIABETES MELLITUS (250)	7		1					
MAJOR CARDIOVASCULAR DISEASE (390-448)	179	1	130		83		63	
DISEASES OF HEART (390-398, 402, 404, 410-429)	125		91		73		48	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	NEWTON		NEOAWAY		CREGON		OSAGE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2							
HYPERTENSIVE HEART (402,404)			2					
ISCHEMIC HEART (410-414)	107		83		66		39	
OTHER HEART DISEASE (420-429)	16		6		7		9	
HYPERTENSION (400,401,403)			2					
CEREBROVASCULAR DISEASE (430-438)	42	1	31		6		10	
ARTERIOSCLEROSIS (440)	10		3		2		3	
OTHER CIRCULATORY (441-448)	2		3		2		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	12		8		7		5	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	6		2		2			
PEPTIC ULCER (531-533)	2		1					
CIRRHOSIS OF LIVER (571)	4		1		1		4	
NEPHRITIS AND NEPHROSIS (580-584)	1		4		1			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	2							
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	3				1			
SYMPTOMS & ILL-DEFINED COND. (780-796)	41				4		1	
ALL OTHER DISEASES (RESIDUAL)	36	1	18		9		7	
ACCIDENTAL DEATHS (E800-E949)	26		11		10		9	
MOTOR VEHICLE (E810-E823)	18		3		9		3	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)			2		1			
FALLS (E880-E887)	6		3					
FIRES (E890-E899)			1				4	
DROWNING & SUBMERSIONS (E910)			2					
FIREARM MISSILES (E922)							1	
INDUSTRIAL (E916-E921,E923-E928)	2						1	
OTHER REMAINDER OF (E900-E949)								
SUICIDE (E950-E959)	2		2		1			
HOMICIDE (E960-E978)	1							
ALL OTHER EXTERNAL CAUSES (E980-E999)					1		1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	OZARK		PEMISCOT		PERRY		PETTIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	74		290	217	273	2	457	28
ATTENDED BY M.D.	67		289	217	271	2	448	28
ATTENDED BY D.O.	6		1		2		9	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	1							
LIVE BIRTHS UNDER 5.5 LBS.	10		17	30	22		29	4
TOTAL FETAL DEATHS			6	1	2		5	
ATTENDED BY M.D.			6	1	2		5	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	102		274	98	167		391	24
UNDER ONE YEAR OF AGE	1		2	5	6		3	
NEONATAL DEATHS	1		2	2	5		2	
MATERNAL DEATHS				1				
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			2					
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1	2	2		1	
MALIGNANT NEOPLASMS (140-209)	21		44	7	30		62	3
DIGEST. ORGANS (150-159)	3		12	3	10		16	1
RESPIRATORY SYSTEM (160-163)	4		10		7		23	3
BREAST (174)	1		3				3	
GENITAL ORGANS (180-187)	1		5	2	3		5	2
URINARY ORGANS (188-189)	1		2		1		2	
LEUKEMIA (204-207)	2		3		4		1	
OTHER REMAINDER OF (140-209)	9		9	2	5		12	2
DIABETES MELLITUS (250)	1		4	2	2		11	
MAJOR CARDIOVASCULAR DISEASE (390-448)	50		161	58	103		210	11
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	32		111	41	85		146	6

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	OZARK		PEMISCOT		PERRY		PETTIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		2				1	
HYPERTENSIVE HEART (402,404)					1		2	1
ISCHEMIC HEART (410-414)	28		82	22	83		133	5
OTHER HEART DISEASE (420-429)	3		27	19	1		10	
HYPERTENSION (400,401,403)	1		1	1			2	
CEREBROVASCULAR DISEASE (430-438)	15		44	14	13		55	3
ARTERIOSCLEROSIS (440)			4	1	3		3	1
OTHER CIRCULATORY (441-448)	2		1	1	2		4	1
INFLUENZA/PNEUMONIA (470-474,480-486)	2		5	1	4		16	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)			5		1		6	
PEPTIC ULCER (531-533)	1			1				
CIRRHOSIS OF LIVER (571)	3		1	1			3	
NEPHRITIS AND NEPHROSIS (580-584)			2	2	1		3	1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)				1				
CONGENITAL ANOMALIES (740-759)			1		3			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		2	2	3		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	7		4	6	1		3	
ALL OTHER DISEASES (RESIDUAL)	9		19	4	9		34	4
ACCIDENTAL DEATHS (E800-E949)	4		16	9	6		34	
MOTOR VEHICLE (E810-E823)	3		12	1	5		24	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)				1				
FALLS (E880-E887)			2				5	
FIRES (E890-E899)			2	6			1	
DROWNING & SUBMERSIONS (E910)			1	1			1	
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	1						3	
OTHER REMAINDER OF (E900-E949)			1		1			
SUICIDE (E950-E959)	2		2		2		3	
HOMICIDE (E960-E978)	1		3	1			1	
ALL OTHER EXTERNAL CAUSES (E980-E999)				1			2	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	PHELPS		PIKE		PLATTE		POLK	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	392	9	250	15	605	17	240	
ATTENDED BY M.D.	273	9	219	15	570	16	222	
ATTENDED BY D.O.	116		17		35	1	17	
ATTENDED BY MIDWIFE			14				1	
OTHERS OR UNSPECIFIED	3							
LIVE BIRTHS UNDER 5.5 LBS.	26		16	2	30	1	13	
TOTAL FETAL DEATHS	5		2		7		2	
ATTENDED BY M.D.	4		2		7		2	
ATTENDED BY D.O.	1							
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	344	2	222	17	213	1	206	
UNDER ONE YEAR OF AGE	8		2		9		2	
NEONATAL DEATHS	5		2		8		1	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1							
SYPHILIS AND ITS SEQUELAE (090-097)				1			1	
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	3				2		2	
MALIGNANT NEOPLASMS (140-209)	59		38	2	28	1	32	
DIGEST. ORGANS (150-159)	15		14	1	6		7	
RESPIRATORY SYSTEM (160-163)	18		6		9	1	8	
BREAST (174)	6		3		2		2	
GENITAL ORGANS (180-187)	3		6		5		3	
URINARY ORGANS (188-189)	5		2	1	2		1	
LEUKEMIA (204-207)	2		1					
OTHER REMAINDER OF (140-209)	10		6		4		11	
DIABETES MELLITUS (250)	5		1		3		1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	175	1	120	9	104		125	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	141	1	79	7	71		88	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	PHELPS		PIKE		PLATTE		POLK	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		1		1		2	
HYPERTENSIVE HEART (402,404)	7		6				3	
ISCHEMIC HEART (410-414)	121	1	58	6	64		76	
OTHER HEART DISEASE (420-429)	11		14	1	6		7	
HYPERTENSION (400,401,403)	1		1					
CEREBROVASCULAR DISEASE (430-438)	26		25	2	24		31	
ARTERIOSCLEROSIS (440)	4		12		6		4	
OTHER CIRCULATORY (441-448)	3		3		3		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	10		7		8		3	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	5		6		4		5	
PEPTIC ULCER (531-533)	1		1		1			
CIRRHOSIS OF LIVER (571)	3			1	3		1	
NEPHRITIS AND NEPHROSIS (580-584)	2				1			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	4		2		1		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	3				6		1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	12	1	9	3	14		8	
ALL OTHER DISEASES (RESIDUAL)	33		17		15		8	
ACCIDENTAL DEATHS (E800-E949)	23		12	1	19		8	
MOTOR VEHICLE (E810-E823)	15		6		14		5	
OTHER TRANS. (E800-E807,E825-E845)	1							
POISONING (E850-E877)	1				1			
FALLS (E880-E887)	1			1	1			
FIRES (E890-E899)			4					
DROWNING & SUBMERSIONS (E910)	2		1		2			
FIREARM MISSILES (E922)	1							
INDUSTRIAL (E916-E921,E923-E928)			1		1		3	
OTHER REMAINDER OF (E900-E949)	2							
SUICIDE (E950-E959)	4		6		2		4	
HOMICIDE (E960-E978)			1		2		5	
ALL OTHER EXTERNAL CAUSES (E980-E999)	1		2				1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	PULASKI		PUTNAM		RALLS		RANDOLPH	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	760	126	72		120		335	32
ATTENDED BY M.D.	644	117	19		118		224	22
ATTENDED BY D.O.	116	9	53		2		111	10
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	51	16	6		9		26	1
TOTAL FETAL DEATHS	3		2				3	
ATTENDED BY M.D.	3						2	
ATTENDED BY D.O.			2				1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	218	6	99		86	3	308	17
UNDER ONE YEAR OF AGE	14	1	1		2		3	1
NEONATAL DEATHS	10	1	1		2		2	1
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1						3	
MALIGNANT NEOPLASMS (140-209)	29		15		23	1	63	6
DIGEST. ORGANS (150-159)	8		1		8	1	13	
RESPIRATORY SYSTEM (160-163)	3		2		4		16	
BREAST (174)	3		1		2		4	2
GENITAL ORGANS (180-187)	2		3		5		10	2
URINARY ORGANS (188-189)	2		2				4	
LEUKEMIA (204-207)	2		1		1		1	
OTHER REMAINDER OF (140-209)	9		5		3		15	2
DIABETES MELLITUS (250)	4		3		1		4	
MAJOR CARDIOVASCULAR DISEASE (390-448)	94	1	60		38	1	153	3
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	72	1	34		25	1	100	2

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	PULASKI		PUTNAM		RALLS		RANDOLPH	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2							
HYPERTENSIVE HEART (402,404)	4		4				2	
ISCHEMIC HEART (410-414)	59		29		20	1	89	1
OTHER HEART DISEASE (420-429)	7	1	1		5		9	1
HYPERTENSION (400,401,403)	1						1	
CEREBROVASCULAR DISEASE (430-438)	18		19		10		34	1
ARTERIOSCLEROSIS (440)			6		3		14	
OTHER CIRCULATORY (441-448)	3		1				4	
INFLUENZA/PNEUMONIA (470-474,480-486)	7	2	5		6		10	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2				3		6	
PEPTIC ULCER (531-533)			2		1		1	1
CIRRHOSIS OF LIVER (571)	1				1		1	
NEPHRITIS AND NEPHROSIS (580-584)	1		1					
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1						1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	10	1	1		2		1	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	26				1		19	2
ALL OTHER DISEASES (RESIDUAL)	17		9		1		21	2
ACCIDENTAL DEATHS								
(E800-E949)	20	2	2		5	1	19	1
MOTOR VEHICLE (E810-E823)	15				2		11	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)	2				1			
FALLS (E880-E887)			1		1		5	
FIRES (E890-E899)		2					1	
DROWNING & SUBMERSIONS (E910)							1	
FIREARM MISSILES (E922)	1							
INDUSTRIAL (E916-E921,E923-E928)	2		1			1	1	
OTHER REMAINDER OF (E900-E949)					1			1
SUICIDE (E950-E959)	2				3		2	
HOMICIDE (E960-E978)	2		1				3	
ALL OTHER EXTERNAL CAUSES (E980-E999)	1				1		1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.



TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	RAY		REYNOLDS		RIPLEY		ST CHARLES	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	227	6	96		139	1	2,043	34
ATTENDED BY M.D.	212	6	80		134	1	1,985	31
ATTENDED BY D.O.	15		15		3		58	2
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED			1		2			1
LIVE BIRTHS UNDER 5.5 LBS.	14		7		9		115	4
TOTAL FETAL DEATHS	3				3		18	
ATTENDED BY M.D.	3				3		18	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	216	4	72		170		649	21
UNDER ONE YEAR OF AGE	5				5		15	1
NEONATAL DEATHS	3				5		12	1
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)							2	
MALIGNANT NEOPLASMS (140-209)	33	1	15		30		121	8
DIGEST. ORGANS (150-159)	7		4		7		36	1
RESPIRATORY SYSTEM (160-163)	13		4		9		19	1
BREAST (174)	3	1			3		10	2
GENITAL ORGANS (180-187)	5		3		5		14	1
URINARY ORGANS (188-189)	1		1				8	
LEUKEMIA (204-207)	2		1		2		5	
OTHER REMAINDER OF (140-209)	2		2		4		29	3
DIABETES MELLITUS (250)	7				6		8	
MAJOR CARDIOVASCULAR DISEASE (390-448)	115	1	36		74		318	10
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	74	1	25		59		246	8

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	RAY		REYNOLDS		RIPLEY		ST CHARLES	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1				3		3	
HYPERTENSIVE HEART (402,404)	1							
ISCHEMIC HEART (410-414)	60	1	21		52		232	6
OTHER HEART DISEASE (420-429)	12		4		4		11	2
HYPERTENSION (400,401,403)	5		1				1	
CEREBROVASCULAR DISEASE (430-438)	20		8		14		64	2
ARTERIOSCLEROSIS (440)	12				1		4	
OTHER CIRCULATORY (441-448)	4		2				3	
INFLUENZA/PNEUMONIA (470-474,480-486)	8	1	4		6		28	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)			1		4		9	
PEPTIC ULCER (531-533)	1						1	
CIRRHOSIS OF LIVER (571)	1		1		2		6	
NEPHRITIS AND NEPHROSIS (580-584)	1							
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1				4		5	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	3				1		10	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	9		6		15		38	
ALL OTHER DISEASES (RESIDUAL)	20	1	3		15		31	1
ACCIDENTAL DEATHS (E800-E949)	13		4		11		55	
MOTOR VEHICLE (E810-E823)	7		3		7		30	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)	1							
FALLS (E880-E887)	2		1		2		8	
FIRES (E890-E899)	2						5	
DROWNING & SUBMERSIONS (E910)							6	
FIREARM MISSILES (E922)					1		1	
INDUSTRIAL (E916-E921,E923-E928)	1				1		2	
OTHER REMAINDER OF (E900-E949)							3	
SUICIDE (E950-E959)	1						12	
HOMICIDE (E960-E978)	1		1				3	
ALL OTHER EXTERNAL CAUSES (E980-E999)	2		1		1		2	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	ST CLAIR		ST FRANCOIS		STE GENEVIEVE		ST LOUIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	77		539	2	207		10,570	2,004
ATTENDED BY M.D.	57		329	1	156		10,306	1,924
ATTENDED BY D.O.	19		210	1	51		261	80
ATTENDED BY MIDWIFE	1							
OTHERS OR UNSPECIFIED							3	
LIVE BIRTHS UNDER 5.5 LBS.	6		35		10		556	224
TOTAL FETAL DEATHS	4		5		1		94	26
ATTENDED BY M.D.	3		2		1		93	25
ATTENDED BY D.O.	1		3				1	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	121		504	4	136		6,772	461
UNDER ONE YEAR OF AGE			3		4		106	38
NEONATAL DEATHS			3		3		80	28
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					1		1	1
SYPHILIS AND ITS SEQUELAE (090-097)							1	
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2		2				40	8
MALIGNANT NEOPLASMS (140-209)	22		95	1	30		1,570	121
DIGEST. ORGANS (150-159)	6		23		13		432	32
RESPIRATORY SYSTEM (160-163)	5		27		5		377	31
BREAST (174)	4		7		4		151	11
GENITAL ORGANS (180-187)	2		7		1		151	17
URINARY ORGANS (188-189)	2		5		2		80	4
LEUKEMIA (204-207)	1		4				70	1
OTHER REMAINDER OF (140-209)	2		22	1	5		309	25
DIABETES MELLITUS (250)			9		7		152	10
MAJOR CARDIOVASCULAR DISEASE (390-448)	74		263	2	64		3,533	157
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	56		190	1	51		2,712	103

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	ST CLAIR		ST FRANCOIS		STE GENEVIEVE		ST LOUIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			2		2		55	2
HYPERTENSIVE HEART (402,404)					1		29	3
ISCHEMIC HEART (410-414)	47		180	1	48		2,502	81
OTHER HEART DISEASE (420-429)	9		8				126	17
HYPERTENSION (400,401,403)			2				19	3
CEREBROVASCULAR DISEASE (430-438)	14		54	1	11		586	43
ARTERIOSCLEROSIS (440)	1		13				120	5
OTHER CIRCULATORY (441-448)	3		4		2		96	3
INFLUENZA/PNEUMONIA (470-474,480-486)			30		4		162	8
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		6		1		77	1
PEPTIC ULCER (531-533)	1		1				19	2
CIRRHOSIS OF LIVER (571)	2		3		1		77	6
NEPHRITIS AND NEPHROSIS (580-584)			4				19	3
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			2		1		46	9
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			2		2		56	23
SYMPTOMS & ILL-DEFINED COND. (780-796)	1		28		5		89	10
ALL OTHER DISEASES (RESIDUAL)	12		28		7		496	41
ACCIDENTAL DEATHS (E800-E949)	5		24	1	10		254	22
MOTOR VEHICLE (E810-E823)	3		15		7		135	9
OTHER TRANS. (E800-E807,E825-E845)							9	1
POISONING (E850-E877)			1	1			9	1
FALLS (E880-E887)			2		1		51	2
FIRES (E890-E899)	1		2		1		8	3
DROWNING & SUBMERSIONS (E910)					1		11	3
FIREARM MISSILES (E922)			2				3	1
INDUSTRIAL (E916-E921,E923-E928)			1				12	1
OTHER REMAINDER OF (E900-E949)	1		1				16	1
SUICIDE (E950-E959)	1		3		2		120	3
HOMICIDE (E960-E978)			4				33	30
ALL OTHER EXTERNAL CAUSES (E980-E999)					1		27	6

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	ST LOUIS CITY		SALINE		SCHUYLER		SCOTLAND	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	3,030	4,750	332	16	55		56	
ATTENDED BY M.D.	2,877	4,534	331	16	11		12	
ATTENDED BY D.O.	151	216	1		44		37	
ATTENDED BY MIDWIFE	1							
OTHERS OR UNSPECIFIED	1						7	
LIVE BIRTHS UNDER 5.5 LBS.	195	657	25	2	2		1	
TOTAL FETAL DEATHS	27	62	9	1			1	
ATTENDED BY M.D.	27	61	9	1				
ATTENDED BY D.O.		1					1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	4,847	2,556	290	28	79		82	
UNDER ONE YEAR OF AGE	71	123	4	2				
NEONATAL DEATHS	54	71	3	1				
MATERNAL DEATHS	2	1						
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	5	6						
SYPHILIS AND ITS SEQUELAE (090-097)		2						
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	32	35			1			
MALIGNANT NEOPLASMS (140-209)	926	478	48	4	13		14	
DIGEST. ORGANS (150-159)	235	146	17		2		4	
RESPIRATORY SYSTEM (160-163)	269	116	12	1	4		5	
BREAST (174)	77	28	1				1	
GENITAL ORGANS (180-187)	94	70	4	1	1		2	
URINARY ORGANS (188-189)	41	15	1					
LEUKEMIA (204-207)	38	10			3			
OTHER REMAINDER OF (140-209)	172	93	13	2	3		2	
DIABETES MELLITUS (250)	122	62	6	1			2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	2,749	1,082	172	19	47		47	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	2,127	772	122	12	39		33	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	ST LOUIS CITY		SALINE		SCHUYLER		SCOTLAND	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	34	4	1					
HYPERTENSIVE HEART (402,404)	18	27			2			
ISCHEMIC HEART (410-414)	1,988	662	116	11	31		32	
OTHER HEART DISEASE (420-429)	87	79	5	1	6		1	
HYPERTENSION (400,401,403)	22	18	1	1				
CEREBROVASCULAR DISEASE (430-438)	442	255	38	6	8		9	
ARTERIOSCLEROSIS (440)	105	18	7				4	
OTHER CIRCULATORY (441-448)	53	19	4				1	
INFLUENZA/PNEUMONIA (470-474,480-486)	152	86	10	1	2		4	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	58	19	3		2		1	
PEPTIC ULCER (531-533)	24	9	1					
CIRRHOSIS OF LIVER (571)	72	60	1					
NEPHRITIS AND NEPHROSIS (580-584)	13	37	3				1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	2	1						
CONGENITAL ANOMALIES (740-759)	20	20						
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	39	54	4	1				
SYMPTOMS & ILL-DEFINED COND. (780-796)	47	43					1	
ALL OTHER DISEASES (RESIDUAL)	362	266	21		4		7	
ACCIDENTAL DEATHS (E800-E949)	141	102	14		9		4	
MOTOR VEHICLE (E810-E823)	44	41	8		4		1	
OTHER TRANS. (E800-E807,E825-E845)	3				1			
POISONING (E850-E877)	8	3	1		1			
FALLS (E880-E887)	57	15			2		1	
FIRES (E890-E899)	13	16						
DROWNING & SUBMERSIONS (E910)	3	3	2					
FIREARM MISSILES (E922)	2							
INDUSTRIAL (E916-E921,E923-E928)	2	5	2		1		2	
OTHER REMAINDER OF (E900-E949)	9	19	1					
SUICIDE (E950-E959)	43	16	4	1	1		1	
HOMICIDE (E960-E978)	22	163	2	1				
ALL OTHER EXTERNAL CAUSES (E980-E999)	18	15	1					

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	SCOTT		SHANNON		SHELBY		STODDARD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	526	84	89		100	3	366	13
ATTENDED BY M.D.	411	47	80		64	3	248	9
ATTENDED BY D.O.	114	19	9		35		118	4
ATTENDED BY MIDWIFE	1	18						
OTHERS OR UNSPECIFIED					1			
LIVE BIRTHS UNDER 5.5 LBS.	27	9	11		9		21	
TOTAL FETAL DEATHS	9	1					1	
ATTENDED BY M.D.	7						1	
ATTENDED BY D.O.	2	1						
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	331	28	72		135	1	296	4
UNDER ONE YEAR OF AGE	10	2	2		1		4	
NEONATAL DEATHS	8	2	1		1		2	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2		1		1		1	
MALIGNANT NEOPLASMS (140-209)	64	7	11		14		60	1
DIGEST. ORGANS (150-159)	20	4	6		1		17	
RESPIRATORY SYSTEM (160-163)	13		2		8		14	
BREAST (174)	6				3		3	
GENITAL ORGANS (180-187)	11	1	2		2		8	1
URINARY ORGANS (188-189)	4						3	
LEUKEMIA (204-207)	2	1					1	
OTHER REMAINDER OF (140-209)	8	1	1				14	
DIABETES MELLITUS (250)	7		1				6	
MAJOR CARDIOVASCULAR DISEASE (390-448)	176	12	30		83		142	1
DISEASES OF HEART (390-398, 402, 404, 410-429)	127	8	21		55		111	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	SCOTT		SHANNON		SHELBY		STODDARD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2							1
HYPERTENSIVE HEART (402,404)	6				22		4	
ISCHEMIC HEART (410-414)	110	7	19		32		93	
OTHER HEART DISEASE (420-429)	9	1	2		1		14	
HYPERTENSION (400,401,403)		1			4			
CEREBROVASCULAR DISEASE (430-438)	41	3	8		20		28	
ARTERIOSCLEROSIS (440)	1		1		3		3	
OTHER CIRCULATORY (441-448)	7				1			
INFLUENZA/PNEUMONIA (470-474,480-486)	7	1	2		5	1	14	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	7		4		3		2	1
PEPTIC ULCER (531-533)					1		1	
CIRRHOSIS OF LIVER (571)	4						1	
NEPHRITIS AND NEPHROSIS (580-584)	1						2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1	1	1		1		3	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	7	1	1				2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	11	2	2		7		26	1
ALL OTHER DISEASES (RESIDUAL)	18	2	9		10		21	
ACCIDENTAL DEATHS (E800-E949)	21	1	8		9		11	
MOTOR VEHICLE (E810-E823)	9		8		2		4	
OTHER TRANS. (E800-E807,E825-E845)	2						2	
POISONING (E850-E877)	3	1						
FALLS (E880-E887)	3				2		3	
FIRES (E890-E899)					3			
DROWNING & SUBMERSIONS (E910)								
FIREARM MISSILES (E922)					1			
INDUSTRIAL (E916-E921,E923-E928)					1		1	
OTHER REMAINDER OF (E900-E949)	4						1	
SUICIDE (E950-E959)	3		1		1		1	
HOMICIDE (E960-E978)	1		1					
ALL OTHER EXTERNAL CAUSES (E980-E999)	1	1					2	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.



TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	STONE		SULLIVAN		TANEY		TEXAS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	159	2	93		194		293	2
ATTENDED BY M.D.	149	2	9		191		239	1
ATTENDED BY D.O.	9		84		2		54	1
ATTENDED BY MIDWIFE					1			
OTHERS OR UNSPECIFIED	1							
LIVE BIRTHS UNDER 5.5 LBS.	10		3		14		14	
TOTAL FETAL DEATHS	5		2				2	
ATTENDED BY M.D.	5		1				2	
ATTENDED BY D.O.			1					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	133		128		211		268	
UNDER ONE YEAR OF AGE	2				4		5	
NEONATAL DEATHS	2				3		3	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1				2	
MALIGNANT NEOPLASMS (140-209)	27		31		38		43	
DIGEST. ORGANS (150-159)	6		10		9		9	
RESPIRATORY SYSTEM (160-163)	9		5		7		17	
BREAST (174)			3		1		1	
GENITAL ORGANS (180-187)	3		2		4		3	
URINARY ORGANS (188-189)			1		1		1	
LEUKEMIA (204-207)			3		1			
OTHER REMAINDER OF (140-209)	9		7		15		12	
DIABETES MELLITUS (250)			2		2		3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	64		65		122		157	
DISEASES OF HEART (390-398, 402, 404, 410-429)	45		51		78		125	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	STONE		SULLIVAN		TANEY		TEXAS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			1		1			
HYPERTENSIVE HEART (402,404)	2		3		1		9	
ISCHEMIC HEART (410-414)	39		33		69		113	
OTHER HEART DISEASE (420-429)	4		14		7		3	
HYPERTENSION (400,401,403)			1				1	
CEREBROVASCULAR DISEASE (430-438)	14		10		33		28	
ARTERIOSCLEROSIS (440)	3		1		10			
OTHER CIRCULATORY (441-448)	2		2		1		3	
INFLUENZA/PNEUMONIA (470-474,480-486)	1		7		2		7	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1				1		5	
PEPTIC ULCER (531-533)	1		1		1		1	
CIRRHOSIS OF LIVER (571)	1				3		2	
NEPHRITIS AND NEPHROSIS (580-584)	1						2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)								
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1				3		3	
SYMPTOMS & ILL-DEFINED COND. (780-796)	16		2		18		6	
ALL OTHER DISEASES (RESIDUAL)	12		9		12		11	
ACCIDENTAL DEATHS (E800-E949)	6		8		3		20	
MOTOR VEHICLE (E810-E823)	2		1		1		11	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)								
FALLS (E880-E887)	2		2		2			
FIRES (E890-E899)			1					
DROWNING & SUBMERSIONS (E910)	1						2	
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	1		3				7	
OTHER REMAINDER OF (E900-E949)			1					
SUICIDE (E950-E959)	1		2		4		3	
HOMICIDE (E960-E978)							2	
ALL OTHER EXTERNAL CAUSES (E980-E999)	1				1		1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	VERNON		WARREN		WASHINGTON		WAYNE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	280	1	176	12	320	2	116	1
ATTENDED BY M.D.	267	1	163	12	248	2	107	1
ATTENDED BY D.O.	12		13		66		9	
ATTENDED BY MIDWIFE					5			
OTHERS OR UNSPECIFIED	1				1			
LIVE BIRTHS UNDER 5.5 LBS.	18		9	2	25		5	
TOTAL FETAL DEATHS	4		2		4			
ATTENDED BY M.D.	4		2		4			
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	285		148	4	150	1	140	
UNDER ONE YEAR OF AGE	8		2		5		3	
NEONATAL DEATHS	4		1		2		1	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		2					
MALIGNANT NEOPLASMS (140-209)	47		24	1	17	1	29	
DIGEST. ORGANS (150-159)	13		4		4		9	
RESPIRATORY SYSTEM (160-163)	12		5	1	3	1	4	
BREAST (174)	5		5		3			
GENITAL ORGANS (180-187)	3		3		5		7	
URINARY ORGANS (188-189)	3		1				1	
LEUKEMIA (204-207)	5		3				1	
OTHER REMAINDER OF (140-209)	6		3		2		7	
DIABETES MELLITUS (250)	7		2		4		2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	146		88	2	85		64	
DISEASES OF HEART (390-398, 402, 404, 410-429)	105		73	1	68		47	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	VERNON		WARREN		WASHINGTON		WAYNE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1				1			
HYPERTENSIVE HEART (402,404)	9				1			
ISCHEMIC HEART (410-414)	81		68	1	62		42	
OTHER HEART DISEASE (420-429)	14		5		4		5	
HYPERTENSION (400,401,403)					1			
CEREBROVASCULAR DISEASE (430-438)	37		14	1	13		15	
ARTERIOSCLEROSIS (440)	2				3		1	
OTHER CIRCULATORY (441-448)	2		1				1	
INFLUENZA/PNEUMONIA (470-474,480-486)	16		2		7		10	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		3		3		1	
PEPTIC ULCER (531-533)	2							
CIRRHOSIS OF LIVER (571)	1							
NEPHRITIS AND NEPHROSIS (580-584)	2				1			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			1				1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	3		1		2		1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	18		4	1	5		9	
ALL OTHER DISEASES (RESIDUAL)	15		10		14		14	
ACCIDENTAL DEATHS (E800-E949)	18		8		10		7	
MOTOR VEHICLE (E810-E823)	10		6		7		5	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)								
FALLS (E880-E887)	2		1				1	
FIRES (E890-E899)	1							
DROWNING & SUBMERSIONS (E910)	1				1			
FIREARM MISSILES (E922)							1	
INDUSTRIAL (E916-E921,E923-E928)	2		1		1			
OTHER REMAINDER OF (E900-E949)	2				1			
SUICIDE (E950-E959)	4		2				1	
HOMICIDE (E960-E978)	1						1	
ALL OTHER EXTERNAL CAUSES (E980-E999)			1		1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	WEBSTER		WORTH		WRIGHT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	293	2	39		212	2
ATTENDED BY M.D.	259	2	29		167	1
ATTENDED BY D.O.	31		9		44	1
ATTENDED BY MIDWIFE						
OTHERS OR UNSPECIFIED	3		1		1	
LIVE BIRTHS UNDER 5.5 LBS.	12	1	4		13	1
TOTAL FETAL DEATHS	3				1	
ATTENDED BY M.D.	2				1	
ATTENDED BY D.O.	1					
ATTENDED BY MIDWIFE						
OTHERS OR UNSPECIFIED						
TOTAL DEATHS	170		52		215	3
UNDER ONE YEAR OF AGE			1		1	
NEONATAL DEATHS			1			
MATERNAL DEATHS						
CAUSE OF DEATH						
TUBERCULOSIS, ALL FORMS (010-019)						
SYPHILIS AND ITS SEQUELAE (090-097)						
OTHER INFECTIVE & PARASITIC DISEASES						
REMAINDER OF (000-136)	1					
MALIGNANT NEOPLASMS (140-209)	20		12		36	1
DIGEST. ORGANS (150-159)	3		3		11	
RESPIRATORY SYSTEM (160-163)	7				9	1
BREAST (174)	3		2		1	
GENITAL ORGANS (180-187)	3		3		3	
URINARY ORGANS (188-189)	1					
LEUKEMIA (204-207)					1	
OTHER REMAINDER OF (140-209)	3		4		11	
DIABETES MELLITUS (250)	1		2		2	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	102		33		112	1
DISEASES OF HEART (390-398, 402, 404, 410-429)	67		24		72	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	WEBSTER		WORTH		WRIGHT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC						
RHEUMATIC HEART DISEASE (390-398)					4	
HYPERTENSIVE HEART (402,404)						
ISCHEMIC HEART (410-414)	66		23		65	
OTHER HEART DISEASE (420-429)	1		1		3	1
HYPERTENSION (400,401,403)					2	
CEREBROVASCULAR DISEASE (430-438)	26		5		33	
ARTERIOSCLEROSIS (440)	5		3		2	
OTHER CIRCULATORY (441-448)	4		1		3	
INFLUENZA/PNEUMONIA (470-474,480-486)	6		1		12	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		2		4	
PEPTIC ULCER (531-533)						
CIRRHOSIS OF LIVER (571)					1	
NEPHRITIS AND NEPHROSIS (580-584)	2					
COMPLICATIONS OF PREG. CHILDBIRTH, & PUERPERIUM (630-678)						
CONGENITAL ANOMALIES (740-759)					1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			1			
SYMPTOMS & ILL-DEFINED COND. (780-796)					10	
ALL OTHER DISEASES (RESIDUAL)	13				15	
ACCIDENTAL DEATHS (E800-E949)	20		1		17	
MOTOR VEHICLE (E810-E823)	17				10	
OTHER TRANS. (E800-E807,E825-E845)	1					
POISONING (E850-E877)					1	
FALLS (E880-E887)			1		1	
FIRES (E890-E899)	1				2	
DROWNING & SUBMERSIONS (E910)						
FIREARM MISSILES (E922)					1	
INDUSTRIAL (E916-E921,E923-E928)						
OTHER REMAINDER OF (E900-E949)	1				2	
SUICIDE (E950-E959)	2				4	
HOMICIDE (E960-E978)						
ALL OTHER EXTERNAL CAUSES (E980-E999)					1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	BALLWIN		BELLEFONTAINE NEIGHBORS		BERKELEY		BRENTWOOD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	193	5	37	2	109	104	78	39
ATTENDED BY M.D.	195	5	37	2	102	97	75	38
ATTENDED BY D.O.	8				7	7	3	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	16			1	8	10	4	7
TOTAL FETAL DEATHS	3				1	4	2	1
ATTENDED BY M.D.	3				1	4	2	1
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	72	2	160	1	81	5	72	6
UNDER ONE YEAR OF AGE	1				3	2		1
NEONATAL DEATHS	1				3	2		1
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-19)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)						1		
MALIGNANT NEOPLASMS (140-209)	19		31		20	1	15	2
DIGEST. ORGANS (150-159)	5		7		6		4	
RESPIRATORY SYSTEM (160-163)	1		14		3		4	
BREAST (174)	5				4		2	
GENITAL ORGANS (180-187)	3		4		2			1
URINARY ORGANS (188-189)	2				1			1
LEUKEMIA (204-207)			1				3	
OTHER REMAINDER OF (140-209)	2		5		4	1	2	
DIABETES MELLITUS (250)	2		2		2		2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	32		99		37		37	2
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	24		81		28		27	2

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	BALLWIN		BELLEFONTAINE NEIGHBORS		BERKELEY		BRENTWOOD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		3				1	
HYPERTENSIVE HEART (402,404)	1		2		2			
ISCHEMIC HEART (410-414)	19		70		26		24	2
OTHER HEART DISEASE (420-429)	2		6				2	
HYPERTENSION (400,401,403)					1			
CEREBROVASCULAR DISEASE (430-438)	7		17		6		7	
ARTERIOSCLEROSIS (440)	1		1				1	
OTHER CIRCULATORY (441-448)					2		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	4		5		3		3	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)			1		1		1	
PEPTIC ULCER (531-533)								
CIRRHOSIS OF LIVER (571)			3		4		1	
NEPHRITIS AND NEPHROSIS (580-584)								
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		1					
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)					3	2		1
SYMPTOMS & ILL-DEFINED COND. (780-796)	2					1	1	
ALL OTHER DISEASES (RESIDUAL)	8	1	11	1	6		6	1
ACCIDENTAL DEATHS (E800-E949)	1		3		1		6	
MOTOR VEHICLE (E810-E823)	1		2				4	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)								
FALLS (E880-E887)			1				1	
FIRES (E890-E899)							1	
DROWNING & SUBMERSIONS (E910)								
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)								
OTHER REMAINDER OF (E900-E949)					1			
SUICIDE (E950-E959)	3	1	2		2			
HOMICIDE (E960-E978)								
ALL OTHER EXTERNAL CAUSES (E980-E999)			2		2			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.



TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	BRIDGETON		CAPE GIRARDEAU		CARTHAGE		CLAYTON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	192	5	322	47	154	4	64	3
ATTENDED BY M.D.	183	5	305	36	145	4	64	3
ATTENDED BY D.O.	9		17	10	9			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED				1				
LIVE BIRTHS UNDER 5.5 LBS.	4	1	21	5	12		2	
TOTAL FETAL DEATHS	2		3		1			
ATTENDED BY M.D.	2		3		1			
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	106		269	19	153	4	180	1
UNDER ONE YEAR OF AGE			4		5		1	
NEONATAL DEATHS			3		5			
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1		1			
MALIGNANT NEOPLASMS (140-209)	34		51	5	37		45	1
DIGEST. ORGANS (150-159)	7		14	2	15		9	
RESPIRATORY SYSTEM (160-163)	11		16	2	8		9	
BREAST (174)	3		7				11	
GENITAL ORGANS (180-187)	1		4	1	7		4	
URINARY ORGANS (188-189)	3		1		1		5	
LEUKEMIA (204-207)	1		1					
OTHER REMAINDER OF (140-209)	8		8		6		7	1
DIABETES MELLITUS (250)	4		7	1	2		5	
MAJOR CARDIOVASCULAR DISEASE (390-448)	48		148	8	61	2	100	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	39		96	5	40	1	69	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	BRIDGETON		CAPE GIRARDEAU		CARTHAGE		CLAYTON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			2				1	
HYPERTENSIVE HEART (402,404)			3		3			
ISCHEMIC HEART (410-414)	39		88	5	35	1	67	
OTHER HEART DISEASE (420-429)			3		2		1	
HYPERTENSION (430,401,403)			4		2		1	
CEREBROVASCULAR DISEASE (430-438)	7		38	3	13	1	22	
ARTERIOSCLEROSIS (440)			8		5		6	
OTHER CIRCULATORY (441-448)	2		2		1		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	1		6		6		2	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		5		8		2	
PEPTIC ULCER (531-533)			1		1			
CIRRHOSIS OF LIVER (571)			3				1	
NEPHRITIS AND NEPHROSIS (580-584)					1		1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1				1			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			3		3			
SYMPTOMS & ILL-DEFINED COND. (780-796)			12	4	6		1	
ALL OTHER DISEASES (RESIDUAL)	8		14		17	1	13	
ACCIDENTAL DEATHS (F800-F949)	4		12	1	6		7	
MOTOR VEHICLE (F810-E823)	3		6	1	2		2	
OTHER TRANS. (F800-E807,E825-E845)								
POISONING (E850-E877)							1	
FALLS (F880-E887)			5		2		2	
FIRES (E890-E899)			1				1	
DROWNING & SUBMERSIONS (E910)					1			
FIREARM MISSILES (E922)					1			
INDUSTRIAL (E916-E921,E923-E928)								
OTHER REMAINDER OF (E900-E949)	1						1	
SUICIDE (F950-F959)	5		4		2		2	
HOMICIDE (F960-E978)					1	1		
ALL OTHER EXTERNAL CAUSES (E980-E999)			2				1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT.)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	COLUMBIA		CRESTWOOD		FERGUSON		FLORISSANT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	563	144	93	2	234	27	734	34
ATTENDED BY M.D.	560	144	91	2	224	26	708	31
ATTENDED BY D.O.	2		2		10	1	26	3
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	1							
LIVE BIRTHS UNDER 5.5 LBS.	45	17	2		10	3	46	5
TOTAL FETAL DEATHS	5	1	1		3		7	
ATTENDED BY M.D.	5	1	1		3		7	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	302	42	84		197	5	403	5
UNDER ONE YEAR OF AGE	13	3	1			2	11	
NEONATAL DEATHS	12	2	1			2	11	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1						1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	4	2	1		1		4	
MALIGNANT NEOPLASMS (140-209)	54	8	17		46	1	106	
DIGEST. ORGANS (150-159)	12	3	3		8		30	
RESPIRATORY SYSTEM (160-163)	10	2	6		14		27	
BREAST (174)	5	1	1		7	1	18	
GENITAL ORGANS (180-187)	3		1		2		9	
URINARY ORGANS (188-189)			3		2		3	
LEUKEMIA (204-207)	5				1		8	
OTHER REMAINDER OF (140-209)	19	2	3		12		11	
DIABETES MELLITUS (250)	7	3	1		1		8	
MAJOR CARDIOVASCULAR DISEASE (390-448)	152	22	44		105	1	188	3
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	105	19	34		77	1	140	2

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	COLUMBIA		CRESTWOOD		FERGUSON		FLORISSANT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2				2		4	
HYPERTENSIVE HEART (402,404)	3							
ISCHEMIC HEART (410-414)	93	18	33		66	1	128	1
OTHER HEART DISEASE (420-429)	7	1	1		9		8	1
HYPERTENSION (400,401,403)			1		2			
CEREBROVASCULAR DISEASE (430-438)	42	2	6		21		34	1
ARTERIOSCLEROSIS (440)	3		3		3		4	
OTHER CIRCULATORY (441-448)	2	1			2		10	
INFLUENZA/PNEUMONIA (470-474,480-486)	5		1		5		10	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	7				2		4	
PEPTIC ULCER (531-533)	1				1		1	
CIRRHOSIS OF LIVER (571)	3		1		3		5	
NEPHRITIS AND NEPHROSIS (580-584)	1	2					1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	3	1					2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	9	1				2	10	
SYMPTOMS & ILL-DEFINED COND. (780-796)	2	1	4		2		5	
ALL OTHER DISEASES (RESIDUAL)	27		7		16		26	
ACCIDENTAL DEATHS (E800-E949)	14	1	7		7		21	2
MOTOR VEHICLE (E810-E823)	6	1	5		2		11	1
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)	1						1	
FALLS (E880-E887)	4		1		3		3	1
FIRES (E890-E899)					1			
DROWNING & SUBMERSIONS (E910)	2				1		1	
FIREARM MISSILES (E922)							1	
INDUSTRIAL (E916-E921,E923-E928)							2	
OTHER REMAINDER OF (E900-E949)	1		1				2	
SUICIDE (E950-E959)	7		1		4		7	
HOMICIDE (E960-E978)	2	1			2	1	2	
ALL OTHER EXTERNAL CAUSES (E980-E999)	3				2		2	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	FULTON		GLADSTONE		GRANDVIEW		HANNIBAL	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	70	13	261	4	397	31	242	20
ATTENDED BY M.D.	68	13	246	4	368	28	240	20
ATTENDED BY D.O.	2		15		29	2	2	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED						1		
LIVE BIRTHS UNDER 5.5 LBS.	3	3	17		36	1	14	
TOTAL FETAL DEATHS	1		5		2		2	
ATTENDED BY M.D.	1		5		2		2	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	92	14	71		95		274	24
UNDER ONE YEAR OF AGE	1		6		2		4	
NEONATAL DEATHS	1		4		2		4	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)								1
MALIGNANT NEOPLASMS (140-209)	17	5	12		17		63	3
DIGEST. ORGANS (150-159)	5	2	3		3		14	1
RESPIRATORY SYSTEM (160-163)	2	2	4		6		19	2
BREAST (174)	1		3				4	
GENITAL ORGANS (180-187)	3	1			1		5	
URINARY ORGANS (188-189)	1		1		2		4	
LEUKEMIA (204-207)			1		1		4	
OTHER REMAINDER OF (140-209)	5				4		13	
DIABETES MELLITUS (250)	3	1	1		5		4	2
MAJOR CARDIOVASCULAR DISEASE (390-448)	61	7	40		43		151	11
DISEASES OF HEART (390-398, 402, 404, 410-429)	48	6	27		35		110	9

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	FULTON		GLADSTONE		GRANDVIEW		HANNIBAL	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			2		1		1	
HYPERTENSIVE HEART (402,404)	4		1		2		2	1
ISCHEMIC HEART (410-414)	42	5	23		28		103	7
OTHER HEART DISEASE (420-429)	2	1	1		4		4	1
HYPERTENSION (400,401,403)	1						2	1
CEREBROVASCULAR DISEASE (430-433)	9	1	13		4		30	
ARTERIOSCLEROSIS (440)	1				2		8	
OTHER CIRCULATORY (441-448)	2				2		1	1
INFLUENZA/PNEUMONIA (470-474,480-486)	2				2		12	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		1				4	1
PEPTIC ULCER (531-533)							2	
CIRRHOSIS OF LIVER (571)					1		3	
NEPHRITIS AND NEPHROSIS (580-584)					1		1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	2		2		1		3	1
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			1		1		1	
SYMPTOMS & ILL-DEFINED COND. (780-796)					6		10	
ALL OTHER DISEASES (RESIDUAL)	3		6		4		14	4
ACCIDENTAL DEATHS (F800-F949)	3	1	3		8		4	
MOTOR VEHICLE (E810-E823)		1	1		5			
OTHER TRANS. (E800-E807,E825-E845)					2		1	
POISONING (E850-E877)								
FALLS (E880-E887)	2				1		2	
FIRES (E890-E899)								
DROWNING & SUBMERSIONS (E910)	1		2					
FIREARM MISSILES (E922)							1	
INDUSTRIAL (E916-E921,E923-E928)								
OTHER REMAINDER OF (E900-F949)								
SUICIDE (E950-E959)			4		5		2	
HOMICIDE (E960-E978)								
ALL OTHER EXTERNAL CAUSES (F980-E999)			1		1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	HAZELWOOD		INDEPENDENCE		JEFFERSON CITY		JENNINGS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	187	30	1,586	51	316	48	126	115
ATTENDED BY M.D.	182	27	1,376	40	243	32	119	114
ATTENDED BY D.O.	5	3	210	11	73	16	7	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	8	2	103	10	12	5	9	15
TOTAL FETAL DEATHS	1		23		4		1	1
ATTENDED BY M.D.	1		22		3		1	1
ATTENDED BY D.O.			1		1			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	79	4	855	7	296	18	202	8
UNDER ONE YEAR OF AGE	1		29	1	5	1		
NEONATAL DEATHS	1		20	1	2	1		
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			8				1	
MALIGNANT NEOPLASMS (140-209)	13	1	191	2	63	3	51	1
DIGEST. ORGANS (150-159)	4		43		24	2	13	
RESPIRATORY SYSTEM (160-163)	3		46	1	13	1	12	1
BREAST (174)	1	1	17		6		3	
GENITAL ORGANS (180-187)	1		27		7		10	
URINARY ORGANS (188-189)	1		9		2		4	
LEUKEMIA (204-207)	1		14		1		1	
OTHER REMAINDER OF (140-209)	2		35	1	10		8	
DIABETES MELLITUS (250)	3		9	1	7		4	
MAJOR CARDIOVASCULAR DISEASE (390-448)	45	1	435	3	167	6	111	2
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	38	1	334	2	131	4	86	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	HAZELWOOD		INDEPENDENCE		JEFFERSON CITY		JENNINGS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		7		6		1	
HYPERTENSIVE HEART (402,404)	1		1		1		1	
ISCHEMIC HEART (410-414)	35	1	296	1	116	4	79	1
OTHER HEART DISEASE (420-429)	1		30	1	8		5	
HYPERTENSION (400,401,403)			2		1			
CEREBROVASCULAR DISEASE (430-438)	4		85	1	30	2	22	1
ARTERIOSCLEROSIS (440)	1		5		3			
OTHER CIRCULATORY (441-448)	2		9		2		3	
INFLUENZA/PNEUMONIA (470-474,480-486)		1	24		7		1	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		17		2		2	
PEPTIC ULCER (531-533)			2					
CIRRHOSIS OF LIVER (571)			12		2		1	
NEPHRITIS AND NEPHROSIS (580-584)			5		1	1	3	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			9	1	2			
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	1		13		1	1		
SYMPTOMS & ILL-DEFINED COND. (780-796)	3		19				1	
ALL OTHER DISEASES (RESIDUAL)	6	1	49		21	5	18	2
ACCIDENTAL DEATHS (E800-E949)	6		38		13		4	1
MOTOR VEHICLE (E810-E823)	4		14		9		4	1
OTHER TRANS. (E800-E807,E825-E845)			1		1			
POISONING (E850-E877)			2					
FALLS (E880-E887)			7		1			
FIRES (E890-E899)			6		1			
DROWNING & SUBMERSIONS (E910)	1		1					
FIREARM MISSILES (E922)			1					
INDUSTRIAL (E916-E921,E923-E928)	1		5		1			
OTHER REMAINDER OF (E900-E949)			1					
SUICIDE (E950-E959)	1		17		7	1	4	
HOMICIDE (E960-E978)			4		1	1		2
ALL OTHER EXTERNAL CAUSES (E980-E999)			3		1		1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.



TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	JOPLIN		KANSAS CITY (TOTAL)		KANSAS CITY (JACKSON CNTY)		KANSAS CITY (CLAY CNTY)	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	566	14	4,471	2,491	3,319	2,466	922	22
ATTENDED BY M.D.	505	13	3,989	2,201	2,946	2,179	826	19
ATTENDED BY D.O.	61	1	478	289	369	286	96	3
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED			4	1	4	1		
LIVE BIRTHS UNDER 5.5 LBS.	40	3	325	343	259	341	54	2
TOTAL FETAL DEATHS	9		60	39	51	39	7	
ATTENDED BY M.D.	9		52	34	43	34	7	
ATTENDED BY D.O.			8	5	8	5		
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	514	8	3,898	1,081	3,517	1,080	329	1
UNDER ONE YEAR OF AGE	12		61	79	49	79	8	
NEONATAL DEATHS	9		41	54	33	54	4	
MATERNAL DEATHS				1		1		
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			6	5	6	5		
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	4		28	12	23	12	4	
MALIGNANT NEOPLASMS (140-209)	97		769	206	686	206	72	
DIGEST. ORGANS (150-159)	15		192	61	172	61	16	
RESPIRATORY SYSTEM (160-163)	31		190	51	174	51	13	
BREAST (174)	8		56	10	47	10	8	
GENITAL ORGANS (180-187)	14		88	33	79	33	8	
URINARY ORGANS (188-189)	2		40	9	33	9	6	
LEUKEMIA (204-207)	6		29	6	23	6	6	
OTHER REMAINDER OF (140-209)	21		174	36	158	36	15	
DIABETES MELLITUS (250)	4		66	20	61	20	5	
MAJOR CARDIOVASCULAR DISEASE (390-448)	267	4	1,878	398	1,710	397	149	1
DISEASES OF HEART (390-398, 402, 404, 410-429)	187	3	1,327	269	1,209	269	103	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	JOPLIN		KANSAS CITY (TOTAL)		KANSAS CITY (JACKSON CNTY)		KANSAS CITY (CLAY CNTY)	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		22	6	18	6	4	
HYPERTENSIVE HEART (402,404)	12	1	16	14	15	14	1	
ISCHEMIC HEART (410-414)	163	2	1,186	212	1,084	212	88	
OTHER HEART DISEASE (420-429)	10		103	37	92	37	10	
HYPERTENSION (400,401,403)	2		12	4	10	4	2	
CEREBROVASCULAR DISEASE (430-438)	68	1	416	106	376	105	37	1
ARTERIOSCLEROSIS (440)	6		64	9	59	9	4	
OTHER CIRCULATORY (441-448)	4		59	10	56	10	3	
INFLUENZA/PNEUMONIA (470-474,480-486)	22		120	21	105	21	13	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		47	4	40	4	6	
PEPTIC ULCER (531-533)	1		12	4	10	4	1	
CIRRHOSIS OF LIVER (571)	4		56	16	50	16	5	
NEPHRITIS AND NEPHROSIS (580-584)	4		23	9	23	9		
COMPLICATIONS OF PREC, CHILD BIRTH, & PUERPERIUM (630-678)				1		1		
CONGENITAL ANOMALIES (740-759)	3		22	16	17	16	4	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	4		29	39	25	39	2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	36	1	179	91	175	91	2	
ALL OTHER DISEASES (RESIDUAL)	31	2	351	102	316	102	32	
ACCIDENTAL DEATHS (F800-E949)	28	1	184	43	157	43	22	
MOTOR VEHICLE (E810-E823)	12		84	17	70	17	10	
OTHER TRANS. (E800-E807,E825-E845)			6		5		1	
POISONING (E850-E877)			6	1	4	1	1	
FALLS (E880-E887)	11		42	3	40	3	2	
FIRES (E890-E899)	1		8	7	8	7		
DROWNING & SUBMERSIONS (E910)	3		12	4	9	4	3	
FIREARM MISSILES (E922)			4		4			
INDUSTRIAL (E916-E921,E923-E928)	1	1	7	3	4	3	3	
OTHER REMAINDER OF (E900-E949)			15	8	13	8	2	
SUICIDE (E950-E959)	3		71	12	65	12	5	
HOMICIDE (E960-E978)	2		34	71	28	71	4	
ALL OTHER EXTERNAL CAUSES (E980-E999)			23	11	20	11	3	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	KANSAS CITY (PLATTE CNTY)		KIRKSVILLE		KIRKWOOD		LAQUE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	230	3	212	5	265	58	44	
ATTENDED BY M.D.	217	3	18		261	57	44	
ATTENDED BY D.O.	13		204	5	4	1		
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	12		14		9	14	3	
TOTAL FETAL DEATHS	2		1		5	1		
ATTENDED BY M.D.	2		1		5	1		
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	52		165	1	247	16	70	1
UNDER ONE YEAR OF AGE	4		7		2	1		
NEONATAL DEATHS	4		7		2	1		
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		1		1			
MALIGNANT NEOPLASMS (140-209)	11		19		54	6	15	
DIGEST. ORGANS (150-159)	4		4		13	1	3	
RESPIRATORY SYSTEM (160-163)	3		6		15	2	1	
BREAST (174)	1				5			
GENITAL ORGANS (180-187)	1		3		7		4	
URINARY ORGANS (188-139)	1				2	1		
LEUKEMIA (204-207)					2		1	
OTHER REMAINDER OF (140-209)	1		6		10	2	6	
DIABETES MELLITUS (250)			1		3		2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	19		94	1	139	4	42	
DISEASES OF HEART (390-398, 402, 404, 410-429)	15		75	1	100	1	27	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	KANSAS CITY (PLATTE CNTY)		KIRKSVILLE		KIRKWOOD		LADUE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (390-398)			3		4			
HYPERTENSIVE HEART (402,404)			2				2	
ISCHEMIC HEART (410-414)	14		64		96	1	24	
OTHER HEART DISEASE (420-429)	1		6	1			1	
HYPERTENSION (400,401,403)								
CEREBROVASCULAR DISEASE (430-438)	3		14		25	2	12	
ARTERIOSCLEROSIS (441)	1		1		8	1	2	
OTHER CIRCULATORY (441-448)			4		6		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	2		4		3	1	1	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		3		1		1	
PEPTIC ULCER (531-533)	1		1		1			
CIRRHOSIS OF LIVER (571)	1				3	1	2	
NEPHRITIS AND NEPHROSIS (580-584)			1		1			
COMPLICATIONS OF PREG, CHILD BIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		1		1	1		
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2		6		2	1		
SYMPTOMS & ILL-DEFINED COND. (780-796)	2		7		2	1		
ALL OTHER DISEASES (RESIDUAL)	3		19		21	1	3	
ACCIDENTAL DEATHS (E800-E949)	5		6		10		2	1
MOTOR VEHICLE (E810-E823)	4		3		3		2	1
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)	1							
FALLS (E880-E887)					6			
FIRES (E890-E899)								
DROWNING & SUBMERSIONS (E910)					1			
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)			1					
OTHER REMAINDER OF (E900-E949)			2					
SUICIDE (E950-E959)	1		2		3		1	
HOMICIDE (E960-E978)	2				1		1	
ALL OTHER EXTERNAL CAUSES (E980-E999)					1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	LEE'S SUMMIT		LIBERTY		MAPLEWOOD		MARSHALL	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	310	1	232	5	107	22	185	11
ATTENDED BY M.D.	293	1	208	5	107	22	185	11
ATTENDED BY D.O.	17		24					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
LIVE BIRTHS UNDER 5.5 LBS.	19		15		7	5	14	2
TOTAL FETAL DEATHS	6		2	1	1		6	1
ATTENDED BY M.D.	5		1	1	1		6	1
ATTENDED BY D.O.	1		1					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	218	1	117	5	111	3	113	15
UNDER ONE YEAR OF AGE	3		4		1	2	2	2
NEONATAL DEATHS	2		3			2	2	1
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1					
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		2		1	1		
MALIGNANT NEOPLASMS (140-209)	42	1	19	1	18		18	1
DIGEST. ORGANS (150-159)	9		5		5		8	
RESPIRATORY SYSTEM (160-163)	10		1		2		3	
BREAST (174)	3						1	
GENITAL ORGANS (180-187)	2	1	4		4		2	
URINARY ORGANS (188-189)	5				1		1	
LEUKEMIA (204-207)	3		1					
OTHER REMAINDER OF (140-209)	10		8	1	6		3	1
DIABETES MELLITUS (250)	3				3		5	
MAJOR CARDIOVASCULAR DISEASE (390-448)	120		70	4	62		66	12
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	86		49	2	51		46	6

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	LEE'S SUMMIT		LIBERTY		MAPLEWOOD		MARSHALL	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		1				1	
HYPERTENSIVE HEART (402,404)					1			
ISCHEMIC HEART (410-414)	78		42	1	50		44	5
OTHER HEART DISEASE (420-429)	7		6	1			1	1
HYPERTENSION (400,401,403)			2				1	1
CEREBROVASCULAR DISEASE (430-438)	33		16	1	8		18	5
ARTERIOSCLEROSIS (440)			1	1				
OTHER CIRCULATORY (441-448)	1		2		3		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	7		4		2		3	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		1		2		1	
PEPTIC ULCER (531-533)			2		1			
CIRRHOSIS OF LIVER (571)	1							
NEPHRITIS AND NEPHROSIS (580-584)							2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	2							
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	1		3			1	2	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	3				3			
ALL OTHER DISEASES (RESIDUAL)	21		6		13	1	6	
ACCIDENTAL DEATHS (E800-E949)	8		6		5		6	
MOTOR VEHICLE (E810-E823)	4		2		2		2	
OTHER TRANS. (E800-E807,E825-E845)	1							
POISONING (E850-E877)			1				1	
FALLS (E880-E887)	2		2		3			
FIRES (E890-E899)								
DROWNING & SUBMERSIONS (E910)							1	
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	1		1				1	
OTHER REMAINDER OF (E900-E949)							1	
SUICIDE (E950-E959)	4		3		1		2	
HOMICIDE (E960-E978)							2	
ALL OTHER EXTERNAL CAUSES (E980-E999)	1							

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	MEXICO		MOBERLY		OVERLAND		POPLAR BLUFF	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	131	17	184	28	264	30	204	22
ATTENDED BY M.D.	128	16	117	19	246	27	199	22
ATTENDED BY D.O.	3	1	67	9	17	3	5	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED					1			
LIVE BIRTHS UNDER 5.5 LBS.	12	1	15	1	22	2	11	2
TOTAL FETAL DEATHS			1		3		3	
ATTENDED BY M.D.			1		3		3	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	141	20	188	15	240	2	242	9
UNDER ONE YEAR OF AGE		2	1	1	4	1	5	
NEONATAL DEATHS		1	1	1	2	1	4	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2	1	2		2		1	
MALIGNANT NEOPLASMS (140-209)	37	2	36	5	56	1	45	
DIGEST. ORGANS (150-159)	12		5		14	1	10	
RESPIRATORY SYSTEM (160-163)	4		8		15		11	
BREAST (174)	3		2	1	4		3	
GENITAL ORGANS (180-187)	6	1	8	2	10		6	
URINARY ORGANS (188-189)	3		2		1		5	
LEUKEMIA (204-207)	1				3		4	
OTHER REMAINDER OF (140-209)	8	1	11	2	9		6	
DIABETES MELLITUS (250)	1		2		11		1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	67	11	97	3	115		129	5
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	38	3	59	2	86		90	3

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	MEXICO		MOBERLY		OVERLAND		POPLAR BLUFF	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (390-398)							1	
HYPERTENSIVE HEART (402,404)	1		1		1			
ISCHEMIC HEART (410-414)	36	3	53	1	83		75	3
OTHER HEART DISEASE (420-429)	1		5	1	2		14	
HYPERTENSION (400,401,403)	1	1			1			
CEREBROVASCULAR DISEASE (430-438)	17	6	28	1	20		33	2
ARTERIOSCLEROSIS (440)	8	1	8		6		4	
OTHER CIRCULATORY (441-448)	3		2		2		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	6	1	9	1	7		6	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4	1	5		4			
PEPTIC ULCER (531-533)	1		1	1				
CIRRHOSIS OF LIVER (571)	1	1	1		3		5	1
NEPHRITIS AND NEPHROSIS (580-584)							1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		1		4		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)		1		1		1	3	
SYMPTOMS & ILL-DEFINED COND. (780-796)	2	1	11	1	4		25	
ALL OTHER DISEASES (RESIDUAL)	12	1	9	2	20		14	1
ACCIDENTAL DEATHS (E800-E949)	3		10	1	9		7	2
MOTOR VEHICLE (E810-E823)	1		6		5		3	
OTHER TRANS. (E800-E807,E825-E845)					1			1
POISONING (E850-E877)								
FALLS (E880-E887)	1		3		1		1	1
FIRES (E890-E899)								
DROWNING & SUBMERSIONS (E910)	1						1	
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)			1					
OTHER REMAINDER OF (E900-E949)				1			2	
SUICIDE (E950-E959)	3		2		4		3	
HOMICIDE (E960-E978)	1		1					
ALL OTHER EXTERNAL CAUSES (E980-E999)			1		1		1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.



TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	RAYTOWN		RICHMOND HGHTS		ROLLA		ST ANN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	352	8	95	23	146	8	219	20
ATTENDED BY M.D.	330	8	93	23	121	8	208	20
ATTENDED BY D.O.	22		2		24		11	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED					1			
LIVE BIRTHS UNDER 5.5 LBS.	20	2	4	5	7		15	
TOTAL FETAL DEATHS	6				3		2	
ATTENDED BY M.D.	6				2		2	
ATTENDED BY D.O.					1			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	222		145	14	87	2	104	
UNDER ONE YEAR OF AGE	2		2	1	2		3	
NEONATAL DEATHS	1			1	2		2	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2		1				1	
MALIGNANT NEOPLASMS (140-209)	52		36	5	19		26	
DIGEST. ORGANS (150-159)	13		11	1	5		10	
RESPIRATORY SYSTEM (160-163)	13		9	2	7		8	
BREAST (174)	6		3		1		1	
GENITAL ORGANS (180-187)	4		4		1			
URINARY ORGANS (188-189)	1		2		1			
LEUKEMIA (204-207)	1		1		1		2	
OTHER REMAINDER OF (140-209)	14		6	2	3		5	
DIABETES MELLITUS (250)	8		3		1		3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	118		75	5	41	1	46	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	86		56	4	34	1	36	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	RAYTOWN		RICHMOND HGHTS		ROLLA		ST ANN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	3		1		2			
HYPERTENSIVE HEART (402,404)			1				1	
ISCHEMIC HEART (410-414)	77		51	4	30	1	35	
OTHER HEART DISEASE (420-429)	6		3		2			
HYPERTENSION (400,401,403)			1				1	
CEREBROVASCULAR DISEASE (430-438)	23		12	1	5		8	
ARTERIOSCLEROSIS (440)	5		4				1	
OTHER CIRCULATORY (441-448)	4		2		2			
INFLUENZA/PNEUMONIA (470-474,480-486)	4		5				5	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		2				2	
PEPTIC ULCER (531-533)								
CIRRHOSIS OF LIVER (571)	1						2	
NEPHRITIS AND NEPHROSIS (580-584)	1			1				
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		1	1	2		2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1				1		1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	4		4		4	1	4	
ALL OTHER DISEASES (RESIDUAL)	11		12	1	9		5	
ACCIDENTAL DEATHS (E800-E949)	9		2	1	9		2	
MOTOR VEHICLE (E810-E823)	2		1		6		1	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)	2				1			
FALLS (E880-E887)	2						1	
FIRES (E890-E899)	1							
DROWNING & SUBMERSIONS (E910)								
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	1		1	1				
OTHER REMAINDER OF (E900-E949)	1				2			
SUICIDE (E950-E959)	7		3		1		4	
HOMICIDE (E960-E978)			1				1	
ALL OTHER EXTERNAL CAUSES (E980-E999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	ST CHARLES		ST JOSEPH		ST LOUIS CITY		SEDALIA	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	618	15	1,092	68	3,030	4,750	263	24
ATTENDED BY M.D.	604	15	1,090	68	2,877	4,534	262	24
ATTENDED BY D.O.	14		2		151	216	1	
ATTENDED BY MIDWIFE					1			
OTHERS OR UNSPECIFIED					1			
LIVE BIRTHS UNDER 5.5 LBS.	40	1	73	12	195	657	14	4
TOTAL FETAL DEATHS	7		13	1	27	62	3	
ATTENDED BY M.D.	7		13	1	27	61	3	
ATTENDED BY D.O.						1		
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	284	9	983	39	4,847	2,556	295	24
UNDER ONE YEAR OF AGE	7	1	14		71	123	3	
NEONATAL DEATHS	6	1	10		54	71	2	
MATERNAL DEATHS					2	1		
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1		5	6		
SYPHILIS AND ITS SEQUELAE (090-097)						2		
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1				32	35	1	
MALIGNANT NEOPLASMS (140-209)	52	2	195	8	926	478	44	8
DIGEST. ORGANS (150-159)	21	1	48	1	235	146	11	1
RESPIRATORY SYSTEM (160-163)	11		46	3	269	116	17	3
BREAST (174)	3	1	13	1	77	28	2	
GENITAL ORGANS (180-187)	4		23	2	94	70	3	2
URINARY ORGANS (188-189)	1		11		41	15	1	
LEUKEMIA (204-207)	2		9	1	38	10		
OTHER REMAINDER OF (140-209)	10		45		172	93	10	2
DIABETES MELLITUS (250)	1		20	3	122	62	7	
MAJOR CARDIOVASCULAR DISEASE (390-448)	149	4	534	19	2,749	1,082	160	11
DISEASES OF HEART (390-398, 402, 404, 410-429)	108	3	380	11	2,127	772	108	6

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	ST CHARLES		ST JOSEPH		ST LOUIS CITY		SEDALIA	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		7		34	4	1	
HYPERTENSIVE HEART (402,404)			15		18	27	2	1
ISCHEMIC HEART (410-414)	99	3	331	10	1,988	662	97	5
OTHER HEART DISEASE (420-429)	7		27	1	87	79	8	
HYPERTENSION (400,401,403)	1		3	1	22	18	2	
CEREBROVASCULAR DISEASE (430-438)	36	1	101	7	442	255	44	3
ARTERIOSCLEROSIS (440)	2		38		105	18	3	1
OTHER CIRCULATORY (441-448)	2		12		53	19	3	1
INFLUENZA/PNEUMONIA (470-474,480-486)	11	1	20	2	152	86	13	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		11		58	19	4	
PEPTIC ULCER (531-533)	1		8		24	9		
CIRRHOSIS OF LIVER (571)	2		9	1	72	60	3	
NEPHRITIS AND NEPHROSIS (580-584)			4		13	37	2	1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)					2	1		
CONGENITAL ANOMALIES (740-759)	1		3		20	20		
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	5	1	9		39	54	2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	19		40	2	47	43	2	
ALL OTHER DISEASES (RESIDUAL)	14	1	76	3	362	266	27	4
ACCIDENTAL DEATHS (E800-E949)	17		33		141	102	26	
MOTOR VEHICLE (E810-E823)	7		10		44	41	17	
OTHER TRANS. (E800-E807,E825-E845)			2		3			
POISONING (E850-E877)			1		8	3		
FALLS (E880-E887)	3		8		57	15	5	
FIRES (E890-E899)	3		2		13	16	1	
DROWNING & SUBMERSIONS (E910)	2		1		3	3	1	
FIREARM MISSILES (E922)			1		2			
INDUSTRIAL (E916-E921,E923-E928)			4		2	5	2	
OTHER REMAINDER OF (E900-E949)	2		4		9	19		
SUICIDE (E950-E959)	5		15		43	16	1	
HOMICIDE (E960-E978)	1		1	1	22	163	1	
ALL OTHER EXTERNAL CAUSES (E980-E999)	2		4		18	15	2	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	SIKESTON		SPRINGFIELD		UNIVERSITY CITY		WARRENSBURG	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	211	55	1,859	73	201	211	120	18
ATTENDED BY M.D.	180	42	1,840	72	199	201	100	17
ATTENDED BY D.O.	30	6	19	1	2	10	19	1
ATTENDED BY MIDWIFE	1	7						
OTHERS OR UNSPECIFIED							1	
LIVE BIRTHS UNDER 5.5 LBS.	11	8	101	6	9	16	11	4
TOTAL FETAL DEATHS	3	1	11		2	5	3	1
ATTENDED BY M.D.	2		11		2	5	2	1
ATTENDED BY D.O.	1	1					1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	130	19	1,250	32	396	53	78	4
UNDER ONE YEAR OF AGE	5	2	22	2	1	6	1	
NEONATAL DEATHS	4	2	16	1	1	3	1	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1			1		
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			7		4		1	
MALIGNANT NEOPLASMS (140-209)	23	4	222	7	96	13	10	
DIGEST. ORGANS (150-159)	9	2	66	3	38	4	2	
RESPIRATORY SYSTEM (160-163)	4		55	1	10	4	3	
BREAST (174)	2		17	1	10	1		
GENITAL ORGANS (180-187)	5		22	1	9	3	3	
URINARY ORGANS (188-189)	2		8		6		1	
LEUKEMIA (204-207)		1	5		2			
OTHER REMAINDER OF (140-209)	1	1	49	1	21	1	1	
DIABETES MELLITUS (250)			15		12		2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	68	8	670	13	218	21	53	2
DISEASES OF HEART (390-398, 402, 404, 410-429)	52	5	446	11	171	15	44	2

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

	SIKESTON		SPRINGFIELD		UNIVERSITY CITY		WARRENSBURG	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		7	1	5	1	1	
HYPERTENSIVE HEART (402,404)	2		8		3	1	1	
ISCHEMIC HEART (410-414)	47	4	411	9	157	12	39	2
OTHER HEART DISEASE (420-429)	2	1	20	1	6	1	3	
HYPERTENSION (400,401,403)		1	8		3	2		
CEREBROVASCULAR DISEASE (430-438)	13	2	157	2	29	4	4	
ARTERIOSCLEROSIS (440)	1		50		9		5	
OTHER CIRCULATORY (441-448)	2		9		6			
INFLUENZA/PNEUMONIA (470-474,480-486)	3	1	31	1	11	1	3	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		8		3		2	
PEPTIC ULCER (531-533)			3		3	1		
CIRRHOSIS OF LIVER (571)			11		1	2		
NEPHRITIS AND NEPHROSIS (580-584)			3	1	1			1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)		1	9		1	1		
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	4	1	11	2		2	1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	7	2	71	2	1	2		
ALL OTHER DISEASES (RESIDUAL)	9	1	98	2	28	3	4	1
ACCIDENTAL DEATHS (E800-E949)	9		54	3	9		1	
MOTOR VEHICLE (E810-E823)	2		23	3	2		1	
OTHER TRANS. (E800-E807,E825-E845)	2				1			
POISONING (E850-E877)	2		2					
FALLS (E880-E887)	2		13		4			
FIRES (E890-E899)			6		1			
DROWNING & SUBMERSIONS (E910)			1					
FIREARM MISSILES (E922)			2					
INDUSTRIAL (E916-E921,E923-E928)			1					
OTHER REMAINDER OF (E900-E949)	1		6					
SUICIDE (E950-E959)	2		24		5		1	
HOMICIDE (E960-E978)	1		5		2	4		
ALL OTHER EXTERNAL CAUSES (E980-E999)		1	7	1	2	2		

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

## WEBSTER GROVES.

	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	178	25
ATTENDED BY M.D.	175	25
ATTENDED BY D.O.	2	
ATTENDED BY MIDWIFE		
OTHERS OR UNSPECIFIED	1	
LIVE BIRTHS UNDER 5.5 LBS.	8	1
TOTAL FETAL DEATHS	1	1
ATTENDED BY M.D.	1	1
ATTENDED BY D.O.		
ATTENDED BY MIDWIFE		
OTHERS OR UNSPECIFIED		
TOTAL DEATHS	229	16
UNDER ONE YEAR OF AGE	2	
NEONATAL DEATHS	1	
MATERNAL DEATHS		

CAUSE OF DEATH		
TUBERCULOSIS, ALL FORMS (010-019)		
SYPHILIS AND ITS SEQUELAE (090-097)		
OTHER INFECTIVE & PARASITIC DISEASES		
REMAINDER OF (000-136)		
MALIGNANT NEOPLASMS (140-209)	61	3
DIGEST. ORGANS (150-159)	17	2
RESPIRATORY SYSTEM (160-163)	10	
BREAST (174)	7	
GENITAL ORGANS (180-187)	5	1
URINARY ORGANS (188-189)	5	
LEUKEMIA (204-207)	2	
OTHER REMAINDER OF (140-209)	15	
DIABETES MELLITUS (250)	2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	127	9
DISEASES OF HEART		
(390-398, 402, 404, 410-429)	100	7

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT  
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1976

## WEBSTER GROVES.

	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC		
RHEUMATIC HEART DISEASE (390-398)	1	
HYPERTENSIVE HEART (402,404)	1	
ISCHEMIC HEART (410-414)	95	7
OTHER HEART DISEASE (420-429)	3	
HYPERTENSION (400,401,403)		
CEREBROVASCULAR DISEASE (430-438)	20	2
ARTERIOSCLEROSIS (440)	5	
OTHER CIRCULATORY (441-448)	2	
INFLUENZA/PNEUMONIA (470-474,480-486)	5	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4	
PEPTIC ULCER (531-533)	1	
CIRRHOSIS OF LIVER (571)		
NEPHRITIS AND NEPHROSIS (580-584)	1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)		
CONGENITAL ANOMALIES (740-759)		
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	2	
ALL OTHER DISEASES (RESIDUAL)	11	3
ACCIDENTAL DEATHS (E800-E949)	11	1
MOTOR VEHICLE (E810-E823)	1	
OTHER TRANS. (E800-E807,E825-E845)		1
POISONING (E850-E877)	1	
FALLS (E880-E887)	5	
FIRES (E890-E899)	2	
DROWNING & SUBMERSIONS (E910)	1	
FIREARM MISSILES (E922)		
INDUSTRIAL (E916-E921,E923-E928)		
OTHER REMAINDER OF (E900-E949)	1	
SUICIDE (E950-E959)	2	
HOMICIDE (E960-E978)		
ALL OTHER EXTERNAL CAUSES (E980-E999)	1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL  
 CLASSIFICATION OF DISEASES, ADAPTED.



TABLE 17

RECORDED DEATHS BY TYPE OF ACCIDENT, AGE AND SEX, MISSOURI 1976

TYPE OF ACCIDENT	ALL AGES		0-4		5-14		15-24		25-44		45-64		65-74		OVER-74	
	MALE	FEMLE	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1. GRAND TOTAL	1,686	756	58	44	109	34	470	129	388	109	312	106	147	83	201	251
10. WORK TOTAL	107	2	-	-	-	-	16	-	36	1	40	1	6	-	9	-
11. AGRICULTURE	38	1	-	-	-	-	3	-	9	-	14	1	4	-	8	-
12. MINING, QUARRYING, OIL/GAS WELL	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
13. CONSTRUCTION	25	-	-	-	-	-	1	-	15	-	6	-	2	-	1	-
14. MANUFACTURING	6	1	-	-	-	-	2	-	1	1	3	-	-	-	-	-
15. TRANS. AND PUBLIC UTILITIES	6	-	-	-	-	-	-	-	3	-	3	-	-	-	-	-
16. TRADE	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
17. SERVICE	5	-	-	-	-	-	1	-	1	-	3	-	-	-	-	-
18. GOVERNMENT	9	-	-	-	-	-	4	-	1	-	4	-	-	-	-	-
19. OTHER AND UNSPECIFIED INDUS.	14	-	-	-	-	-	4	-	4	-	6	-	-	-	-	-
20. HOME TOTAL	311	219	35	21	29	12	25	14	48	20	60	32	50	22	64	98
21. POISONINGS (GAS EXCEPTED)	17	8	4	-	1	-	5	-	5	2	2	6	-	-	-	-
22. POISONINGS BY GAS AND VAPOR	20	8	-	-	1	1	1	1	10	1	6	1	1	2	1	2
23. FALLS	87	99	2	3	1	2	1	1	2	1	17	5	24	10	40	77
24. FIRES	95	64	16	10	6	7	5	8	17	7	18	12	18	5	15	15
25. DROWNING	17	6	7	3	3	-	4	1	1	-	2	1	-	-	-	1
26. SUFFOCATION, INGESTED OBJECTS	7	10	-	1	-	-	1	-	-	2	5	3	-	2	1	2
27. SUFFOCATION, MECHANICAL	6	1	1	1	1	-	-	-	1	-	1	-	1	-	1	-
28. FIREARMS	25	6	-	1	8	1	6	1	3	1	3	2	4	-	1	-
29. OTHER AND UNSPECIFIED ACC.	37	17	5	2	8	1	2	2	9	6	6	2	2	3	5	1
30. MOTOR VEHICLE TOTAL	907	342	13	14	49	19	357	105	244	74	141	58	50	41	53	31
31. INJURY TO PEDESTRIAN	90	45	3	7	11	5	23	6	17	6	17	4	11	9	8	8
32. INJURY TO PEDAL CYCLIST	9	3	2	1	5	-	2	2	-	-	-	-	-	-	-	-
33. INJURY TO RIDER OF ANIMAL OR OCCUPANT OF ANIMAL-DRAWN VEHICLE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34. COLLISION WITH RAILROAD TRAIN	33	15	-	-	6	-	9	2	5	6	3	3	7	4	3	-
35. COLLISION WITH OTHER MOTOR V	338	163	4	4	11	4	137	50	88	37	50	34	21	18	27	16
36. COLLISION WITH FIXED OBJECT	288	69	3	1	6	6	129	23	84	20	46	10	10	5	10	4
37. NONCOLLISION	117	33	-	-	8	4	46	16	43	4	16	6	1	3	3	-
38. OTHER AND UNSPECIFIED ACC.	32	14	1	1	2	-	11	6	7	1	9	1	-	2	2	3

NOTE ALL AGES INCLUDES UNKNOWN AGE.  
M = MALE F = FEMALE V = VEHICLE

TABLE 17 (CONT)

RECORDED DEATHS BY TYPE OF ACCIDENT, AGE AND SEX, MISSOURI 1976

TYPE OF ACCIDENT	ALL AGES		0-4		5-14		15-24		25-44		45-64		65-74		OVER-74	
	MALE	FEML	M	F	M	F	M	F	M	F	M	F	M	F	M	F
50. PUBLIC NON-MOTOR VEHICLE TOTAL	358	191	10	9	31	3	70	10	60	14	71	14	41	20	74	121
51. RAILROAD NOT WITH MOTOR V	9	1	-	-	1	-	-	-	4	-	3	-	-	-	1	1
52. OTHER V NOT WITH MOTOR V	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
53. WATER TRANSPORT	3	1	-	-	-	-	1	1	2	-	-	-	-	-	-	-
54. AIR-TRANSPORT	17	6	-	-	1	1	5	-	6	3	4	1	1	1	-	-
55. FALLS	98	118	-	3	1	-	3	1	3	2	18	5	17	7	56	100
56. FIRES	8	1	-	-	1	-	2	-	-	-	3	-	-	1	1	-
57. DROWNING	112	8	5	-	19	1	41	3	24	3	17	-	6	-	-	1
58. FIREARMS	15	1	-	-	2	-	5	1	4	-	4	-	-	-	-	-
59. OTHER AND UNSPECIFIED ACC.	95	54	5	6	5	1	13	3	17	6	22	8	17	11	16	19
60. TYPE OF ACCIDENT UNKNOWN	3	2	-	-	-	-	2	-	-	-	-	1	-	-	1	1

NOTE ALL AGES INCLUDES UNKNOWN AGE.  
M = MALE F = FEMALE V = VEHICLE

TABLE 18

ABRIDGED LIFE TABLE FOR THE TOTAL POPULATION, AND BY SEX; MISSOURI: 1976

## TOTAL POPULATION

Age Interval	Proportion Dying	Of 100,000 born alive		Stationary Population		Average Remaining Lifetime
Period of life between two exact ages stated in years	Proportion of persons alive at beginning of age interval dying during interval	Number living at beginning of age interval	Number dying during age interval	In the age interval	In this and all subsequent age intervals	Average number of years of life remaining at beginning of age interval
x to x + n	${}_nQ_x$	$l_x$	${}_nD_x$	${}_nL_x$	$T_x$	$E_x$
00 TO 01	.0153	100,000	1,529	98,634	7,262,585	72.6
01 TO 05	.0027	98,471	269	393,240	7,163,951	72.8
05 TO 10	.0019	98,202	187	490,505	6,770,711	68.9
10 TO 15	.0019	98,015	183	489,662	6,280,206	64.1
15 TO 20	.0060	97,832	584	487,820	5,790,544	59.2
20 TO 25	.0065	97,248	628	484,699	5,302,724	54.5
25 TO 30	.0068	96,620	656	481,483	4,818,025	49.9
30 TO 35	.0071	95,964	683	478,191	4,336,542	45.2
35 TO 40	.0100	95,281	950	474,188	3,858,351	40.5
40 TO 45	.0154	94,331	1,454	468,280	3,384,163	35.9
45 TO 50	.0252	92,877	2,340	458,961	2,915,883	31.4
50 TO 55	.0375	90,537	3,394	444,701	2,456,922	27.1
55 TO 60	.0581	87,143	5,062	423,758	2,012,221	23.1
60 TO 65	.0881	82,081	7,232	393,195	1,588,463	19.4
65 TO 70	.1265	74,849	9,465	351,480	1,195,268	16.0
70 TO 75	.1749	65,384	11,438	299,151	843,788	12.9
75 TO 80	.2524	53,946	13,614	236,274	544,637	10.1
80 TO 85	.3662	40,332	14,771	163,984	308,363	7.6
85 AND UP	1.0000	25,561	25,561	144,379	144,379	5.6

TABLE 18 (CONT) MALE LIFE TABLE; MISSOURI: 1976


x to x + n	$nQ_x$	$I_x$	$nD_x$	$nL_x$	$T_x$	$E_x$
00 TO 01	.0167	100,000	1,673	98,496	6,855,942	68.6
01 TO 05	.0031	98,327	305	392,581	6,757,446	68.7
05 TO 10	.0024	98,022	237	489,477	6,364,865	64.9
10 TO 15	.0025	97,785	246	488,386	5,875,388	60.1
15 TO 20	.0087	97,539	850	485,766	5,387,002	55.2
20 TO 25	.0095	96,689	920	481,174	4,901,236	50.7
25 TO 30	.0101	95,769	970	476,414	4,420,062	46.2
30 TO 35	.0099	94,799	936	471,750	3,943,648	41.6
35 TO 40	.0132	93,863	1,238	466,428	3,471,898	37.0
40 TO 45	.0203	92,625	1,878	458,778	3,005,470	32.4
45 TO 50	.0327	90,747	2,970	446,876	2,546,692	28.1
50 TO 55	.0492	87,777	4,320	428,734	2,099,816	23.9
55 TO 60	.0820	83,457	6,846	401,057	1,671,082	20.0
60 TO 65	.1220	76,611	9,349	360,654	1,270,025	16.6
65 TO 70	.1797	67,262	12,086	306,846	909,371	13.5
70 TO 75	.2398	55,176	13,232	243,167	602,525	10.9
75 TO 80	.3307	41,944	13,872	174,955	359,358	8.6
80 TO 85	.4544	28,072	12,756	107,236	184,403	6.6
85 AND UP	1.0000	15,316	15,316	77,167	77,167	5.0

FEMALE LIFE TABLE; MISSOURI: 1976

x to x + n	$nQ_x$	$I_x$	$nD_x$	$nL_x$	$T_x$	$E_x$
00 TO 01	.0137	100,000	1,374	98,783	7,675,767	76.8
01 TO 05	.0023	98,626	231	393,945	7,576,984	76.8
05 TO 10	.0014	98,395	135	491,605	7,183,039	73.0
10 TO 15	.0012	98,260	118	491,020	6,691,434	68.1
15 TO 20	.0031	98,142	307	489,991	6,200,414	63.2
20 TO 25	.0033	97,835	324	488,392	5,710,423	58.4
25 TO 30	.0037	97,511	359	486,697	5,222,031	53.6
30 TO 35	.0045	97,152	440	484,721	4,735,334	48.7
35 TO 40	.0069	96,712	670	481,994	4,250,613	44.0
40 TO 45	.0109	96,042	1,045	477,770	3,768,619	39.2
45 TO 50	.0181	94,997	1,720	470,965	3,290,849	34.6
50 TO 55	.0267	93,277	2,491	460,502	2,819,884	30.2
55 TO 60	.0368	90,786	3,340	446,086	2,359,382	26.0
60 TO 65	.0587	87,446	5,136	425,133	1,913,296	21.9
65 TO 70	.0830	82,310	6,831	395,415	1,488,163	18.1
70 TO 75	.1268	75,479	9,569	354,675	1,092,748	14.5
75 TO 80	.1987	65,910	13,099	298,040	738,073	11.2
80 TO 85	.3133	52,811	16,545	222,532	440,033	8.3
85 AND UP	1.0000	36,266	36,266	217,501	217,501	6.0

# MARRIAGES

GRAPH E.  
MARRIAGE RATES 1949-1974  
(per 1,000 population)



## MARRIAGES

Year	Number	Rate	Year	Number	Rate
1949	34,689	8.8	1964	38,802	8.7
1950	34,300	8.7	1965	39,882	8.9
1951	30,880	7.7	1966	42,597	9.4
1952	28,373	7.1	1967	44,055	9.7
1953	33,012	8.2	1968	48,155	10.5
1954	33,520	8.2	1969	50,411	10.9
1955	34,162	8.3	1970	50,224	10.7
1956	34,382	8.3	1971	51,048	10.8
1957	31,395	7.5	1972	53,372	11.2
1958	31,965	7.6	1973	51,990	10.9
1959	34,352	8.1	1974	51,434	10.8
1960	35,368	8.2	1975	50,147	10.5
1961	34,640	8.0	1976	51,070	10.7
1962	35,192	8.1			
1963	37,667	8.6			

**SOURCE:** Number of marriages recorded by the Division of Health of Missouri, VITAL STATISTICS REPORTS, 1949, to date. Population estimates taken from United States Bureau of Census Publication, Population Estimates—Series P-25, No's 139, 304, 460, 488. Provisional estimate for July 1, 1976—see page iv.

TABLE 19

## REPORTED MARRIAGES BY AGE OF GROOM, BY AGE OF BRIDE, MISSOURI 1976

AGE OF GROOM	AGE OF BRIDE															
	TOTAL	15 AND UND	16	17	18	19	20	21	22	23	24	25	26	27	28	29
TOTAL	51,070	1,392	1,954	3,110	5,575	4,977	4,422	4,049	3,561	2,716	2,056	1,769	1,440	1,270	1,152	1,039
15 AND UNDER	43	14	12	7	7	2					1					
16 YEARS	270	69	81	62	34	9	9				1	1		1		
17 YEARS	1,164	213	268	259	264	85	25	16	10	5	1	6	3	2	2	
18 YEARS	2,875	332	468	596	868	347	126	55	23	18	6	10	7	3	5	2
19 YEARS	4,046	260	411	669	1,149	847	376	138	60	32	24	20	13	12	7	10
20 YEARS	4,209	158	220	517	994	897	753	344	118	76	39	24	16	12	7	9
21 YEARS	4,367	112	161	359	807	788	772	667	340	142	68	47	19	20	20	13
22 YEARS	4,156	78	107	204	468	604	658	725	665	287	111	66	48	32	19	27
23 YEARS	3,520	35	56	133	288	404	503	556	604	398	196	102	68	44	31	23
24 YEARS	2,883	27	46	96	207	273	324	396	409	371	276	134	101	65	44	29
25 YEARS	2,502	22	31	61	154	212	237	304	291	290	277	230	107	84	63	44
26 YEARS	2,041	20	23	37	84	147	165	200	229	233	204	189	136	107	72	48
27 YEARS	1,749	8	17	22	64	85	103	158	192	174	174	167	152	131	100	54
28 YEARS	1,586	7	10	16	44	78	88	120	141	172	137	143	132	118	111	87
29 YEARS	1,435	11	8	16	36	43	72	106	110	122	145	121	114	115	106	79
30 YEARS	989	3	6	12	19	21	35	58	71	71	69	102	84	64	56	79
31 YEARS	906	1	5	9	19	25	26	38	59	68	53	63	64	73	65	80
32 YEARS	860	3	4	6	6	16	30	36	51	59	47	52	53	56	74	83
33 YEARS	813	4	3	8	12	21	26	23	38	26	48	53	52	59	61	55
34 YEARS	700	3	2	4	5	13	19	20	35	35	40	42	54	43	36	45
35-39 YEARS	2,550	4	3	9	26	29	46	61	63	88	81	119	130	135	157	152
40-44 YEARS	1,917	2	5	1	4	12	16	8	28	29	36	49	52	56	64	61
45-49 YEARS	1,474		1		4	5	4	10	10	8	12	17	22	25	30	39
50-54 YEARS	1,081			2	3	4	2	5	3	4	6	8	8	9	10	5
55-59 YEARS	843	1		1		1	3	1	2	2		2	2		5	8
60-64 YEARS	611	1			1	1			2	4		1	1	1	3	
65-69 YEARS	500				1			2			1		1	1		
70-74 YEARS	328								1							
75 YEARS AND OVER	313	1				1		1		1	1					
NOT STATED	339	3	6	4	7	7	4	1	6	1	2	1	1	2	4	3

NOTE: AGES OF BRIDE AND GROOM WERE CALCULATED USING MONTH AND YEAR OF BIRTH IN 1976 IN CONTRAST WITH PREVIOUS YEARS WHEN ONLY YEAR OF BIRTH WAS USED.

TABLE 19 (CONT)

## REPORTED MARRIAGES BY AGE OF GROOM, BY AGE OF BRIDE, MISSOURI 1976

AGE OF GROOM	AGE OF BRIDE														NOT STATED
	30	31	32	33	34	35 TO 39	40 TO 44	45 TO 49	50 TO 54	55 TO 59	60 TO 64	65 TO 69	70 TO 74	75+	
TOTAL	789	677	572	620	529	1,971	1,434	1,071	827	613	464	366	190	101	364
15 AND UNDER															
16 YEARS	1					1					1				
17 YEARS	1						1			2					1
18 YEARS		1		1		1	1	1							4
19 YEARS	3	1	1	3	3										7
20 YEARS	3	4	1	2	1	5		2	1	1					5
21 YEARS	3	4	2	6	2	6	3	1							5
22 YEARS	15	7	10	5	1	12	1	2							4
23 YEARS	24	7	11	10	8	11	2		1						5
24 YEARS	24	15	10	8	7	12	4							1	4
25 YEARS	31	17	6	8	10	17	1	3	1						1
26 YEARS	37	26	17	13	13	24	7	4	2	1					3
27 YEARS	37	21	16	21	11	29	9	1						1	2
28 YEARS	38	27	26	27	15	32	9	4							4
29 YEARS	56	37	28	25	19	43	15	5							3
30 YEARS	48	53	32	25	20	40	9	8					1		3
31 YEARS	53	48	38	25	25	47	13	5	1						3
32 YEARS	58	48	32	34	24	64	20	2	2						
33 YEARS	42	53	36	44	29	92	19	3	1	1		1	1		2
34 YEARS	32	35	36	42	33	77	30	8	3	1					7
35-39 YEARS	146	139	123	145	129	496	183	55	19	6					6
40-44 YEARS	71	89	86	93	92	477	361	141	68	8	5				3
45-49 YEARS	42	31	35	59	50	269	360	266	117	36	10	2	1	1	8
50-54 YEARS	17	8	14	14	23	133	224	248	206	84	31	4			2
55-59 YEARS	4	4	6	8	10	55	102	177	209	157	58	20	1		4
60-64 YEARS		1	3	2	1	12	38	83	104	155	121	68	5	1	2
65-69 YEARS	2		1		3	10	10	33	57	95	131	107	35	8	2
70-74 YEARS			1			2	6	10	19	47	67	99	56	18	2
75 YEARS AND OVER		1	1			3	3	7	14	18	38	61	89	71	2
NOT STATED	1					1	3	2	2	1	2	4	1		270

TABLE 20

REPORTED MARRIAGES BY MARITAL STATUS AND SELECTED AGE GROUPS,  
GROOM AND BRIDE, MISSOURI 1976

AGE	TOTAL	SINGLE	GROOM			TOTAL	SINGLE	BRIDE		
			AN- NULLED	WIDOWED	DIVORCED			AN- NULLED	WIDOWED	DIVORCED
TOTAL	51,070	32,048	24	2,086	15,866	51,070	33,073	27	2,465	14,430
15 AND UNDER	43	42			1	1,392	1,378			5
16 YEARS	270	267			1	1,954	1,903			15
17 YEARS	1,164	1,142			9	3,110	3,005	2		61
18 YEARS	2,875	2,829		2	8	5,575	5,360	1	7	129
19 YEARS	4,046	3,929	2	2	64	4,977	4,614	1	5	280
20 YEARS	4,209	3,997		2	154	4,422	3,848	2	11	499
21 YEARS	4,367	3,978	1	5	329	4,049	3,328	1	16	654
22 YEARS	4,156	3,678	1	2	412	3,561	2,814	2	13	694
23 YEARS	3,520	2,882	2	7	588	2,716	1,885	1	24	768
24 YEARS	2,883	2,134		7	714	2,056	1,255	2	16	765
25 YEARS	2,502	1,763		5	705	1,769	921	1	22	790
26 YEARS	2,041	1,213	1	11	789	1,440	651	1	27	746
27 YEARS	1,749	929		16	775	1,270	461	1	25	772
28 YEARS	1,586	716	1	10	839	1,152	343	1	29	760
29 YEARS	1,435	599	2	11	806	1,039	260	1	26	741
30 YEARS	989	336		7	635	789	170		38	565
31 YEARS	906	245	2	9	636	677	141		42	486
32 YEARS	860	215	1	18	614	572	93		17	451
33 YEARS	813	167		14	623	620	88		30	489
34 YEARS	700	110	1	12	558	529	61	2	33	429
35-39 YEARS	2,550	341	4	86	2,084	1,971	194	3	132	1,595
40-44 YEARS	1,917	181	2	106	1,582	1,434	89	2	208	1,103
45-49 YEARS	1,474	123	2	161	1,159	1,071	62	1	257	717
50-54 YEARS	1,081	82		203	772	827	37		324	439
55-59 YEARS	843	47		282	471	613	25		327	243
60-64 YEARS	611	36		297	256	464	26		308	112
65-69 YEARS	500	16	1	313	148	366	14	1	281	49
70-74 YEARS	328	11		234	64	190	6	1	155	22
75 YEARS AND OVER	313	7	1	255	42	101	4		84	9
NOT STATED	339	33		9	28	364	37		8	42

TOTAL FOR GROOM AND BRIDE INCLUDES NOT STATED

NOTE: AGES OF BRIDE AND GROOM WERE CALCULATED USING MONTH AND YEAR OF BIRTH IN 1976 IN CONTRAST WITH PREVIOUS YEARS WHEN ONLY YEAR OF BIRTH WAS USED.



TABLE 21

REPORTED MARRIAGES BY MARITAL STATUS,  
MISSOURI 1976

GROOM	TOTAL	SINGLE	BRIDE			
			WIDOWED	DIVORCED	ANNULLED	NOT STATED
SINGLE	32,047	27,847	283	3,838	12	67
WIDOWED	2,086	188	1,137	744		17
DIVORCED	15,866	4,989	1,014	9,789	7	67
ANNULLED	24	6		10	8	
NOT STATED	1,047	41	31	49		926
TOTAL	51,070	33,071	2,465	14,430	27	1,077

TABLE 22

## REPORTED MARRIAGES BY COLOR OF GROOM BY COLOR OF BRIDE, MISSOURI 1976

COLOR OF GROOM	TOTAL	COLOR OF BRIDE		
		WHITE	NONWHITE	NOT STATED
WHITE	46,141	45,988	125	28
NONWHITE	4,124	302	3,820	2
NOT STATED	805	26	3	776
TOTAL	51,070	46,316	3,948	806

TABLE 23

## REPORTED MARRIAGES BY COUNTY OF RECORDING WITH RATES, MISSOURI: 1976

COUNTIES	TOTAL POPULATION	REPORTED MARRIAGES		COUNTIES	TOTAL POPULATION	REPORTED MARRIAGES	
	(ALL AGES)	NUMBER	RATE		(ALL AGES)	NUMBER	RATE
STATE TOTAL	4,778,000	51,070	10.7	DOUGLAS	11,200	130	11.6
ADAIR	24,700	313	12.7	DUNKLIN	36,600	574	15.7
ANDREW	13,400	96	7.2	FRANKLIN	64,400	635	9.9
ATCHISON	9,300	213	22.9	GASCONADE	13,000	107	8.2
AUDRAIN	25,700	300	11.7	GENTRY	8,100	92	11.4
BARRY	21,700	218	10.0	GREENE	170,900	2,036	11.9
BARTON	11,000	124	11.3	GRUNDY	11,100	143	12.9
BATES	16,100	85	5.3	HARRISON	10,000	176	17.6
BENTON	11,900	94	7.9	HENRY	18,900	241	12.8
BOLLINGER	9,900	103	10.4	HICKORY	6,300	33	5.2
BOONE	89,400	925	10.3	HOLT	6,700	45	6.7
BUCHANAN	86,300	1,075	12.5	HOWARD	10,300	103	10.0
BUTLER	37,300	528	14.2	HOWELL	27,200	379	13.9
CALDWELL	9,000	61	6.8	IRON	10,200	108	10.6
CALLAWAY	27,400	169	6.2	JACKSON	634,500	7,744	12.2
CAMDEN	16,400	203	12.4	JASPER	83,300	1,001	12.0
CAPE GIRARDEAU	52,400	663	12.7	JEFFERSON	122,800	957	7.8
CARROLL	12,100	127	10.5	JOHNSON	34,200	440	12.9
CARTER	4,600	45	9.8	KNOX	5,500	45	8.2
CASS	49,200	566	11.5	LACLEDE	21,900	304	13.9
CEDAR	10,800	80	7.4	LAFAYETTE	28,600	237	8.3
CHARITON	10,500	122	11.6	LAWRENCE	27,900	294	10.5
CHRISTIAN	20,000	151	7.6	LEWIS	10,600	91	8.6
CLARK	8,000	183	22.9	LINCOLN	20,200	220	10.9
CLAY	133,800	1,152	8.6	LINN	15,000	132	8.8
CLINTON	14,400	94	6.5	LIVINGSTON	15,600	234	15.0
COLE	51,200	657	12.8	MC DONALD	16,200	170	10.5
COOPER	14,500	142	9.8	MACON	15,900	165	10.4
CRAWFORD	16,400	184	11.2	MADISON	9,200	121	13.2
DADE	7,400	50	6.8	MARIES	7,000	60	8.6
DALLAS	11,900	99	8.3	MARION	27,900	366	13.1
DAVISS	8,800	69	7.8	MERCER	4,700	127	27.0
DE KALB	7,800	82	10.5	MILLER	16,500	163	9.9
DENT	13,400	175	13.1	MISSISSIPPI	16,100	194	12.1

MARRIAGE RATES ARE PER 1,000 POPULATION.

TABLE 23 (CONT)

REPORTED MARRIAGES BY COUNTY OF RECORDING WITH RATES, MISSOURI: 1976

COUNTIES	TOTAL POPULATION	REPORTED MARRIAGES		COUNTIES	TOTAL POPULATION	REPORTED MARRIAGES	
	(ALL AGES)	NUMBER	RATE		(ALL AGES)	NUMBER	RATE
MONITEAU	11,700	95	8.1	ST. CHARLES	117,200	1,230	10.5
MONROE	10,000	78	7.8	ST. CLAIR	9,700	52	5.4
MONTGOMERY	11,500	102	8.9	ST. FRANCOIS	39,100	528	13.5
MORGAN	12,600	105	8.3	STE. GENEVIEVE	13,600	124	9.1
NEW MADRID	24,000	182	7.6	ST. LOUIS CITY	516,200	5,074	9.8
NEWTON	35,700	315	8.8	ST. LOUIS COUNTY	964,500	9,158	9.5
NODAWAY	21,200	269	12.7	SALINE	23,800	247	10.4
OREGON	9,900	88	8.9	SCHUYLER	5,100	157	30.8
OSAGE	12,400	59	4.8	SCOTLAND	5,500	81	14.7
OZARK	7,400	79	10.7	SCOTT	35,600	437	12.3
PEMISCOT	24,700	305	12.3	SHANNON	7,500	74	9.9
PERRY	15,300	163	10.7	SHELBY	7,700	65	8.4
PETTIS	35,500	405	11.4	STODDARD	27,300	367	13.4
PHELPS	30,700	387	12.6	STONE	13,000	130	10.0
PIKE	17,100	192	11.2	SULLIVAN	7,500	47	6.3
PLATTE	39,100	264	6.8	TANEY	18,100	214	11.8
POLK	18,300	178	9.7	TEXAS	21,100	248	11.8
PULASKI	40,400	611	15.1	VERNON	20,300	250	12.3
PUTNAM	6,300	103	16.3	WARREN	12,600	102	8.1
RALLS	8,700	131	15.1	WASHINGTON	16,300	200	12.3
RANDOLPH	23,500	312	13.3	WAYNE	10,300	103	10.0
RAY	19,200	211	11.0	WEBSTER	18,600	143	7.7
REYNOLDS	6,500	60	9.2	WORTH	3,300	50	15.2
RIPLEY	12,300	137	11.1	WRIGHT	14,900	143	9.6

MARRIAGE RATES ARE PER 1,000 POPULATION.

# DISSOLUTIONS

GRAPH F.  
DISSOLUTION RATES 1949-1975  
(per 1,000 population)



## DISSOLUTIONS

Year	Number	Rate	Year	Number	Rate
1949	12,912	3.3	1963	12,652	2.9
1950	12,177	3.1	1964	12,785	2.9
1951	12,131	3.0	1965	13,261	3.0
1952	12,943	3.3	1966	13,758	3.0
1953	12,342	3.1	1967	14,520	3.2
1954	11,705	2.9	1968	16,473	3.6
1955	11,351	2.7	1969	17,578	3.8
1956	10,993	2.6	1970	17,852	3.8
1957	10,861	2.6	1971	19,643	4.2
1958	10,747	2.6	1972	20,699	4.4
1959	11,695	2.7	1973	21,777	4.6
1960	11,320	2.6	1974	22,050	4.6
1961	11,574	2.7	1975	24,527	5.1
1962	11,882	2.7	1976	25,414	5.3

**SOURCE:** Number of Divorces recorded by the Division of Health of Missouri, VITAL STATISTICS REPORTS, 1949, to date. Population estimates taken from United States Bureau of Census Publication, Population Estimates, Series P-25, No.'s 139, 304, 460, 488. Provisional estimate for July 1, 1976—see page iv.

TABLE 24

REPORTED DISSOLUTIONS, INVALIDITIES AND LEGAL SEPARATIONS BY NUMBER OF PREVIOUS MARRIAGES.  
HUSBAND BY WIFE, MISSOURI 1976

HUSBAND	TOTAL	WIFE						
		DISSOLUTIONS						
		NONE	ONE	TWO	THREE	FOUR	FIVE OR MORE	NOT STATED
TOTAL	25,363	16,678	5,185	1,479	374	119	47	1,481
NONE	16,473	14,426	1,667	259	46	16	4	55
ONE	5,296	1,824	2,580	652	144	46	20	30
TWO	1,470	289	636	391	101	28	12	13
THREE	443	68	183	112	58	13	6	3
FOUR	123	16	52	26	15	9	3	2
FIVE OR MORE	61	4	23	23	5	2	2	2
NOT STATED	1,497	51	44	16	5	5		1,376
INVALIDITIES								
TOTAL	51	16	15	8	5	1	1	5
NONE	14	10	2	2				
ONE	19	5	6	4	4			
TWO	2		1	1				
THREE	4	1	1	1		1		
FOUR	2		1				1	
FIVE OR MORE	2		1		1			
NOT STATED	8		3					5
LEGAL SEPARATIONS								
TOTAL	56	42	8	2				4
NONE	43	40	2	1				
ONE	7	1	5					1
TWO	2	1	1					
THREE	1			1				
FOUR								
FIVE OR MORE								
NOT STATED	3							3

TABLE 25 REPORTED DISSOLUTIONS, INVALIDITIES AND LEGAL SEPARATIONS BY DURATION OF MARRIAGE, MISSOURI 1976

DURATION OF MARRIAGE (IN YEARS)	TOTAL	DISSOLUTIONS	INVALIDITIES	LEGAL SEPARATIONS
TOTAL	25,470	25,363	51	56
UNDER 1 YEAR	1,783	1,752	30	1
1 YEAR	2,622	2,611	10	1
2 YEARS	2,662	2,655	6	1
3 YEARS	2,458	2,454	1	3
4 YEARS	2,056	2,052		4
5 YEARS	1,709	1,705	1	3
6 YEARS	1,476	1,473	2	1
7 YEARS	1,244	1,243	1	3
8 YEARS	1,054	1,054		
9 YEARS	819	819		
10 YEARS	726	725		1
11 YEARS	653	652		1
12 YEARS	603	599		4
13 YEARS	515	511		4
14 YEARS	465	465		
15 YEARS	441	440		1
16 YEARS	395	392		3
17 YEARS	356	355		1
18 YEARS	349	346		3
19 YEARS	306	304		2
20-24 YEARS	1,233	1,225		8
25-29 YEARS	786	782		4
30-34 YEARS	349	347		2
35-39 YEARS	176	174		2
40 YEARS AND OVER	110	107		3
NOT STATED	124	124		

NOTE: DURATION OF MARRIAGE WAS CALCULATED USING MONTH AND YEAR OF PREVIOUS MARRIAGE IN 1976 IN CONTRAST WITH PREVIOUS YEARS WHEN ONLY YEAR OF MARRIAGE WAS USED.

TABLE 26 REPORTED DISSOLUTIONS, INVALIDITIES AND LEGAL SEPARATIONS BY NUMBER OF CHILDREN AFFECTED, MISSOURI 1976

CHILDREN REPORTED	TOTAL	DISSOLUTIONS	INVALIDITIES	LEGAL SEPARATIONS
TOTAL	25,470	25,363	51	56
NO CHILDREN	11,413	11,351	47	15
ONE CHILD	6,538	6,521	2	15
TWO CHILDREN	4,460	4,445	2	13
THREE CHILDREN	1,817	1,807		10
FOUR CHILDREN	632	630		2
FIVE CHILDREN	210	210		
SIX CHILDREN	77	77		
SEVEN CHILDREN	22	22		
EIGHT CHILDREN	8	8		
NINE OR MORE CHILDREN	5	5		
NOT STATED	288	287		1

TABLE 27 REPORTED DISSOLUTIONS, INVALIDITIES AND LEGAL SEPARATIONS BY PETITIONER

PETITIONER	TOTAL	DISSOLUTIONS	INVALIDITIES	LEGAL SEPARATIONS
TOTAL	25,470	25,363	51	56
HUSBAND	6,096	6,075	12	9
WIFE	15,040	14,966	37	37
HUSBAND AND WIFE	3,915	3,904	2	9
OTHER	7	7		
NOT STATED	412	411		1

TABLE 28 REPORTED DISSOLUTIONS, INVALIDITIES AND LEGAL SEPARATIONS BY PETITIONER BY DISPOSITION OF CHILDREN

PETITIONER	TOTAL	HUSBAND	WIFE	GUARDIAN	JNT	CUST. OTHER	NOT STATED	NO CHILDREN
DISSOLUTIONS								
TOTAL	25,363	1,007	12,111	19	384	54	432	11,356
HUSBAND	6,075	543	2,227	6	111	21	114	3,053
WIFE	14,966	298	8,164	13	199	28	255	6,009
HUSBAND AND WIFE	3,904	164	1,665		74	5	45	1,951
OTHER	7		3					4
NOT STATED	411	2	52				18	339
INVALIDITIES								
TOTAL	51		4					47
HUSBAND	12		2					10
WIFE	37		2					35
HUSBAND AND WIFE	2							2
OTHER								
NOT STATED								
LEGAL SEPARATIONS								
TOTAL	56	3	34		2		1	16
HUSBAND	9	3	3					3
WIFE	37		25				1	11
HUSBAND AND WIFE	9		6		2			1
OTHER								
NOT STATED	1							1

TABLE 29 REPORTED DISSOLUTIONS, INVALIDITIES AND LEGAL SEPARATIONS BY MAINTENANCE AND SETTLEMENT, MISSOURI 1976

MAINTENANCE AND SETTLEMENT	NUMBER		INVAL- IDITIES	LEGAL SEPARATIONS
	TOTAL	DISSOLUTIONS		
TOTAL	25,470	25,363	51	56
NO MAINTENANCE OR SUPPORT	11,787	11,732	46	9
MAINTENANCE TO WIFE	792	783	1	8
MAINTENANCE TO HUSBAND	4	4		
PROPERTY SETTLEMENT	274	273		1
SUPPORT TO CHILDREN	9,177	9,157		20
MAINTENANCE AND CHILD SUPPORT	1,923	1,909		14
MAINTENANCE OR SUPPORT TO OTHERS	1	1		
NOT STATED	1,512	1,504	4	4

TABLE 30 REPORTED DISSOLUTIONS, INVALIDITIES AND LEGAL SEPARATIONS BY LEGAL GROUNDS FOR DECREE

LEGAL GROUNDS FOR DECREE	NUMBER		INVAL- IDITIES	LEGAL SEPARATIONS
	TOTAL	DISSOLUTIONS		
TOTAL	25,470	25,363	51	56
IRRETRIEVABLY BROKEN (NO CONTEST)	23,039	22,999		40
CONTESTED CASES				
ADULTERY				
MISBEHAVIOR	1,366	1,360		6
ABANDONMENT	2	2		
12 MONTH SEPARATION BY MUTUAL CONSENT	1			1
24 MONTH SEPARATION				
INVALIDITY	51		51	
NOT STATED	1,011	1,002		9



TABLE 31      REPORTED DISSOLUTIONS, INVALIDITIES AND LEGAL SEPARATIONS BY COLOR, HUSBAND BY WIFE, MISSOURI 1976

HUSBAND	DISSOLUTIONS	TOTAL	WIFE		NOT STATED
			WHITE	NONWHITE	
TOTAL		25,363	21,772	2,415	1,176
WHITE		21,761	21,615	107	39
NONWHITE		2,443	130	2,306	7
NOT STATED		1,159	27	2	1,130
INVALIDITIES					
TOTAL		51	47		4
WHITE		47	47		
NONWHITE		1			1
NOT STATED		3			3
LEGAL SEPARATIONS					
TOTAL		56	49	5	2
WHITE		49	49		
NONWHITE		5		5	
NOT STATED		2			2

TABLE 32      REPORTED DISSOLUTIONS, INVALIDITIES AND LEGAL SEPARATIONS BY NUMBER OF CASES CONTESTED, MISSOURI 1976

CONTESTANT	TOTAL	DISSOLUTIONS	INVALIDITIES	LEGAL SEPARATIONS
TOTAL	25,470	25,363	51	56
HUSBAND	881	871	3	7
WIFE	486	484	2	
NO CONTEST	23,097	23,008	42	47
NOT STATED	1,006	1,000	4	2

TABLE 33      REPORTED DISSOLUTIONS AND INVALIDITIES BY COUNTY OF RECORDING WITH RATES, MISSOURI: 1976

COUNTIES	TOTAL POPULATION	REPORTED DISSOLUTIONS AND INVALIDITIES		COUNTIES	TOTAL POPULATION	REPORTED DISSOLUTIONS AND INVALIDITIES	
	(ALL AGES)	NUMBER	RATE		(ALL AGES)	NUMBER	RATE
STATE TOTAL	4,778,000	25,414	5.3				
ADAIR	24,700	122	4.9	DE KALB	7,800	25	3.2
ANDREW	13,400	59	4.4	DENT	13,400	65	4.9
ATCHISON	9,300	31	3.3	DOUGLAS	11,200	38	3.4
AUDRAIN	25,700	113	4.4	DUNKLIN	36,600	255	7.0
BARRY	21,700	96	4.4	FRANKLIN	64,400	260	4.0
BARTON	11,000	48	4.4	GASCONADE	13,000	40	3.1
BATES	16,100	61	3.8	GENTRY	8,100	25	3.1
BENTON	11,900	42	3.5	GREENE	170,900	1,236	7.2
BOLLINGER	9,900	51	5.2	GRUNDY	11,100	35	3.2
BOONE	89,400	525	5.9	HARRISON	10,000	30	3.0
BUCHANAN	86,300	626	7.3	HENRY	18,900	118	6.2
BUTLER	37,300	285	7.6	HICKORY	6,300	22	3.5
CALDWELL	9,000	35	3.9	HOLT	6,700	17	2.5
CALLAWAY	27,400	106	3.9	HOWARD	10,300	44	4.3
CAMDEN	16,400	69	4.2	HOWELL	27,200	17	0.6
CAPE GIRARDEAU	52,400	261	5.0	IRON	10,200	48	4.7
CARROLL	12,100	45	3.7	JACKSON	634,500	4,570	7.2
CARTER	4,600	19	4.1	JASPAR	83,300	588	7.1
CASS	49,200	257	5.2	JEFFERSON	122,800	628	5.1
CEDAR	10,800	28	2.6	JOHNSON	34,200	154	4.5
CHARITON	10,500	28	2.7	KNOX	5,500	15	2.7
CHRISTIAN	20,000	101	5.1	LACLEDE	21,900	152	6.9
CLARK	8,000	27	3.4	LAFAYETTE	28,600	136	4.8
CLAY	133,800	799	6.0	LAWRENCE	27,900	134	4.8
CLINTON	14,400	77	5.3	LEWIS	10,600	31	2.9
COLE	51,200	251	4.9	LINCOLN	20,200	64	3.2
COOPER	14,500	44	3.0	LINN	15,000	84	5.6
CRAWFORD	16,400	71	4.3	LIVINGSTON	15,600	99	6.3
DADE	7,400	18	2.4	MC DONALD	16,200	7	0.4
DALLAS	11,900	24	2.0	MACON	15,900	79	5.0
DAVISS	8,800	30	3.4	MADISON	9,200	58	6.3

TABLE 33      REPORTED DISSOLUTIONS AND INVALIDITIES BY COUNTY OF RECORDING WITH RATES, MISSOURI: 1976  
(CONT)

COUNTIES	TOTAL POPULATION  (ALL AGES)	REPORTED DISSOLUTIONS AND INVALIDITIES		COUNTIES	TOTAL POPULATION  (ALL AGES)	REPORTED DISSOLUTIONS AND INVALIDITIES	
		NUMBER	RATE			NUMBER	RATE
MARIES	7,000	21	3.0	REYNOLDS	6,500	21	3.2
MARION	27,900	133	4.8	RIPLEY	12,300	45	3.7
MERCER	4,700	16	3.4	ST. CHARLES	117,200	732	6.2
MILLER	16,500	70	4.2	ST. CLAIR	9,700	44	4.5
MISSISSIPPI	16,100	84	5.2	ST. FRANCOIS	39,100	232	5.9
MONITEAU	11,700	45	3.8	ST. GENEVIEVE	13,600	24	1.8
MONROE	10,000	46	4.6	ST. LOUIS CITY	516,200	2,223	4.3
MONTGOMERY	11,500	39	3.4	ST. LOUIS COUNTY	964,500	4,912	5.1
MORGAN	12,600	55	4.4	SALINE	23,800	134	5.6
NEW MADRID	24,000	117	4.9	SCHUYLER	5,100	8	1.6
NEWTON	35,700	167	4.7	SCOTLAND	5,500	16	2.9
NODAWAY	21,200	69	3.3	SCOTT	35,600	241	6.8
OREGON	9,900	5	0.5	SHANNON	7,500	35	4.7
OSAGE	12,400	16	1.3	SHELBY	7,700	38	4.9
OZARK	7,400	26	3.5	STODDARD	27,300	173	6.3
PEMISCOT	24,700	178	7.2	STONE	13,000	46	3.5
PERRY	15,300	40	2.6	SULLIVAN	7,500	29	3.9
PETTIS	35,500	186	5.2	TANEY	18,100	87	4.8
PHELPS	30,700	181	5.9	TEXAS	21,100	112	5.3
PIKE	17,100	71	4.2	VERNON	20,300	122	6.0
PLATTE	39,100	350	9.0	WARREN	12,600	37	2.9
POLK	18,300	70	3.8	WASHINGTON	16,300	62	3.8
PULASKI	40,400	146	3.6	WAYNE	10,300	51	5.0
PUTNAM	6,300	25	4.0	WEBSTER	18,600	65	3.5
RALLS	8,700	25	2.9	WORTH	3,300	8	2.4
RANDOLPH	23,500	136	5.8	WRIGHT	14,900	69	4.6
RAY	19,200	108	5.6				

TABLE 34

## RESIDENT ABORTIONS BY AGE AND MARITAL STATUS OF PATIENT, MISSOURI: 1976

AGE	TOTAL	NEVER MARRIED	CURRENTLY MARRIED	FORMERLY MARRIED	UNKNOWN OR NOT STATED
TOTAL	13,865	8,159	3,762	1,804	140
UNDER 15	237	234	0	1	2
15 - 19	4,441	4,075	290	47	29
20 - 24	4,594	2,883	1,194	472	45
25 - 29	2,413	706	1,011	661	35
30 - 34	1,161	168	630	351	12
35 - 39	691	59	426	193	13
40 - 44	265	12	184	68	1
45+	24	1	18	4	1
UNKNOWN	39	21	9	7	2

TABLE 35

## RESIDENT ABORTIONS BY EDUCATION AND RACE OF PATIENT, MISSOURI: 1976

YEARS OF EDUCATION	TOTAL	WHITE	BLACK	OTHER	UNKNOWN
TOTAL	13,865	9,337	4,308	186	34
UNDER 8	97	47	44	6	0
8 - 11	2,799	1,578	1,191	26	4
12	4,108	2,603	1,449	47	9
13+	2,662	1,759	840	56	7
UNKNOWN	4,199	3,350	784	51	14

TABLE 36

NUMBER OF LIVING CHILDREN, NUMBER OF PREVIOUS ABORTIONS FOR RESIDENT WOMEN  
RECEIVING ABORTIONS, MISSOURI: 1976

NUMBER OF LIVING CHILDREN	FREQUENCY OF PATIENTS
TOTAL	13,865
0	7,268
1	2,605
2	2,037
3	913
4	460
5	192
6+	197
UNKNOWN	193

NUMBER OF PREVIOUS ABORTIONS	FREQUENCY OF PATIENTS
TOTAL	13,865
0	5,983
1	2,799
2	2,087
3	1,171
4	630
5	352
6+	392
UNKNOWN	451

TABLE 37

## RESIDENT ABORTIONS AND RATIOS, BY COUNTY OF RESIDENCE, MISSOURI: 1976

ANNUAL 1976

	NUMBER	RATIO*		NUMBER	RATIO*		NUMBER	RATIO*
EAST-WEST GATEWAY			MO-KAN			MARK TWAIN		
FRANKLIN	84	83.3	ANDREW	13	76.5	LEWIS	4	30.8
JEFFERSON	266	122.2	BUCHANAN	232	177.4	MACON	12	60.6
ST. CHARLES	279	134.3	CLINTON	28	139.3	MARION	25	61.0
ST. LOUIS COUNTY	3,358	267.1	DE KALB	6	47.6	MONROE	12	85.1
ST. LOUIS CITY	3,319	426.6	REGION TOTAL	279	154.6	PIKE	30	113.2
REGION TOTAL	7,306	285.2				RALLS	4	33.3
			NORTHWEST MISSOURI			RANDOLPH	34	92.6
MID-AMERICA			ATCHISON	6	56.6	SHELBY	5	48.5
CASS	121	168.8	GENTRY	9	89.1	REGION TOTAL	126	72.7
CLAY	300	159.7	HOLT	14	175.0			
JACKSON	2,747	292.0	NODAWAY	52	163.5	BOONSLICK		
PLATTE	97	155.9	WORTH	1	25.6	LINCOLN	21	76.6
RAY	18	77.3	REGION TOTAL	82	127.3	MONTGOMERY	17	114.9
REGION TOTAL	3,283	255.3				WARREN	18	95.7
			GREEN HILLS			REGION TOTAL	56	91.8
			CALDWELL	7	65.4			
SOUTHWEST MISSOURI			DAVISS	12	114.3	OZARK GATEWAY		
BARRY	19	66.2	GRUNDY	8	41.2	BARTON	3	21.3
CHRISTIAN	28	94.0	HARRISON	14	114.8	JASPER	83	68.5
DADE	8	82.5	LINN	16	80.4	MC DONALD	8	47.9
DALLAS	13	99.2	LIVINGSTON	20	82.0	NEWTON	15	31.2
GREENE	498	195.8	MERCER	3	57.7	REGION TOTAL	109	54.5
LAWRENCE	24	61.1	PUTNAM	3	41.7			
POLK	35	145.8	SULLIVAN	3	32.3	KAYSINGER BASIN		
STONE	16	99.4	REGION TOTAL	86	72.4	BATES	22	88.0
TANEY	24	123.7				BENTON	8	67.2
WEBSTER	21	71.2	MISSOURI VALLEY			CEDAR	9	62.1
REGION TOTAL	686	147.8	CARROLL	9	51.4	HENRY	31	113.6
			CHARITON	10	82.6	HICKORY	6	109.1
MID-MISSOURI			SALINE	21	60.3	ST. CLAIR	4	51.9
AUDRAIN	23	63.2	REGION TOTAL	40	62.1	VERNON	27	96.1
BOONE	438	348.2				REGION TOTAL	107	89.2
CALLAWAY	57	154.9	NORTHEAST MISSOURI					
COLE	112	157.1	ADAIR	29	90.6	SHOW-ME		
COOPER	17	82.5	CLARK	0	0.0	JOHNSON	84	132.5
HOWARD	13	107.4	KNOX	2	26.3	LAFAYETTE	33	91.9
MONITEAU	12	75.5	SCHUYLER	2	36.4	PETTIS	49	101.0
OSAGE	7	39.3	SCOTLAND	3	53.6	REGION TOTAL	166	112.3
REGION TOTAL	679	201.7	REGION TOTAL	36	58.1			

\*PER 1,000 RESIDENT LIVE BIRTHS

TABLE 37 (CONT)

## RESIDENT ABORTIONS AND RATIOS, BY COUNTY OF RESIDENCE, MISSOURI: 1976

ANNUAL 1976

	NUMBER	RATIO*		NUMBER	RATIO*
SOUTH CENTRAL OZARK			SOUTHEAST MISSOURI		
DOUGLAS	11	78.6	BOLLINGER	4	27.4
HOWELL	19	49.6	CAPE GIRARDEAU	130	194.6
OREGON	2	15.2	IRON	9	59.2
OZARK	2	27.0	MADISON	10	73.0
SHANNON	8	89.9	PERRY	10	36.4
TEXAS	16	54.2	ST. FRANCOIS	55	101.7
WRIGHT	18	84.1	STE. GENEVIEVE	9	43.5
REGION TOTAL	76	57.3	REGION TOTAL	227	106.8
MERAMEC			BOOTHEEL		
CRAWFORD	18	71.4	DUNKLIN	9	16.2
DENT	14	68.6	MISSISSIPPI	24	83.0
GASCONADE	11	77.5	NEW MADRID	21	47.9
MARIES	8	87.0	PEMISCOT	4	7.9
PHELPS	51	127.2	SCOTT	59	96.7
WASHINGTON	13	40.4	STODDARD	27	71.2
REGION TOTAL	115	81.4	REGION TOTAL	144	51.8
LAKE OF THE OZARKS			OZARK FOOTHILLS		
CAMDEN	13	71.8	BUTLER	55	106.8
LACLEDE	18	58.8	CARTER	3	35.7
MILLER	19	72.8	REYNOLDS	7	72.9
MORGAN	10	70.4	RIPLEY	9	64.3
PULASKI	82	92.6	WAYNE	11	94.0
REGION TOTAL	142	80.0	REGION TOTAL	85	89.3
			UNKNOWN	35	
			STATE TOTAL	13,865	201.6

\*PER 1,000 RESIDENT LIVE BIRTHS

DEPARTMENT OF SOCIAL SERVICES  
DIVISION OF HEALTH OF MISSOURI  
Broadway State Office Building  
P. O. Box 570  
Jefferson City, Missouri 65101